

Data Path : Z:\svoasrv\HPCHEM1\BNA\_G\Data\BG051024\  
 Data File : BG061162.D  
 Acq On : 10 May 2024 14:12  
 Operator : MA/JU  
 Sample : P2444-01  
 Misc :  
 ALS Vial : 4 Sample Multiplier: 1

Instrument :  
 BNA\_G  
 ClientSampleId :  
 WC-DD

Quant Time: May 10 14:50:07 2024  
 Quant Method : Z:\svoasrv\HPCHEM1\BNA\_G\Methods\8270-BG043024.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Wed May 01 05:11:25 2024  
 Response via : Initial Calibration

| Compound                    | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|-----------------------------|--------|------|----------|--------|-------|----------|
| -----                       |        |      |          |        |       |          |
| Internal Standards          |        |      |          |        |       |          |
| 1) 1,4-Dichlorobenzene-d4   | 7.928  | 152  | 24456    | 20.000 | ng    | -0.03    |
| 21) Naphthalene-d8          | 10.719 | 136  | 101016   | 20.000 | ng    | #-0.04   |
| 39) Acenaphthene-d10        | 14.556 | 164  | 77904    | 20.000 | ng    | -0.03    |
| 64) Phenanthrene-d10        | 17.306 | 188  | 173939   | 20.000 | ng    | -0.03    |
| 76) Chrysene-d12            | 21.565 | 240  | 179766   | 20.000 | ng    | -0.03    |
| 86) Perylene-d12            | 24.697 | 264  | 211770   | 20.000 | ng    | -0.03    |
| System Monitoring Compounds |        |      |          |        |       |          |
| 5) 2-Fluorophenol           | 5.520  | 112  | 115539   | 96.081 | ng    | -0.03    |
| 7) Phenol-d6                | 7.100  | 99   | 154507   | 86.855 | ng    | -0.03    |
| 23) Nitrobenzene-d5         | 9.080  | 82   | 114424   | 56.152 | ng    | -0.04    |
| 42) 2,4,6-Tribromophenol    | 16.054 | 330  | 112929   | 72.522 | ng    | -0.02    |
| 45) 2-Fluorobiphenyl        | 13.181 | 172  | 302369   | 57.393 | ng    | -0.03    |
| 79) Terphenyl-d14           | 19.926 | 244  | 568838   | 52.627 | ng    | -0.03    |


| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA\_G\Data\BG051024\  
Data File : BG061162.D  
Acq On : 10 May 2024 14:12  
Operator : MA/JU  
Sample : P2444-01  
Misc :  
ALS Vial : 4 Sample Multiplier: 1

Instrument :  
BNA\_G  
ClientSampleId :  
WC-DD

Quant Time: May 10 14:50:07 2024  
Quant Method : Z:\svoasrv\HPCHEM1\BNA\_G\Methods\8270-BG043024.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
QLast Update : Wed May 01 05:11:25 2024  
Response via : Initial Calibration









#1  
1,4-Dichlorobenzene-d4  
Concen: 20.000 ng  
RT: 7.928 min Scan# 846  
Delta R.T. -0.033 min  
Lab File: BG061162.D  
Acq: 10 May 2024 14:12




Instrument :  
BNA\_G  
ClientSampleId :  
WC-DD

Tgt Ion:152 Resp: 24456  
Ion Ratio Lower Upper  
152 100  
150 164.8 138.3 207.5  
115 67.1 48.0 72.0



#5  
2-Fluorophenol  
Concen: 96.081 ng  
RT: 5.520 min Scan# 431  
Delta R.T. -0.027 min  
Lab File: BG061162.D  
Acq: 10 May 2024 14:12

Tgt Ion:112 Resp: 115539  
Ion Ratio Lower Upper  
112 100  
64 73.6 55.7 83.5  
63 44.0 38.1 57.1









#7  
Phenol-d6  
Concen: 86.855 ng  
RT: 7.100 min Scan# 705  
Delta R.T. -0.033 min  
Lab File: BG061162.D  
Acq: 10 May 2024 14:12




Instrument :  
BNA\_G  
ClientSampleId :  
WC-DD


Tgt Ion: 99 Resp: 154507  
Ion Ratio Lower Upper  
99 100  
42 35.4 29.2 43.8  
71 49.5 39.7 59.5



#21  
Naphthalene-d8  
Concen: 20.000 ng  
RT: 10.719 min Scan# 1316  
Delta R.T. -0.039 min  
Lab File: BG061162.D  
Acq: 10 May 2024 14:12

Tgt Ion:136 Resp: 101016  
Ion Ratio Lower Upper  
136 100  
137 10.9 7.8 11.6  
54 12.3 8.1 12.1#  
68 5.6 3.0 4.4#





#23

Nitrobenzene-d5

Concen: 56.152 ng

RT: 9.080 min Scan# 1

Delta R.T. -0.039 min

Lab File: BG061162.D

Acq: 10 May 2024 14:12

Instrument :

BNA\_G

ClientSampleId :

WC-DD





Tgt Ion: 82 Resp: 114424

Ion Ratio Lower Upper

82 100

128 37.1 32.7 49.1

54 75.9 65.6 98.4



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.556 min Scan# 1969

Delta R.T. -0.033 min

Lab File: BG061162.D

Acq: 10 May 2024 14:12




Tgt Ion:164 Resp: 77904


Ion Ratio Lower Upper

164 100

162 96.1 79.4 119.2

160 44.0 37.0 55.6








#42  
2,4,6-Tribromophenol  
Concen: 72.522 ng  
RT: 16.054 min Scan# 21  
Delta R.T. -0.021 min  
Lab File: BG061162.D  
Acq: 10 May 2024 14:12




Instrument :  
BNA\_G  
ClientSampleId :  
WC-DD


Tgt Ion:330 Resp: 112929  
Ion Ratio Lower Upper  
330 100  
332 99.8 78.6 117.8  
141 26.3 20.5 30.7



#45  
2-Fluorobiphenyl  
Concen: 57.393 ng  
RT: 13.181 min Scan# 1735  
Delta R.T. -0.027 min  
Lab File: BG061162.D  
Acq: 10 May 2024 14:12

Tgt Ion:172 Resp: 302369  
Ion Ratio Lower Upper  
172 100  
171 36.0 29.0 43.6  
170 25.0 20.2 30.4









#64  
Phenanthrene-d10  
Concen: 20.000 ng  
RT: 17.306 min Scan# 2441  
Delta R.T. -0.027 min  
Lab File: BG061162.D  
Acq: 10 May 2024 14:12




Instrument :  
BNA\_G  
ClientSampleId :  
WC-DD


Tgt Ion:188 Resp: 173939  
Ion Ratio Lower Upper  
188 100  
94 4.7 3.6 5.4  
80 5.1 4.2 6.2



#76  
Chrysene-d12  
Concen: 20.000 ng  
RT: 21.565 min Scan# 3162  
Delta R.T. -0.027 min  
Lab File: BG061162.D  
Acq: 10 May 2024 14:12

Tgt Ion:240 Resp: 179766  
Ion Ratio Lower Upper  
240 100  
120 4.7 3.2 4.8  
236 25.9 21.0 31.6









#79  
 Terphenyl-d14  
 Concen: 52.627 ng  
 RT: 19.926 min Scan# 21  
 Delta R.T. -0.027 min  
 Lab File: BG061162.D  
 Acq: 10 May 2024 14:12

Instrument :  
 BNA\_G  
 ClientSampleId :  
 WC-DD

Tgt Ion:244 Resp: 568838  
 Ion Ratio Lower Upper  
 244 100  
 212 7.7 5.7 8.5  
 122 5.4 4.2 6.2



#86  
 Perylene-d12  
 Concen: 20.000 ng  
 RT: 24.697 min Scan# 3695  
 Delta R.T. -0.033 min  
 Lab File: BG061162.D  
 Acq: 10 May 2024 14:12

Tgt Ion:264 Resp: 211770  
 Ion Ratio Lower Upper  
 264 100  
 260 23.1 17.7 26.5  
 265 21.3 16.4 24.6

