

Data Path : Z:\HPCHEM1\BNA G\DATA\BG051115\
 Data File : BG017054.D
 Acq On : 11 May 2015 15:41
 Operator : TP/IZ
 Sample : G2109-10RE
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 W-33RE

Quant Time: May 12 04:39:13 2015
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG050515.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 12 04:00:00 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.76	152	79940	20.00	ng	0.00
21) Naphthalene-d8	10.55	136	332431	20.00	ng	0.00
38) Acenaphthene-d10	14.41	164	201906	20.00	ng	0.00
63) Phenanthrene-d10	17.15	188	451052	20.00	ng	0.00
75) Chrysene-d12	21.33	240	464257	20.00	ng	0.00
86) Perylene-d12	23.63	264	463458	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.35	112	300802	65.52	ng	0.00
7) Phenol-d6	6.94	99	244639	37.30	ng	0.00
23) Nitrobenzene-d5	8.92	82	632689	92.98	ng	0.00
41) 2,4,6-Tribromophenol	15.91	330	372302	183.68	ng	0.00
44) 2-Fluorobiphenyl	13.03	172	1240846	92.74	ng	0.00
78) Terphenyl-d14	19.78	244	1649076	83.27	ng	0.00
Target Compounds						
49) Dimethylphthalate	13.86	163	33755	2.24	ng	Qvalue # 94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG051115\
Data File : BG017054.D
Acq On : 11 May 2015 15:41
Operator : TP/IZ
Sample : G2109-10RE
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
W-33RE

Quant Time: May 12 04:39:13 2015
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG050515.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue May 12 04:00:00 2015
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.76 min Scan# 862
Delta R.T. 0.00 min
Lab File: BG017054.D
Acq: 11 May 2015 15:41

Instrument :
BNA_G
ClientSampleId :
W-33RE

Tot Ion:152 Resp: 79940
Ion Ratio Lower Upper
152 100
150 148.4 121.0 181.4
115 61.4 50.5 75.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 65.52 ng
RT: 5.35 min Scan# 452
Delta R.T. 0.00 min
Lab File: BG017054.D
Acq: 11 May 2015 15:41

Tgt Ion:112 Resp: 300802
Ion Ratio Lower Upper
112 100
64 66.6 51.4 77.2
63 38.4 28.1 42.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG0
Ion 63.00 (62.70 to 63.70): BG0





#7

Phenol-d6

Concen: 37.30 ng

RT: 6.94 min Scan# 724

Delta R.T. 0.00 min

Lab File: BG017054.D

Acq: 11 May 2015 15:41

Instrument :

BNA_G

ClientSampleId :

W-33RE


Tot Ion: 99 Resp: 244639

Ion Ratio Lower Upper




99 100

42 26.3 22.1 33.1

71 42.9 33.4 50.0



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.55 min Scan# 1338

Delta R.T. 0.00 min

Lab File: BG017054.D

Acq: 11 May 2015 15:41

Tgt Ion: 136 Resp: 332431


Ion Ratio Lower Upper

136 100



137 10.8 9.8 14.8

54 8.6 8.7 13.1#

68 5.6 5.0 7.4



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 92.98 ng
 RT: 8.92 min Scan# 1060
 Delta R.T. 0.00 min
 Lab File: BG017054.D
 Acq: 11 May 2015 15:41




Instrument :
 BNA_G
 ClientSampleID :
 W-33RE


Tot Ion	82	Resp	632689
Ion Ratio	Lower	Upper	
82	100		
128	41.8	33.2	49.8
54	61.3	48.6	72.8



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.41 min Scan# 1994
 Delta R.T. 0.00 min
 Lab File: BG017054.D
 Acq: 11 May 2015 15:41

Tgt Ion	164	Resp	201906
Ion Ratio	Lower	Upper	
164	100		
162	98.0	74.0	111.0
160	42.5	34.7	52.1









#41
 2,4,6-Tribromophenol
 Concen: 183.68 ng
 RT: 15.91 min Scan# 2249
 Delta R.T. 0.00 min
 Lab File: BG017054.D
 Acq: 11 May 2015 15:41




Instrument :
 BNA_G
 ClientSampleId :
 W-33RE


Tot Ion:330 Resp: 372302
 Ion Ratio Lower Upper
 330 100
 332 96.4 0.0 0.0#
 141 50.0 0.0 0.0#



#44
 2-Fluorobiphenyl
 Concen: 92.74 ng
 RT: 13.03 min Scan# 1759
 Delta R.T. 0.00 min
 Lab File: BG017054.D
 Acq: 11 May 2015 15:41

Tgt Ion:172 Resp: 1240846
 Ion Ratio Lower Upper
 172 100
 171 38.4 29.0 43.4
 170 24.9 19.0 28.4









#49
Dimethylphthalate
Concen: 2.24 ng
RT: 13.86 min Scan# 1901
Delta R.T. -0.01 min
Lab File: BG017054.D
Acq: 11 May 2015 15:41




Instrument :
BNA_G
ClientSampleId :
W-33RE


Tot Ion:163 Resp: 33755
Ion Ratio Lower Upper
163 100
194 8.5 5.2 7.8#
164 8.5 8.4 12.6



#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.15 min Scan# 2461
Delta R.T. -0.01 min
Lab File: BG017054.D
Acq: 11 May 2015 15:41

Tgt Ion:188 Resp: 451052
Ion Ratio Lower Upper
188 100
94 9.9 8.2 12.4
80 10.2 8.8 13.2





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.33 min Scan# 3173

Delta R.T. -0.01 min

Lab File: BG017054.D

Acq: 11 May 2015 15:41

Instrument :

BNA_G

ClientSampleId :

W-33RE


Tot Ion:240 Resp: 464257

Ion Ratio Lower Upper

240 100

120 9.9 9.1 13.7


236 25.2 20.2 30.4





Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



Time-->



#78

Terphenyl-d14

Concen: 83.27 ng

RT: 19.78 min Scan# 2909

Delta R.T. -0.01 min

Lab File: BG017054.D

Acq: 11 May 2015 15:41


Tgt Ion:244 Resp: 1649076

Ion Ratio Lower Upper

244 100

212 9.5 7.0 10.6


122 13.0 10.4 15.6




Abundance Ion 244.00 (243.70 to 244.70): E


Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



Time-->





#86
Pervlene-d12
Concen: 20.00 ng
RT: 23.63 min Scan# 3563
Delta R.T. -0.01 min
Lab File: BG017054.D
Acq: 11 May 2015 15:41

Instrument :
BNA_G
ClientSampleId :
W-33RE

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.4	19.5	29.3
265	22.2	18.5	27.7

