

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG051415\
 Data File : BG017145.D
 Acq On : 14 May 2015 17:50
 Operator : TP/IZ
 Sample : G2177-13
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PS-24(20-25)

Quant Time: May 15 04:18:49 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG051315.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 13 16:12:13 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.71	152	49706	20.00	ng	0.00
21) Naphthalene-d8	10.50	136	211287	20.00	ng	0.00
38) Acenaphthene-d10	14.36	164	143327	20.00	ng	0.00
63) Phenanthrene-d10	17.11	188	335445	20.00	ng	0.00
75) Chrysene-d12	21.29	240	354119	20.00	ng	0.00
86) Perylene-d12	23.56	264	344601	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.30	112	451463	161.15	ng	0.00
7) Phenol-d6	6.91	99	620419	157.81	ng	0.00
23) Nitrobenzene-d5	8.87	82	407592	90.06	ng	0.00
41) 2,4,6-Tribromophenol	15.85	330	253152	146.11	ng	0.00
44) 2-Fluorobiphenyl	12.98	172	829561	84.93	ng	0.00
78) Terphenyl-d14	19.74	244	1453127	85.51	ng	0.00
Target Compounds						
9) Benzaldehyde	6.84	77	58	Below Cal	#	6
49) Dimethylphthalate	13.82	163	37515	3.35 ng	#	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG051415\
Data File : BG017145.D
Acq On : 14 May 2015 17:50
Operator : TP/IZ
Sample : G2177-13
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PS-24(20-25)

Quant Time: May 15 04:18:49 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG051315.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 13 16:12:13 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.71 min Scan# 854

Delta R.T. -0.00 min

Lab File: BG017145.D

Acq: 14 May 2015 17:50

Instrument :

BNA_G

ClientSampleId :

PS-24(20-25)


Tgt Ion:152 Resp: 49706

Ion Ratio Lower Upper

152 100

150 165.6 120.8 181.2




115 65.3 49.4 74.2



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 161.15 ng

RT: 5.30 min Scan# 444

Delta R.T. -0.01 min

Lab File: BG017145.D

Acq: 14 May 2015 17:50


Tgt Ion:112 Resp: 451463

Ion Ratio Lower Upper

112 100

64 67.1 48.1 72.1



63 39.0 29.8 44.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 157.81 ng

RT: 6.91 min Scan# 718

Delta R.T. -0.00 min

Lab File: BG017145.D

Acq: 14 May 2015 17:50

Instrument :

BNA_G

ClientSampleId :

PS-24(20-25)


Tgt Ion: 99 Resp: 620419

Ion Ratio Lower Upper




99 100

42 28.7 23.5 35.3

71 46.6 39.8 59.8



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.50 min Scan# 1330

Delta R.T. -0.00 min

Lab File: BG017145.D

Acq: 14 May 2015 17:50

Tgt Ion: 136 Resp: 211287


Ion Ratio Lower Upper

136 100



137 11.2 8.3 12.5


54 8.9 7.4 11.2

68 5.8 3.6 5.4#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 90.06 ng
 RT: 8.87 min Scan# 1052
 Delta R.T. -0.00 min
 Lab File: BG017145.D
 Acq: 14 May 2015 17:50




Instrument :
 BNA_G
 ClientSampleId :
 PS-24(20-25)


Tgt Ion	Ratio	Lower	Upper
82	100		
128	39.3	32.6	49.0
54	58.4	49.6	74.4



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.36 min Scan# 1987
 Delta R.T. -0.00 min
 Lab File: BG017145.D
 Acq: 14 May 2015 17:50

Tgt Ion	Ratio	Lower	Upper
164	100		
162	93.2	82.1	123.1
160	41.0	34.8	52.2









#41
 2,4,6-Tribromophenol
 Concen: 146.11 ng
 RT: 15.85 min Scan# 2241
 Delta R.T. -0.00 min
 Lab File: BG017145.D
 Acq: 14 May 2015 17:50




Instrument :
 BNA_G
 ClientSampleId :
 PS-24(20-25)


Tgt Ion:330 Resp: 253152
 Ion Ratio Lower Upper
 330 100
 332 94.7 76.9 115.3
 141 50.6 42.2 63.2



#44
 2-Fluorobiphenyl
 Concen: 84.93 ng
 RT: 12.98 min Scan# 1752
 Delta R.T. -0.00 min
 Lab File: BG017145.D
 Acq: 14 May 2015 17:50

Tgt Ion:172 Resp: 829561
 Ion Ratio Lower Upper
 172 100
 171 36.4 29.7 44.5
 170 23.6 18.4 27.6





#49

Dimethylphthalate

Concen: 3.35 ng

RT: 13.82 min Scan# 1895

Delta R.T. -0.01 min

Lab File: BG017145.D

Acq: 14 May 2015 17:50

Instrument :

BNA_G

ClientSampleId :

PS-24(20-25)


Tgt Ion:163 Resp: 37515

Ion Ratio Lower Upper

163 100

194 5.0 5.6 8.4#




164 8.0 8.6 13.0#



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.11 min Scan# 2454

Delta R.T. -0.01 min

Lab File: BG017145.D

Acq: 14 May 2015 17:50


Tgt Ion:188 Resp: 335445

Ion Ratio Lower Upper

188 100

94 9.7 5.8 8.6#



80 10.9 6.5 9.7#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.29 min Scan# 3166

Delta R.T. -0.01 min

Lab File: BG017145.D

Acq: 14 May 2015 17:50

Instrument :

BNA_G

ClientSampleId :

PS-24(20-25)


Tgt Ion:240 Resp: 354119

Ion Ratio Lower Upper

240 100

120 10.4 6.0 9.0#




236 26.7 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 85.51 ng

RT: 19.74 min Scan# 2903

Delta R.T. -0.00 min

Lab File: BG017145.D

Acq: 14 May 2015 17:50


Tgt Ion:244 Resp: 1453127

Ion Ratio Lower Upper

244 100

212 9.3 7.0 10.4

122 12.0 8.4 12.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E

