

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG051415\
 Data File : BG017142.D
 Acq On : 14 May 2015 16:05
 Operator : TP/IZ
 Sample : G2177-18
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PS-30A(10-15)

Quant Time: May 15 05:25:06 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG051315.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 13 16:12:13 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.70	152	53130	20.00	ng	0.00
21) Naphthalene-d8	10.50	136	227314	20.00	ng	0.00
38) Acenaphthene-d10	14.36	164	148063	20.00	ng	0.00
63) Phenanthrene-d10	17.11	188	354448	20.00	ng	0.00
75) Chrysene-d12	21.29	240	364664	20.00	ng	0.00
86) Perylene-d12	23.56	264	356404	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.30	112	470029	156.96	ng	0.00
7) Phenol-d6	6.91	99	664069	158.02	ng	0.00
23) Nitrobenzene-d5	8.87	82	440313	90.43	ng	0.00
41) 2,4,6-Tribromophenol	15.85	330	270108	150.91	ng	0.00
44) 2-Fluorobiphenyl	12.98	172	889704	88.17	ng	0.00
78) Terphenyl-d14	19.74	244	1508948	86.23	ng	0.00
Target Compounds						
49) Dimethylphthalate	13.82	163	37064	3.20	ng	Qvalue # 97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG051415\
Data File : BG017142.D
Acq On : 14 May 2015 16:05
Operator : TP/IZ
Sample : G2177-18
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PS-30A(10-15)

Quant Time: May 15 05:25:06 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG051315.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 13 16:12:13 2015
Response via : Initial Calibration








#1

1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.70 min Scan# 854
Delta R.T. -0.00 min
Lab File: BG017142.D
Acq: 14 May 2015 16:05

Instrument :
BNA_G
ClientSampleId :
PS-30A(10-15)




Tgt Ion:152 Resp: 53130
Ion Ratio Lower Upper
152 100
150 146.7 120.8 181.2
115 61.6 49.4 74.2




#5

2-Fluorophenol
Concen: 156.96 ng
RT: 5.30 min Scan# 444
Delta R.T. -0.01 min
Lab File: BG017142.D
Acq: 14 May 2015 16:05

Tgt Ion:112 Resp: 470029
Ion Ratio Lower Upper
112 100
64 67.4 48.1 72.1
63 40.5 29.8 44.8





#7

Phenol-d6

Concen: 158.02 ng

RT: 6.91 min Scan# 718

Delta R.T. -0.00 min

Lab File: BG017142.D

Acq: 14 May 2015 16:05

Instrument :

BNA_G

ClientSampleId :

PS-30A(10-15)


Tgt Ion: 99 Resp: 664069

Ion Ratio Lower Upper



99 100

42 27.8 23.5 35.3

71 45.5 39.8 59.8



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.50 min Scan# 1330

Delta R.T. -0.00 min

Lab File: BG017142.D

Acq: 14 May 2015 16:05

Tgt Ion: 136 Resp: 227314


Ion Ratio Lower Upper

136 100



137 9.6 8.3 12.5


54 9.4 7.4 11.2

68 6.0 3.6 5.4#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 90.43 ng
 RT: 8.87 min Scan# 1052
 Delta R.T. -0.00 min
 Lab File: BG017142.D
 Acq: 14 May 2015 16:05

Instrument :
 BNA_G
 ClientSampleId :
 PS-30A(10-15)

Tgt Ion	Ratio	Lower	Upper
82	100		
128	41.8	32.6	49.0
54	61.1	49.6	74.4




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.36 min Scan# 1987
 Delta R.T. -0.00 min
 Lab File: BG017142.D
 Acq: 14 May 2015 16:05

Tgt Ion	Ratio	Lower	Upper
164	100		
162	101.3	82.1	123.1
160	44.0	34.8	52.2



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 150.91 ng
 RT: 15.85 min Scan# 2241
 Delta R.T. -0.00 min
 Lab File: BG017142.D
 Acq: 14 May 2015 16:05




Instrument :
 BNA_G
 ClientSampleId :
 PS-30A(10-15)

Tgt Ion	Ratio	Lower	Upper
330	100		
332	97.0	76.9	115.3
141	50.3	42.2	63.2



#44
 2-Fluorobiphenyl
 Concen: 88.17 ng
 RT: 12.98 min Scan# 1752
 Delta R.T. -0.00 min
 Lab File: BG017142.D
 Acq: 14 May 2015 16:05

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.7	29.7	44.5
170	23.4	18.4	27.6





#49

Dimethylphthalate

Concen: 3.20 ng

RT: 13.82 min Scan# 1895

Delta R.T. -0.01 min

Lab File: BG017142.D

Acq: 14 May 2015 16:05

Instrument :

BNA_G

ClientSampleId :

PS-30A(10-15)


Tgt Ion:163 Resp: 37064

Ion Ratio Lower Upper

163 100

194 5.1 5.6 8.4#




164 11.3 8.6 13.0



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.11 min Scan# 2455

Delta R.T. -0.00 min

Lab File: BG017142.D

Acq: 14 May 2015 16:05


Tgt Ion:188 Resp: 354448

Ion Ratio Lower Upper

188 100

94 8.7 5.8 8.6#



80 10.2 6.5 9.7#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.29 min Scan# 3166

Delta R.T. -0.01 min

Lab File: BG017142.D

Acq: 14 May 2015 16:05

Instrument :

BNA_G

ClientSampleId :

PS-30A(10-15)


Tgt Ion:240 Resp: 364664

Ion Ratio Lower Upper

240 100

120 11.1 6.0 9.0#




236 23.5 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 86.23 ng

RT: 19.74 min Scan# 2903

Delta R.T. -0.00 min

Lab File: BG017142.D

Acq: 14 May 2015 16:05


Tgt Ion:244 Resp: 1508948

Ion Ratio Lower Upper

244 100

212 9.2 7.0 10.4



122 12.5 8.4 12.6




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86

Perylene-d12

Concen: 20.00 ng

RT: 23.56 min Scan# 3552

Delta R.T. -0.01 min

Lab File: BG017142.D


Acq: 14 May 2015 16:05

Instrument :

BNA_G

ClientSampleId :

PS-30A(10-15)




Tgt Ion:264 Resp: 356404

Ion Ratio Lower Upper

264 100

260 22.5 18.0 27.0

265 22.4 17.4 26.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

250000

200000

150000

100000

50000

0

23.56

23.50

23.60

Time-->