

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG051622\
 Data File : BG053577.D
 Acq On : 16 May 2022 21:34
 Operator : CG/JU
 Sample : N2829-01 5X
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 OK-02-051222

Quant Time: May 17 05:21:46 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG050522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 11 06:00:46 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.088	152	34666	20.000	ng	0.00
21) Naphthalene-d8	10.896	136	142555	20.000	ng	0.00
39) Acenaphthene-d10	14.714	164	104144	20.000	ng	0.00
64) Phenanthrene-d10	17.457	188	218638	20.000	ng	0.00
76) Chrysene-d12	21.740	240	203073	20.000	ng	0.00
86) Perylene-d12	25.030	264	206064	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.656	112	22420	10.976	ng	0.00
7) Phenol-d6	7.254	99	34523	11.136	ng	0.00
23) Nitrobenzene-d5	9.257	82	23232	6.937	ng	0.00
42) 2,4,6-Tribromophenol	16.206	330	12832	8.354	ng	0.00
45) 2-Fluorobiphenyl	13.334	172	55950	7.851	ng	0.00
79) Terphenyl-d14	20.060	244	88407	8.108	ng	0.00
Target Compounds						
						Qvalue
71) Phenanthrene	17.499	178	24654	2.218	ng	97
75) Fluoranthene	19.508	202	43090	2.993	ng	97
78) Pyrene	19.872	202	41566	3.162	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG051622\
Data File : BG053577.D
Acq On : 16 May 2022 21:34
Operator : CG/JU
Sample : N2829-01 5X
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
OK-02-051222

Quant Time: May 17 05:21:46 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG050522.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 11 06:00:46 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.088 min Scan# 80
Delta R.T. -0.001 min
Lab File: BG053577.D
Acq: 16 May 2022 21:34




Instrument :
BNA_G
ClientSampleId :
OK-02-051222

Tgt Ion:152 Resp: 34666
Ion Ratio Lower Upper
152 100
150 148.5 131.6 197.4
115 65.3 50.9 76.3



#5
2-Fluorophenol
Concen: 10.976 ng
RT: 5.656 min Scan# 386
Delta R.T. 0.004 min
Lab File: BG053577.D
Acq: 16 May 2022 21:34

Tgt Ion:112 Resp: 22420
Ion Ratio Lower Upper
112 100
64 64.2 55.1 82.7
63 36.2 30.4 45.6









#7
Phenol-d6
Concen: 11.136 ng
RT: 7.254 min Scan# 61
Delta R.T. 0.004 min
Lab File: BG053577.D
Acq: 16 May 2022 21:34




Instrument :
BNA_G
ClientSampleId :
OK-02-051222

Tgt Ion:	99	Resp:	34523
Ion	Ratio	Lower	Upper
99	100		
42	20.8	17.0	25.6
71	46.3	33.8	50.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.896 min Scan# 1278
Delta R.T. -0.002 min
Lab File: BG053577.D
Acq: 16 May 2022 21:34

Tgt Ion:	136	Resp:	142555
Ion	Ratio	Lower	Upper
136	100		
137	12.1	8.5	12.7
54	10.1	7.4	11.2
68	6.0	4.9	7.3









#23
Nitrobenzene-d5
Concen: 6.937 ng
RT: 9.257 min Scan# 91
Delta R.T. 0.004 min
Lab File: BG053577.D
Acq: 16 May 2022 21:34




Instrument :
BNA_G
ClientSampleId :
OK-02-051222

Tgt Ion: 82 Resp: 23232
Ion Ratio Lower Upper
82 100
128 31.9 27.9 41.9
54 51.8 41.2 61.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.714 min Scan# 1928
Delta R.T. -0.002 min
Lab File: BG053577.D
Acq: 16 May 2022 21:34

Tgt Ion: 164 Resp: 104144
Ion Ratio Lower Upper
164 100
162 101.6 82.3 123.5
160 42.4 34.2 51.2









#42
2,4,6-Tribromophenol
Concen: 8.354 ng
RT: 16.206 min Scan# 2183
Delta R.T. 0.004 min
Lab File: BG053577.D
Acq: 16 May 2022 21:34




Instrument :
BNA_G
ClientSampleId :
OK-02-051222


Tgt Ion:330 Resp: 12832
Ion Ratio Lower Upper
330 100
332 95.2 76.0 114.0
141 36.9 27.1 40.7



#45
2-Fluorobiphenyl
Concen: 7.851 ng
RT: 13.334 min Scan# 1693
Delta R.T. -0.002 min
Lab File: BG053577.D
Acq: 16 May 2022 21:34

Tgt Ion:172 Resp: 55950
Ion Ratio Lower Upper
172 100
171 31.3 28.5 42.7
170 22.3 18.9 28.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.457 min Scan# 21
Delta R.T. -0.002 min
Lab File: BG053577.D
Acq: 16 May 2022 21:34




Instrument :
BNA_G
ClientSampleId :
OK-02-051222


Tgt Ion:188 Resp: 218638
Ion Ratio Lower Upper
188 100
94 6.5 5.4 8.0
80 8.0 6.8 10.2



#71
Phenanthrene
Concen: 2.218 ng
RT: 17.499 min Scan# 2402
Delta R.T. -0.002 min
Lab File: BG053577.D
Acq: 16 May 2022 21:34

Tgt Ion:178 Resp: 24654
Ion Ratio Lower Upper
178 100
176 17.2 14.1 21.1
179 17.3 12.1 18.1









#75
Fluoranthene
Concen: 2.993 ng
RT: 19.508 min Scan# 21
Delta R.T. -0.002 min
Lab File: BG053577.D
Acq: 16 May 2022 21:34




Instrument :
BNA_G
ClientSampleId :
OK-02-051222


Tgt Ion:202 Resp: 43090
Ion Ratio Lower Upper
202 100
101 6.0 0.0 26.9
203 16.0 0.0 37.2



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.740 min Scan# 3124
Delta R.T. -0.002 min
Lab File: BG053577.D
Acq: 16 May 2022 21:34

Tgt Ion:240 Resp: 203073
Ion Ratio Lower Upper
240 100
120 6.2 4.6 7.0
236 25.4 20.2 30.4









#78
Pyrene
Concen: 3.162 ng
RT: 19.872 min Scan# 21
Delta R.T. -0.002 min
Lab File: BG053577.D
Acq: 16 May 2022 21:34




Instrument :
BNA_G
ClientSampleId :
OK-02-051222


Tgt Ion:	202	Resp:	41566
Ion	Ratio	Lower	Upper
202	100		
200	20.6	16.6	24.8
203	17.6	14.6	21.8



#79
Terphenyl-d14
Concen: 8.108 ng
RT: 20.060 min Scan# 2838
Delta R.T. -0.002 min
Lab File: BG053577.D
Acq: 16 May 2022 21:34


Tgt Ion:	244	Resp:	88407
Ion	Ratio	Lower	Upper
244	100		
212	7.4	6.5	9.7
122	5.9	5.0	7.4





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 25.030 min Scan# 3
 Delta R.T. 0.010 min
 Lab File: BG053577.D
 Acq: 16 May 2022 21:34

Instrument :
 BNA_G
 ClientSampleId :
 OK-02-051222



Tgt Ion:264 Resp: 206064

Ion	Ratio	Lower	Upper
264	100		
260	24.3	19.0	28.6
265	22.5	17.4	26.2

