

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG051817\
 Data File : BG027007.D
 Acq On : 18 May 2017 16:36
 Operator : SJ/MA
 Sample : SSTDCCC020
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_G
 LabSampleId :
 SSTD02098

Quant Time: May 19 16:29:33 2017
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG051817MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri May 19 03:12:01 2017
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	99	0.00
2 I	Naphthalene-d8	1.000	1.000	0.0	96	0.00
3	Naphthalene	1.038	1.021	1.6	95	0.00
4	2-Methylnaphthalene	0.769	0.751	2.3	95	0.00
5	1-Methylnaphthalene	0.828	0.816	1.4	96	0.00
6 I	Acenaphthene-d10	1.000	1.000	0.0	97	0.00
7 S	Acenaphthylene-d8	2.051	2.021	1.5	93	0.00
8	Acenaphthylene	2.062	2.039	1.1	93	0.00
9 C	Acenaphthene	1.411	1.403	0.6	94	0.00
10 S	Fluorene-d10	1.369	1.347	1.6	94	0.00
11	Fluorene	1.504	1.499	0.3	95	0.00
12 I	Phenanthrene-d10	1.000	1.000	0.0	97	0.00
13	Phenanthrene	1.118	1.106	1.1	95	0.00
14 S	Anthracene-d10	0.975	0.958	1.7	94	0.00
15	Anthracene	1.149	1.142	0.6	95	0.00
16 C	Fluoranthene	1.143	1.136	0.6	94	0.00
17 I	Chrysene-d12	1.000	1.000	0.0	97	0.00
18 S	Pyrene-d10	1.044	1.027	1.6	96	0.00
19	Pyrene	1.307	1.306	0.1	95	0.00
20	Benzo(a)anthracene	1.205	1.168	3.1	94	0.00
21	Chrysene	1.106	1.068	3.4	93	0.00
22 I	Perylene-d12	1.000	1.000	0.0	98	0.00
23	Benzo(b)fluoranthene	1.189	1.133	4.7	93	0.00
24	Benzo(k)fluoranthene	1.223	1.195	2.3	93	0.00
25 S	Benzo(a)pyrene-d12	0.994	0.963	3.1	93	0.00
26 C	Benzo(a)pyrene	1.163	1.133	2.6	94	0.00
27	Indeno(1,2,3-cd)pyrene	1.070	1.006	6.0	91	0.00
28	Dibenzo(a,h)anthracene	0.923	0.898	2.7	94	0.00
29	Benzo(g,h,i)perylene	0.851	0.708	16.8	76	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0