

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG052015\
 Data File : BG017232.D
 Acq On : 21 May 2015 3:45
 Operator : TP/IZ
 Sample : G2301-07
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 FIELDBLANK

Quant Time: May 21 05:02:32 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG051315.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu May 21 04:37:30 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.69	152	41462	20.00	ng	0.00
21) Naphthalene-d8	10.49	136	170842	20.00	ng	0.00
38) Acenaphthene-d10	14.35	164	114807	20.00	ng	0.00
63) Phenanthrene-d10	17.10	188	275929	20.00	ng	0.00
75) Chrysene-d12	21.29	240	313553	20.00	ng	0.00
86) Perylene-d12	23.55	264	310983	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.29	112	127568	54.59	ng	0.00
7) Phenol-d6	6.89	99	101535	30.96	ng	0.00
23) Nitrobenzene-d5	8.85	82	296867	81.13	ng	0.00
41) 2,4,6-Tribromophenol	15.85	330	190861	137.52	ng	0.00
44) 2-Fluorobiphenyl	12.97	172	624103	79.77	ng	0.00
78) Terphenyl-d14	19.74	244	1193450	79.32	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG052015\
Data File : BG017232.D
Acq On : 21 May 2015 3:45
Operator : TP/IZ
Sample : G2301-07
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
FIELDBLANK

Quant Time: May 21 05:02:32 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG051315.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu May 21 04:37:30 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.69 min Scan# 851
Delta R.T. -0.00 min
Lab File: BG017232.D
Acq: 21 May 2015 3:45

Instrument :
BNA_G
ClientSampleId :
FIELDBLANK

Tgt Ion:152 Resp: 41462
Ion Ratio Lower Upper
152 100
150 159.6 120.8 181.2
115 73.4 49.4 74.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 54.59 ng
RT: 5.29 min Scan# 442
Delta R.T. 0.00 min
Lab File: BG017232.D
Acq: 21 May 2015 3:45

Tgt Ion:112 Resp: 127568
Ion Ratio Lower Upper
112 100
64 70.3 48.1 72.1
63 41.6 29.8 44.8



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG0
Ion 63.00 (62.70 to 63.70): BG0





#7

Phenol-d6

Concen: 30.96 ng

RT: 6.89 min Scan# 715

Delta R.T. -0.00 min

Lab File: BG017232.D

Acq: 21 May 2015 3:45

Instrument :

BNA_G

ClientSampleId :

FIELD BLANK


Tgt Ion: 99 Resp: 101535

Ion Ratio Lower Upper




99 100

42 29.8 23.5 35.3

71 49.5 39.8 59.8



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.49 min Scan# 1327

Delta R.T. -0.00 min

Lab File: BG017232.D

Acq: 21 May 2015 3:45

Tgt Ion: 136 Resp: 170842


Ion Ratio Lower Upper

136 100



137 12.9 8.3 12.5#


54 9.7 7.4 11.2

68 6.1 3.6 5.4#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 81.13 ng
 RT: 8.85 min Scan# 1049
 Delta R.T. -0.00 min
 Lab File: BG017232.D
 Acq: 21 May 2015 3:45




Instrument :
 BNA_G
 ClientSampleId :
 FIELDBLANK


Tgt Ion	Ratio	Lower	Upper
82	100		
128	40.2	32.6	49.0
54	62.6	49.6	74.4



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.35 min Scan# 1984
 Delta R.T. -0.00 min
 Lab File: BG017232.D
 Acq: 21 May 2015 3:45

Tgt Ion	Ratio	Lower	Upper
164	100		
162	98.1	82.1	123.1
160	40.5	34.8	52.2









#41
 2,4,6-Tribromophenol
 Concen: 137.52 ng
 RT: 15.85 min Scan# 2239
 Delta R.T. -0.00 min
 Lab File: BG017232.D
 Acq: 21 May 2015 3:45

Instrument :
 BNA_G
 ClientSampleId :
 FIELDBLANK

Tgt Ion	Ratio	Lower	Upper
330	100		
332	97.4	76.9	115.3
141	50.8	42.2	63.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 79.77 ng
 RT: 12.97 min Scan# 1749
 Delta R.T. -0.00 min
 Lab File: BG017232.D
 Acq: 21 May 2015 3:45

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.0	29.7	44.5
170	23.5	18.4	27.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.10 min Scan# 2452
Delta R.T. -0.00 min
Lab File: BG017232.D
Acq: 21 May 2015 3:45




Instrument :
BNA_G
ClientSampleId :
FIELDBLANK


Tgt Ion	Ratio	Lower	Upper
188	100		
94	8.8	5.8	8.6#
80	10.7	6.5	9.7#



#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.29 min Scan# 3165
Delta R.T. -0.00 min
Lab File: BG017232.D
Acq: 21 May 2015 3:45

Tgt Ion	Ratio	Lower	Upper
240	100		
120	10.3	6.0	9.0#
236	24.9	20.5	30.7





#78

Terphenyl-d14

Concen: 79.32 ng

RT: 19.74 min Scan# 2901

Delta R.T. 0.00 min

Lab File: BG017232.D

Acq: 21 May 2015 3:45

Instrument :

BNA_G

ClientSampleId :

FIELDBLANK


Tgt Ion:244 Resp: 1193450

Ion Ratio Lower Upper

244 100

212 8.7 7.0 10.4




122 11.9 8.4 12.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.55 min Scan# 3550

Delta R.T. -0.00 min

Lab File: BG017232.D

Acq: 21 May 2015 3:45


Tgt Ion:264 Resp: 310983

Ion Ratio Lower Upper

264 100

260 23.8 18.0 27.0

265 21.6 17.4 26.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

