

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG052116\
 Data File : BG021983.D
 Acq On : 21 May 2016 17:55
 Operator : UM/SJ
 Sample : PB90676BL
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: May 23 17:33:22 2016
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG052116.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon May 23 17:16:55 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.16	152	35971	20.00	ng/ul	0.00
18) Naphthalene-d8	10.98	136	189346	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.78	164	105937	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.53	188	220977	20.00	ng/ul	0.00
75) Chrysene-d12	21.81	240	202927	20.00	ng/ul	0.00
83) Perylene-d12	25.14	264	182847	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.54	96	5353	7.75	ng/uL	0.00
5) Phenol-d5	7.31	99	109955	33.83	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.48	67	59222	34.76	ng/ul	0.00
9) 2-Chlorophenol-d4	7.69	132	94210	34.68	ng/ul	0.00
13) 4-Methylphenol-d8	8.86	113	93548	33.94	ng/ul	0.00
19) Nitrobenzene-d5	9.33	128	48059	34.41	ng/ul	0.00
22) 2-Nitrophenol-d4	10.05	143	51851	34.28	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.59	165	86604	32.45	ng/ul	0.00
29) 4-Chloroaniline-d4	11.11	131	75125	25.85	ng/ul	0.00
43) Dimethylphthalate-d6	14.18	166	291864	36.68	ng/ul	0.00
46) Acenaphthylene-d8	14.48	160	392862	35.36	ng/ul	0.00
51) 4-Nitrophenol-d4	14.98	143	38130	27.83	ng/ul	0.00
57) Fluorene-d10	15.78	176	264526	35.50	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.89	200	32388	28.04	ng/ul	0.00
70) Anthracene-d10	17.63	188	382054	36.02	ng/ul	0.00
76) Pyrene-d10	19.91	212	420844	36.78	ng/ul	0.00
87) Benzo(a)pyrene-d12	24.91	264	326157	38.44	ng/ul	0.00

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
54) 2,4-Dinitrotoluene	14.78	165	14329	6.20	ng/ul#	46

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG052116\
Data File : BG021983.D
Acq On : 21 May 2016 17:55
Operator : UM/SJ
Sample : PB90676BL
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: May 23 17:33:22 2016
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG052116.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon May 23 17:16:55 2016
Response via : Initial Calibration

