

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG052215\
 Data File : BG017266.D
 Acq On : 23 May 2015 5:03
 Operator : TP/IZ
 Sample : G2314-02
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 WC051915-SOIL

Quant Time: May 25 08:16:27 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG051315.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon May 25 08:11:45 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.68	152	33577	20.00	ng	0.00
21) Naphthalene-d8	10.48	136	129096	20.00	ng	0.00
38) Acenaphthene-d10	14.34	164	79113	20.00	ng	0.00
63) Phenanthrene-d10	17.08	188	170651	20.00	ng	0.00
75) Chrysene-d12	21.26	240	184167	20.00	ng	0.00
86) Perylene-d12	23.52	264	175124	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.29	112	260189	137.49	ng	0.00
7) Phenol-d6	6.90	99	308845	116.29	ng	0.02
23) Nitrobenzene-d5	8.84	82	247371	89.46	ng	0.00
41) 2,4,6-Tribromophenol	15.83	330	114418	119.64	ng	0.00
44) 2-Fluorobiphenyl	12.95	172	507142	94.06	ng	0.00
78) Terphenyl-d14	19.72	244	797375	90.23	ng	0.00
Target Compounds						
9) Benzaldehyde	6.85	77	65	Below Cal	#	6
32) Benzoic acid	9.86	122	5193	3.85 ng	#	82
35) Caprolactam	11.40	113	2808	2.97 ng	#	1
76) Benzidine	19.34	184	16274	2.71 ng	#	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG052215\
Data File : BG017266.D
Acq On : 23 May 2015 5:03
Operator : TP/IZ
Sample : G2314-02
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
WC051915-SOIL

Quant Time: May 25 08:16:27 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG051315.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon May 25 08:11:45 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.68 min Scan# 850

Delta R.T. 0.00 min

Lab File: BG017266.D

Acq: 23 May 2015 5:03

Instrument :

BNA_G

ClientSampleId :

WC051915-SOIL


Tgt Ion:152 Resp: 33577

Ion Ratio Lower Upper

152 100

150 139.6 120.8 181.2




115 57.6 49.4 74.2



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 137.49 ng

RT: 5.29 min Scan# 442

Delta R.T. 0.01 min

Lab File: BG017266.D

Acq: 23 May 2015 5:03


Tgt Ion:112 Resp: 260189

Ion Ratio Lower Upper

112 100

64 68.1 48.1 72.1



63 38.0 29.8 44.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG0

Ion 63.00 (62.70 to 63.70): BG0





#7

Phenol-d6

Concen: 116.29 ng

RT: 6.90 min Scan# 716

Delta R.T. 0.02 min

Lab File: BG017266.D

Acq: 23 May 2015 5:03

Instrument :

BNA_G

ClientSampleId :

WC051915-SOIL





Tgt Ion: 99 Resp: 308845

Ion Ratio Lower Upper

99 100

42 25.0 23.5 35.3

71 45.2 39.8 59.8



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.48 min Scan# 1325

Delta R.T. 0.00 min

Lab File: BG017266.D

Acq: 23 May 2015 5:03

Tgt Ion: 136 Resp: 129096




Ion Ratio Lower Upper


136 100

137 10.6 8.3 12.5

54 9.0 7.4 11.2

68 5.1 3.6 5.4









#23
 Nitrobenzene-d5
 Concen: 89.46 ng
 RT: 8.84 min Scan# 1047
 Delta R.T. -0.00 min
 Lab File: BG017266.D
 Acq: 23 May 2015 5:03




Instrument :
 BNA_G
 ClientSampleId :
 WC051915-SOIL


Tgt Ion	Ratio	Lower	Upper
82	100		
128	38.4	32.6	49.0
54	58.2	49.6	74.4



#32
 Benzoic acid
 Concen: 3.85 ng
 RT: 9.86 min Scan# 1220
 Delta R.T. 0.02 min
 Lab File: BG017266.D
 Acq: 23 May 2015 5:03

Tgt Ion	Ratio	Lower	Upper
122	100		
105	144.8	96.7	136.7#
77	107.7	78.5	118.5





#35

Caprolactam

Concen: 2.97 ng

RT: 11.40 min Scan# 1482

Delta R.T. -0.03 min

Lab File: BG017266.D

Acq: 23 May 2015 5:03

Instrument :

BNA_G

ClientSampleId :

WC051915-SOIL


Tgt Ion:113 Resp: 2808

Ion Ratio Lower Upper

113 100

55 314.2 124.1 164.1#




56 61.6 100.3 140.3#



Abundance Ion 113.00 (112.70 to 113.70): E

Ion 55.00 (54.70 to 55.70): BGC

Ion 56.00 (55.70 to 56.70): BGC



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 14.34 min Scan# 1982

Delta R.T. 0.00 min

Lab File: BG017266.D

Acq: 23 May 2015 5:03


Tgt Ion:164 Resp: 79113

Ion Ratio Lower Upper

164 100

162 92.5 82.1 123.1



160 42.0 34.8 52.2




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 119.64 ng
 RT: 15.83 min Scan# 2237
 Delta R.T. 0.00 min
 Lab File: BG017266.D
 Acq: 23 May 2015 5:03

Instrument :
 BNA_G
 ClientSampleId :
 WC051915-SOIL

Tgt Ion: 330 Resp: 114418
 Ion Ratio Lower Upper
 330 100
 332 94.2 76.9 115.3
 141 49.6 42.2 63.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 94.06 ng
 RT: 12.95 min Scan# 1747
 Delta R.T. 0.00 min
 Lab File: BG017266.D
 Acq: 23 May 2015 5:03

Tgt Ion: 172 Resp: 507142
 Ion Ratio Lower Upper
 172 100
 171 37.3 29.7 44.5
 170 23.8 18.4 27.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.08 min Scan# 2449

Delta R.T. -0.00 min

Lab File: BG017266.D

Acq: 23 May 2015 5:03

Instrument :

BNA_G

ClientSampleId :

WC051915-SOIL


Tgt Ion:188 Resp: 170651

Ion Ratio Lower Upper

188 100

94 8.8 5.8 8.6#




80 10.1 6.5 9.7#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.26 min Scan# 3161

Delta R.T. -0.00 min

Lab File: BG017266.D

Acq: 23 May 2015 5:03


Tgt Ion:240 Resp: 184167

Ion Ratio Lower Upper

240 100

120 10.0 6.0 9.0#



236 23.6 20.5 30.7




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#76

Benzidine

Concen: 2.71 ng

RT: 19.34 min Scan# 2833

Delta R.T. 0.00 min

Lab File: BG017266.D

Acq: 23 May 2015 5:03

Instrument :

BNA_G

ClientSampleId :

WC051915-SOIL


Tgt Ion:184 Resp: 16274

Ion Ratio Lower Upper

184 100

185 13.2 12.4 18.6




183 10.4 11.4 17.2#



Abundance Ion 184.00 (183.70 to 184.70): E

Ion 185.00 (184.70 to 185.70): E

Ion 183.00 (182.70 to 183.70): E



#78

Terphenyl-d14

Concen: 90.23 ng

RT: 19.72 min Scan# 2898

Delta R.T. 0.00 min

Lab File: BG017266.D

Acq: 23 May 2015 5:03


Tgt Ion:244 Resp: 797375

Ion Ratio Lower Upper

244 100

212 8.2 7.0 10.4



122 9.9 8.4 12.6




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 23.52 min Scan# 3545
Delta R.T. 0.00 min
Lab File: BG017266.D
Acq: 23 May 2015 5:03

Instrument :
BNA_G
ClientSampleId :
WC051915-SOIL

Tgt Ion	Ratio	Lower	Upper
264	100		
260	22.9	18.0	27.0
265	23.3	17.4	26.0

