


Data Path : Z:\HPCHEM1\BNA G\DATA\BG052316\
Data File : BG022052.D
Acq On : 23 May 2016 18:37
Operator : UM/SJ
Sample : H3124-20
Misc :
ALS Vial : 11 Sample Multiplier: 1

Quant Time: May 24 08:07:40 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG052116.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue May 24 07:40:24 2016
Response via : Initial Calibration

Instrument :
BNA_G
Client Sampled :
JHGJ3

Manual Integrations
APPROVED

umangi
5/24/2016 7:37:14 PM




Data Path : Z:\HPCHEM1\BNA G\DATA\BG052316\
Data File : BG022052.D
Acq On : 23 May 2016 18:37
Operator : UM/SJ
Sample : H3124-20
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampled :
JHGJ3

Quant Time: May 24 07:45:24 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG052116.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue May 24 07:40:24 2016
Response via : Initial Calibration

Manual Integrations
APPROVED

umangi
5/24/2016 7:37:14 PM



(77) Pyrene

19.577min (-0.359) 70.74ng/ul

response 975436

Ion	Exp%	Act%
202.00	100	100
101.00	15.60	14.07
100.00	12.80	11.51
0.00	0.00	0.00

Quantitation Report (Qedit)


Data Path : Z:\HPCHEM1\BNA G\DATA\BG052316\
 Data File : BG022052.D
 Acq On : 23 May 2016 18:37
 Operator : UM/SJ
 Sample : H3124-20
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 JHGJ3

Manual Integrations
 APPROVED

umangi
 5/24/2016 7:37:14 PM

Quant Time: May 24 07:45:24 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG052116.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue May 24 07:40:24 2016
 Response via : Initial Calibration



(77) Pyrene

19.941min (+0.005) 83.80ng/ul m

response 1155545

Ion	Exp%	Act%
202.00	100	100
101.00	15.60	17.41
100.00	12.80	15.42#
0.00	0.00	0.00

U.M.
 05/25/16

Quantitation Report (Qedit)




Data Path : Z:\HPCHEM1\BNA G\DATA\BG052316\
 Data File : BG022052.D
 Acq On : 23 May 2016 18:37
 Operator : UM/SJ
 Sample : H3124-20
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 JHGJ3

Quant Time: May 24 07:45:24 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG052116.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue May 24 07:40:24 2016
 Response via : Initial Calibration

Manual Integrations
 APPROVED

umangi
 5/24/2016 7:37:14 PM



TIC: BG022052.D

(86) Benzo(k)fluoranthene

24.101min (-0.060) 34.04ng/ul

response 354978

Ion	Exp%	Act%
252.00	100	100
253.00	19.70	23.86#
125.00	13.30	16.99#
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\HPCHEM1\BNA G\DATA\BG052316\
 Data File : BG022052.D
 Acq On : 23 May 2016 18:37
 Operator : UM/SJ
 Sample : H3124-20
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 JHGJ3

Manual Integrations
 APPROVED

umangi
 5/24/2016 7:37:14 PM

Quant Time: May 24 07:45:24 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG052116.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue May 24 07:40:24 2016
 Response via : Initial Calibration



(86) Benzo(k)fluoranthene

24.154min (-0.007) 9.07ng/ul m

response 94587

Ion	Exp%	Act%
252.00	100	100
253.00	19.70	25.42#
125.00	13.30	14.76
0.00	0.00	0.00

u.m.
 05/24/16

Quantitation Report (Qedit)




Data Path : Z:\HPCHEM1\BNA G\DATA\BG052316\
Data File : BG022052.D
Acq On : 23 May 2016 18:37
Operator : UM/SJ
Sample : H3124-20
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
JHGJ3

Quant Time: May 24 07:45:24 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG052116.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue May 24 07:40:24 2016
Response via : Initial Calibration

Manual Integrations
APPROVED

umangi
5/24/2016 7:37:14 PM



(90) Dibenzo(a,h)anthracene

29.001min (-0.042) 0.92ng/ul

response 9111

Ion	Exp%	Act%
278.00	100	100
139.00	20.40	29.92#
279.00	23.90	31.32#
0.00	0.00	0.00

Quantitation Report (Qedit)


Data Path : Z:\HPCHEM1\BNA G\DATA\BG052316\
 Data File : BG022052.D
 Acq On : 23 May 2016 18:37
 Operator : UM/SJ
 Sample : H3124-20
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 JHGJ3

Manual Integrations
 APPROVED

umangi
 5/24/2016 7:37:14 PM

Quant Time: May 24 07:45:24 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG052116.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue May 24 07:40:24 2016
 Response via : Initial Calibration



(90) Dibenzo(a,h)anthracene

29.036min (-0.007) 3.86ng/ul m

response 38319

Ion	Exp%	Act%
278.00	100	100
139.00	20.40	25.71#
279.00	23.90	29.80#
0.00	0.00	0.00

u.m.
 05/25/16

Quantitation Report (Qedit)




Data Path : Z:\HPCHEM1\BNA G\DATA\BG052316\
 Data File : BG022052.D
 Acq On : 23 May 2016 18:37
 Operator : UM/SJ
 Sample : H3124-20
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 JHGJ3

Quant Time: May 24 08:05:36 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG052116.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue May 24 07:40:24 2016
 Response via : Initial Calibration

Manual Integrations
 APPROVED

umangi
 5/24/2016 7:37:14 PM



(53) Dibenzofuran

15.382min (+0.199) 0.36ng/ul

response 3734

Ion	Exp%	Act%
168.00	100	100
139.00	34.20	38.28
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)


Data Path : Z:\HPCHEM1\BNA G\DATA\BG052316\
 Data File : BG022052.D
 Acq On : 23 May 2016 18:37
 Operator : UM/SJ
 Sample : H3124-20
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 JHGJ3

Manual Integrations
 APPROVED

umangi
 5/24/2016 7:37:14 PM

Quant Time: May 24 08:05:36 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG052116.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue May 24 07:40:24 2016
 Response via : Initial Calibration



(53) Dibenzofuran

15.182min (-0.001) 1.80ng/ul m

> 0.01
 05/25/16

response 18770

Ion	Exp%	Act%
168.00	100	100
139.00	34.20	42.25#
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\HPCHEM1\BNA G\DATA\BG052316\
 Data File : BG022052.D
 Acq On : 23 May 2016 18:37
 Operator : UM/SJ
 Sample : H3124-20
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 JHGJ3

Quant Time: May 24 08:07:40 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG052116.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue May 24 07:40:24 2016
 Response via : Initial Calibration

Manual Integrations
 APPROVED

umangi
 5/24/2016 7:37:14 PM

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.16	152	42350	20.00	ng/ul	0.00
18) Naphthalene-d8	10.98	136	216940	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.79	164	114079	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.53	188	215396	20.00	ng/ul	0.00
75) Chrysene-d12	21.82	240	195962	20.00	ng/ul	0.00
83) Perylene-d12	25.16	264	183090	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.54	96	3646	4.49	ng/uL	0.00
5) Phenol-d5	7.31	99	84986	22.21	ng/ul	0.00
7) Bis-(2-Chloroethyl) ether-d	7.48	67	44717	22.29	ng/ul	0.00
9) 2-Chlorophenol-d4	7.69	132	75633	23.65	ng/ul	0.00
13) 4-Methylphenol-d8	8.87	113	73487	22.64	ng/ul	0.00
19) Nitrobenzene-d5	9.33	128	37862	23.66	ng/ul	0.00
22) 2-Nitrophenol-d4	10.05	143	40918	23.61	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.60	165	71293	23.32	ng/ul	0.00
29) 4-Chloroaniline-d4	11.11	131	79584	23.90	ng/ul	0.00
43) Dimethylphthalate-d6	14.18	166	213581	24.93	ng/ul	0.00
46) Acenaphthylene-d8	14.48	160	293584	24.54	ng/ul	0.00
51) 4-Nitrophenol-d4	14.99	143	24046	16.30	ng/ul	0.00
57) Fluorene-d10	15.78	176	189330	23.59	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.90	200	19139	17.00	ng/ul	0.00
70) Anthracene-d10	17.63	188	266571	25.78	ng/ul	0.00
76) Pyrene-d10	19.91	212	278600	25.21	ng/ul	0.00
87) Benzo(a)pyrene-d12	24.93	264	237421	27.95	ng/ul	0.00

Target Compounds

					Ovalue	
28) Naphthalene	11.03	128	26228	2.38	ng/ul	98
34) 2-Methylnaphthalene	12.63	142	21144	2.69	ng/ul	100
40) 1,1'-Biophenyl	13.62	154	9495	1.01	ng/ul#	94
44) Dimethylphthalate	14.22	163	83923	9.75	ng/ul	99
47) Acenaphthylene	14.51	152	34890	2.86	ng/ul	98
49) Acenaphthene	14.85	153	24063	2.86	ng/ul	95
53) Dibenzofuran	15.18	168	18770m	1.80	ng/ul	
58) Fluorene	15.83	166	83181	9.46	ng/ul	99
69) Phenanthrene	17.58	178	910304	75.98	ng/ul	97
71) Anthracene	17.67	178	184044	15.17	ng/ul	99
72) Carbazole	17.94	167	11019	1.05	ng/ul#	84
74) Fluoranthene	19.58	202	975436	79.67	ng/ul	98
77) Pyrene	19.94	202	1155545m	83.80	ng/ul	
80) Benzo(a)anthracene	21.80	228	382799	33.31	ng/ul	95
82) Chrysene	21.87	228	362457	32.88	ng/ul	95
85) Benzo(b)fluoranthene	24.10	252	354978	33.13	ng/ul#	95
86) Benzo(k)fluoranthene	24.15	252	94587m	9.07	ng/ul	
88) Benzo(a)pyrene	25.00	252	313672	30.34	ng/ul	99
89) Indeno(1,2,3-cd)pyrene	28.98	276	148720	12.55	ng/ul	97
90) Dibenzo(a,h)anthracene	29.04	278	38319m	3.86	ng/ul	
91) Benzo(a,h,i)perylene	30.18	276	119877	12.63	ng/ul	96

U.M.
 05/25/16

U.M.
 05/25/16

Quantitation Report (QT Reviewed)

Data Path : Z:\HPCHEM1\BNA G\DATA\BG052316\
 Data File : BG022052.D
 Acq On : 23 May 2016 18:37
 Operator : UM/SJ
 Sample : H3124-20
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 JHGJ3

Manual Integrations
 APPROVED

umangi
 5/24/2016 7:37:14 PM

Quant Time: May 24 08:07:40 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG052116.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue May 24 07:40:24 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)

(#) = qualifier out of range (m) = manual integration (+) = signals summed						