

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG052322\
 Data File : BG053661.D
 Acq On : 23 May 2022 12:50
 Operator : CG/JU
 Sample : PB145019BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB145019BL

Quant Time: May 24 05:09:01 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG050522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 24 05:05:32 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.059	152	23447	20.000	ng	0.00
21) Naphthalene-d8	10.872	136	100076	20.000	ng	# 0.00
39) Acenaphthene-d10	14.691	164	86233	20.000	ng	0.00
64) Phenanthrene-d10	17.434	188	224092	20.000	ng	0.00
76) Chrysene-d12	21.711	240	203266	20.000	ng	0.00
86) Perylene-d12	24.977	264	197923	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.627	112	183460	132.792	ng	0.00
7) Phenol-d6	7.230	99	282285	134.631	ng	0.00
23) Nitrobenzene-d5	9.222	82	199550	84.881	ng	0.00
42) 2,4,6-Tribromophenol	16.183	330	167698	131.855	ng	0.00
45) 2-Fluorobiphenyl	13.310	172	489051	82.873	ng	0.00
79) Terphenyl-d14	20.042	244	1021379	93.586	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG052322\
Data File : BG053661.D
Acq On : 23 May 2022 12:50
Operator : CG/JU
Sample : PB145019BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB145019BL

Quant Time: May 24 05:09:01 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG050522.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue May 24 05:05:32 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.059 min Scan# 79
Delta R.T. 0.001 min
Lab File: BG053661.D
Acq: 23 May 2022 12:50




Instrument :
BNA_G
ClientSampleId :
PB145019BL

Tgt Ion:152 Resp: 23447
Ion Ratio Lower Upper
152 100
150 154.2 131.6 197.4
115 69.2 50.9 76.3



#5
2-Fluorophenol
Concen: 132.792 ng
RT: 5.627 min Scan# 381
Delta R.T. 0.001 min
Lab File: BG053661.D
Acq: 23 May 2022 12:50

Tgt Ion:112 Resp: 183460
Ion Ratio Lower Upper
112 100
64 72.1 55.1 82.7
63 42.5 30.4 45.6









#7
Phenol-d6
Concen: 134.631 ng
RT: 7.230 min Scan# 61
Delta R.T. 0.001 min
Lab File: BG053661.D
Acq: 23 May 2022 12:50




Instrument :
BNA_G
ClientSampleId :
PB145019BL

Tgt Ion: 99 Resp: 282285
Ion Ratio Lower Upper
99 100
42 20.7 17.0 25.6
71 42.3 33.8 50.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.872 min Scan# 1274
Delta R.T. 0.001 min
Lab File: BG053661.D
Acq: 23 May 2022 12:50

Tgt Ion: 136 Resp: 100076
Ion Ratio Lower Upper
136 100
137 12.8 8.5 12.7#
54 9.0 7.4 11.2
68 5.6 4.9 7.3





#23

Nitrobenzene-d5

Concen: 84.881 ng

RT: 9.222 min Scan# 91

Delta R.T. -0.005 min

Lab File: BG053661.D

Acq: 23 May 2022 12:50

Instrument :





BNA_G

ClientSampleId :

PB145019BL

Tgt Ion: 82 Resp: 199550

Ion	Ratio	Lower	Upper
82	100		
128	35.4	27.9	41.9
54	50.6	41.2	61.8



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.691 min Scan# 1924




Delta R.T. 0.001 min


Lab File: BG053661.D

Acq: 23 May 2022 12:50

Tgt Ion: 164 Resp: 86233

Ion	Ratio	Lower	Upper
164	100		
162	103.8	82.3	123.5
160	42.2	34.2	51.2









#42
2,4,6-Tribromophenol
Concen: 131.855 ng
RT: 16.183 min Scan# 21
Delta R.T. 0.001 min
Lab File: BG053661.D
Acq: 23 May 2022 12:50




Instrument :
BNA_G
ClientSampleId :
PB145019BL

Tgt Ion:330 Resp: 167698
Ion Ratio Lower Upper
330 100
332 96.4 76.0 114.0
141 33.6 27.1 40.7



#45
2-Fluorobiphenyl
Concen: 82.873 ng
RT: 13.310 min Scan# 1689
Delta R.T. -0.005 min
Lab File: BG053661.D
Acq: 23 May 2022 12:50

Tgt Ion:172 Resp: 489051
Ion Ratio Lower Upper
172 100
171 34.4 28.5 42.7
170 24.0 18.9 28.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.434 min Scan# 21
Delta R.T. -0.005 min
Lab File: BG053661.D
Acq: 23 May 2022 12:50




Instrument :
BNA_G
ClientSampleId :
PB145019BL


Tgt Ion:188 Resp: 224092
Ion Ratio Lower Upper
188 100
94 6.8 5.4 8.0
80 8.1 6.8 10.2



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.711 min Scan# 3119
Delta R.T. -0.005 min
Lab File: BG053661.D
Acq: 23 May 2022 12:50

Tgt Ion:240 Resp: 203266
Ion Ratio Lower Upper
240 100
120 6.1 4.6 7.0
236 25.1 20.2 30.4









#79
 Terphenyl-d14
 Concen: 93.586 ng
 RT: 20.042 min Scan# 21
 Delta R.T. 0.001 min
 Lab File: BG053661.D
 Acq: 23 May 2022 12:50

Instrument :
 BNA_G
 ClientSampleId :
 PB145019BL

Tgt Ion:244 Resp: 1021379
 Ion Ratio Lower Upper
 244 100
 212 7.9 6.5 9.7
 122 6.9 5.0 7.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.977 min Scan# 3675
 Delta R.T. -0.005 min
 Lab File: BG053661.D
 Acq: 23 May 2022 12:50

Tgt Ion:264 Resp: 197923
 Ion Ratio Lower Upper
 264 100
 260 23.2 19.0 28.6
 265 21.2 17.4 26.2

