

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG052322\
 Data File : BG053663.D
 Acq On : 23 May 2022 14:11
 Operator : CG/JU
 Sample : N2982-01
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 P-1

Quant Time: May 24 05:09:13 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG050522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 24 05:05:32 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.058	152	28727	20.000	ng	0.00
21) Naphthalene-d8	10.871	136	112589	20.000	ng	0.00
39) Acenaphthene-d10	14.690	164	87198	20.000	ng	0.00
64) Phenanthrene-d10	17.433	188	221325	20.000	ng	0.00
76) Chrysene-d12	21.710	240	210581	20.000	ng	0.00
86) Perylene-d12	24.970	264	210886	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.626	112	246500	145.627	ng	0.00
7) Phenol-d6	7.229	99	361910	140.881	ng	0.00
23) Nitrobenzene-d5	9.221	82	249416	94.301	ng	0.00
42) 2,4,6-Tribromophenol	16.182	330	187161	145.529	ng	0.00
45) 2-Fluorobiphenyl	13.309	172	565354	94.743	ng	0.00
79) Terphenyl-d14	20.041	244	1089061	96.321	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG052322\
Data File : BG053663.D
Acq On : 23 May 2022 14:11
Operator : CG/JU
Sample : N2982-01
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
P-1

Quant Time: May 24 05:09:13 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG050522.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue May 24 05:05:32 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.058 min Scan# 79
Delta R.T. -0.000 min
Lab File: BG053663.D
Acq: 23 May 2022 14:11




Instrument :
BNA_G
ClientSampleId :
P-1


Tgt Ion:152 Resp: 28727
Ion Ratio Lower Upper
152 100
150 159.6 131.6 197.4
115 58.6 50.9 76.3



#5
2-Fluorophenol
Concen: 145.627 ng
RT: 5.626 min Scan# 381
Delta R.T. -0.000 min
Lab File: BG053663.D
Acq: 23 May 2022 14:11

Tgt Ion:112 Resp: 246500
Ion Ratio Lower Upper
112 100
64 72.9 55.1 82.7
63 40.2 30.4 45.6









#7
Phenol-d6
Concen: 140.881 ng
RT: 7.229 min Scan# 61
Delta R.T. -0.000 min
Lab File: BG053663.D
Acq: 23 May 2022 14:11




Instrument :
BNA_G
ClientSampleId :
P-1


Tgt Ion: 99 Resp: 361910
Ion Ratio Lower Upper
99 100
42 20.8 17.0 25.6
71 41.3 33.8 50.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.871 min Scan# 1274
Delta R.T. -0.000 min
Lab File: BG053663.D
Acq: 23 May 2022 14:11

Tgt Ion: 136 Resp: 112589
Ion Ratio Lower Upper
136 100
137 11.9 8.5 12.7
54 8.6 7.4 11.2
68 6.0 4.9 7.3





#23

Nitrobenzene-d5

Concen: 94.301 ng

RT: 9.221 min Scan# 91

Delta R.T. -0.006 min

Lab File: BG053663.D

Acq: 23 May 2022 14:11

Instrument :

BNA_G

ClientSampleId :

P-1





Tgt Ion: 82 Resp: 249416

Ion Ratio Lower Upper

82 100

128 34.9 27.9 41.9

54 52.1 41.2 61.8



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.690 min Scan# 1924

Delta R.T. -0.000 min

Lab File: BG053663.D

Acq: 23 May 2022 14:11




Tgt Ion:164 Resp: 87198


Ion Ratio Lower Upper

164 100

162 103.1 82.3 123.5

160 44.0 34.2 51.2









#42
2,4,6-Tribromophenol
Concen: 145.529 ng
RT: 16.182 min Scan# 2183
Delta R.T. -0.000 min
Lab File: BG053663.D
Acq: 23 May 2022 14:11




Instrument :
BNA_G
ClientSampleId :
P-1


Tgt Ion:330 Resp: 187161
Ion Ratio Lower Upper
330 100
332 95.5 76.0 114.0
141 32.5 27.1 40.7



#45
2-Fluorobiphenyl
Concen: 94.743 ng
RT: 13.309 min Scan# 1689
Delta R.T. -0.006 min
Lab File: BG053663.D
Acq: 23 May 2022 14:11

Tgt Ion:172 Resp: 565354
Ion Ratio Lower Upper
172 100
171 35.2 28.5 42.7
170 23.0 18.9 28.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.433 min Scan# 21
Delta R.T. -0.006 min
Lab File: BG053663.D
Acq: 23 May 2022 14:11




Instrument :
BNA_G
ClientSampleId :
P-1


Tgt Ion:188 Resp: 221325
Ion Ratio Lower Upper
188 100
94 7.1 5.4 8.0
80 8.8 6.8 10.2



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.710 min Scan# 3119
Delta R.T. -0.006 min
Lab File: BG053663.D
Acq: 23 May 2022 14:11

Tgt Ion:240 Resp: 210581
Ion Ratio Lower Upper
240 100
120 6.6 4.6 7.0
236 24.4 20.2 30.4









#79
 Terphenyl-d14
 Concen: 96.321 ng
 RT: 20.041 min Scan# 21
 Delta R.T. -0.000 min
 Lab File: BG053663.D
 Acq: 23 May 2022 14:11

Instrument :
 BNA_G
 ClientSampleId :
 P-1

Tgt Ion:244 Resp: 1089061
 Ion Ratio Lower Upper
 244 100
 212 7.8 6.5 9.7
 122 6.7 5.0 7.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.970 min Scan# 3674
 Delta R.T. -0.012 min
 Lab File: BG053663.D
 Acq: 23 May 2022 14:11

Tgt Ion:264 Resp: 210886
 Ion Ratio Lower Upper
 264 100
 260 23.4 19.0 28.6
 265 21.4 17.4 26.2

