

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG052615\
 Data File : BG017292.D
 Acq On : 26 May 2015 23:53
 Operator : TP/IZ
 Sample : G2383-07
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 HF-4(8-10)

Quant Time: May 27 03:25:54 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG051315.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 27 03:15:10 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.66	152	23589	20.00	ng	0.00
21) Naphthalene-d8	10.45	136	94134	20.00	ng	0.00
38) Acenaphthene-d10	14.32	164	62444	20.00	ng	0.00
63) Phenanthrene-d10	17.07	188	166373	20.00	ng	0.00
75) Chrysene-d12	21.25	240	197202	20.00	ng	-0.01
86) Perylene-d12	23.50	264	191194	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.26	112	210750	158.51	ng	0.00
7) Phenol-d6	6.87	99	277636	148.80	ng	0.00
23) Nitrobenzene-d5	8.82	82	184476	91.49	ng	0.00
41) 2,4,6-Tribromophenol	15.82	330	148841	197.18	ng	0.00
44) 2-Fluorobiphenyl	12.94	172	393000	92.35	ng	0.00
78) Terphenyl-d14	19.71	244	812081	85.82	ng	0.00
Target Compounds						
49) Dimethylphthalate	13.78	163	31720	6.50	ng	Qvalue # 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG052615\
Data File : BG017292.D
Acq On : 26 May 2015 23:53
Operator : TP/IZ
Sample : G2383-07
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
HF-4(8-10)

Quant Time: May 27 03:25:54 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG051315.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 27 03:15:10 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.66 min Scan# 846

Delta R.T. 0.00 min

Lab File: BG017292.D

Acq: 26 May 2015 23:53

Instrument :

BNA_G

ClientSampleId :

HF-4(8-10)


Tgt Ion:152 Resp: 23589

Ion Ratio Lower Upper

152 100

150 152.0 120.8 181.2




115 60.5 49.4 74.2



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 158.51 ng

RT: 5.26 min Scan# 437

Delta R.T. 0.00 min

Lab File: BG017292.D

Acq: 26 May 2015 23:53


Tgt Ion:112 Resp: 210750

Ion Ratio Lower Upper

112 100

64 65.8 48.1 72.1



63 40.8 29.8 44.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 148.80 ng

RT: 6.87 min Scan# 711

Delta R.T. -0.01 min

Lab File: BG017292.D

Acq: 26 May 2015 23:53

Instrument :

BNA_G

ClientSampleId :

HF-4(8-10)





Tgt Ion: 99 Resp: 277636

Ion Ratio Lower Upper

99 100

42 28.8 23.5 35.3

71 48.0 39.8 59.8



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.45 min Scan# 1321

Delta R.T. -0.01 min

Lab File: BG017292.D

Acq: 26 May 2015 23:53

Tgt Ion: 136 Resp: 94134




Ion Ratio Lower Upper


136 100

137 11.2 8.3 12.5

54 9.0 7.4 11.2

68 4.8 3.6 5.4









#23
 Nitrobenzene-d5
 Concen: 91.49 ng
 RT: 8.82 min Scan# 1044
 Delta R.T. -0.01 min
 Lab File: BG017292.D
 Acq: 26 May 2015 23:53




Instrument :
 BNA_G
 ClientSampleId :
 HF-4(8-10)


Tgt Ion	Ratio	Lower	Upper
82	100		
128	42.7	32.6	49.0
54	59.9	49.6	74.4



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.32 min Scan# 1979
 Delta R.T. -0.01 min
 Lab File: BG017292.D
 Acq: 26 May 2015 23:53

Tgt Ion	Ratio	Lower	Upper
164	100		
162	103.4	82.1	123.1
160	44.6	34.8	52.2









#41
 2,4,6-Tribromophenol
 Concen: 197.18 ng
 RT: 15.82 min Scan# 2234
 Delta R.T. -0.01 min
 Lab File: BG017292.D
 Acq: 26 May 2015 23:53

Instrument :
 BNA_G
 ClientSampleId :
 HF-4(8-10)

Tgt Ion:330 Resp: 148841
 Ion Ratio Lower Upper
 330 100
 332 94.0 76.9 115.3
 141 47.5 42.2 63.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 92.35 ng
 RT: 12.94 min Scan# 1744
 Delta R.T. -0.01 min
 Lab File: BG017292.D
 Acq: 26 May 2015 23:53

Tgt Ion:172 Resp: 393000
 Ion Ratio Lower Upper
 172 100
 171 36.9 29.7 44.5
 170 22.6 18.4 27.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 6.50 ng

RT: 13.78 min Scan# 1887

Delta R.T. -0.01 min

Lab File: BG017292.D

Acq: 26 May 2015 23:53

Instrument :

BNA_G

ClientSampleId :

HF-4(8-10)


Tgt Ion:163 Resp: 31720

Ion Ratio Lower Upper

163 100

194 6.2 5.6 8.4




164 8.3 8.6 13.0#



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.07 min Scan# 2447

Delta R.T. -0.01 min

Lab File: BG017292.D

Acq: 26 May 2015 23:53


Tgt Ion:188 Resp: 166373

Ion Ratio Lower Upper

188 100

94 8.1 5.8 8.6



80 9.6 6.5 9.7




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.25 min Scan# 3159

Delta R.T. -0.01 min

Lab File: BG017292.D

Acq: 26 May 2015 23:53

Instrument :

BNA_G

ClientSampleId :

HF-4(8-10)


Tgt Ion:240 Resp: 197202

Ion Ratio Lower Upper

240 100

120 8.9 6.0 9.0




236 24.8 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 85.82 ng

RT: 19.71 min Scan# 2896

Delta R.T. 0.00 min

Lab File: BG017292.D

Acq: 26 May 2015 23:53


Tgt Ion:244 Resp: 812081

Ion Ratio Lower Upper

244 100

212 8.1 7.0 10.4



122 9.4 8.4 12.6




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Perylene-d12
Concen: 20.00 ng
RT: 23.50 min Scan# 3541
Delta R.T. -0.01 min
Lab File: BG017292.D
Acq: 26 May 2015 23:53

Instrument :
BNA_G
ClientSampleId :
HF-4(8-10)

Tgt Ion	Ratio	Lower	Upper
264	100		
260	22.3	18.0	27.0
265	22.9	17.4	26.0



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

