

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG052622\
 Data File : BG053717.D
 Acq On : 26 May 2022 15:06
 Operator : CG/JU
 Sample : N3026-01
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 N48967

Quant Time: May 26 15:59:57 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG050522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 25 15:11:41 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.985	152	23230	20.000	ng	0.00
21) Naphthalene-d8	10.793	136	88265	20.000	ng	0.00
39) Acenaphthene-d10	14.623	164	65599	20.000	ng	0.00
64) Phenanthrene-d10	17.366	188	153552	20.000	ng	0.00
76) Chrysene-d12	21.631	240	160536	20.000	ng	0.00
86) Perylene-d12	24.827	264	166207	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.553	112	83970	61.347	ng	0.00
7) Phenol-d6	7.163	99	74254	35.745	ng	0.00
23) Nitrobenzene-d5	9.148	82	211524	102.014	ng	0.00
42) 2,4,6-Tribromophenol	16.115	330	146486	151.405	ng	0.00
45) 2-Fluorobiphenyl	13.243	172	483400	107.682	ng	0.00
79) Terphenyl-d14	19.975	244	751402	87.174	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG052622\
Data File : BG053717.D
Acq On : 26 May 2022 15:06
Operator : CG/JU
Sample : N3026-01
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
N48967

Quant Time: May 26 15:59:57 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG050522.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 25 15:11:41 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.985 min Scan# 81
Delta R.T. -0.001 min
Lab File: BG053717.D
Acq: 26 May 2022 15:06




Instrument :
BNA_G
ClientSampleId :
N48967

Tgt Ion:152 Resp: 23230
Ion Ratio Lower Upper
152 100
150 155.1 131.6 197.4
115 57.3 50.9 76.3



#5
2-Fluorophenol
Concen: 61.347 ng
RT: 5.553 min Scan# 436
Delta R.T. -0.001 min
Lab File: BG053717.D
Acq: 26 May 2022 15:06

Tgt Ion:112 Resp: 83970
Ion Ratio Lower Upper
112 100
64 69.7 55.1 82.7
63 39.8 30.4 45.6









#7
Phenol-d6
Concen: 35.745 ng
RT: 7.163 min Scan# 71
Delta R.T. -0.001 min
Lab File: BG053717.D
Acq: 26 May 2022 15:06




Instrument :
BNA_G
ClientSampleId :
N48967

Tgt Ion: 99 Resp: 74254
Ion Ratio Lower Upper
99 100
42 21.7 17.0 25.6
71 41.6 33.8 50.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.793 min Scan# 1328
Delta R.T. -0.007 min
Lab File: BG053717.D
Acq: 26 May 2022 15:06

Tgt Ion: 136 Resp: 88265
Ion Ratio Lower Upper
136 100
137 12.5 8.5 12.7
54 8.8 7.4 11.2
68 6.1 4.9 7.3









#23
Nitrobenzene-d5
Concen: 102.014 ng
RT: 9.148 min Scan# 1048
Delta R.T. -0.007 min
Lab File: BG053717.D
Acq: 26 May 2022 15:06




Instrument :
BNA_G
ClientSampleId :
N48967

Tgt Ion: 82 Resp: 211524
Ion Ratio Lower Upper
82 100
128 34.6 27.9 41.9
54 51.0 41.2 61.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.623 min Scan# 1980
Delta R.T. -0.001 min
Lab File: BG053717.D
Acq: 26 May 2022 15:06

Tgt Ion:164 Resp: 65599
Ion Ratio Lower Upper
164 100
162 102.4 82.3 123.5
160 40.3 34.2 51.2









#42
2,4,6-Tribromophenol
Concen: 151.405 ng
RT: 16.115 min Scan# 2183
Delta R.T. -0.001 min
Lab File: BG053717.D
Acq: 26 May 2022 15:06




Instrument :
BNA_G
ClientSampleId :
N48967

Tgt Ion:330 Resp: 146486
Ion Ratio Lower Upper
330 100
332 97.1 76.0 114.0
141 32.3 27.1 40.7



#45
2-Fluorobiphenyl
Concen: 107.682 ng
RT: 13.243 min Scan# 1745
Delta R.T. -0.001 min
Lab File: BG053717.D
Acq: 26 May 2022 15:06

Tgt Ion:172 Resp: 483400
Ion Ratio Lower Upper
172 100
171 35.3 28.5 42.7
170 23.2 18.9 28.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.366 min Scan# 24
Delta R.T. -0.007 min
Lab File: BG053717.D
Acq: 26 May 2022 15:06




Instrument :
BNA_G
ClientSampleId :
N48967


Tgt Ion:188 Resp: 153552
Ion Ratio Lower Upper
188 100
94 7.4 5.4 8.0
80 7.9 6.8 10.2



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.631 min Scan# 3173
Delta R.T. -0.007 min
Lab File: BG053717.D
Acq: 26 May 2022 15:06

Tgt Ion:240 Resp: 160536
Ion Ratio Lower Upper
240 100
120 5.6 4.6 7.0
236 25.5 20.2 30.4









#79
 Terphenyl-d14
 Concen: 87.174 ng
 RT: 19.975 min Scan# 21
 Delta R.T. -0.001 min
 Lab File: BG053717.D
 Acq: 26 May 2022 15:06

Instrument :
 BNA_G
 ClientSampleId :
 N48967

Tgt Ion:244 Resp: 751402
 Ion Ratio Lower Upper
 244 100
 212 7.5 6.5 9.7
 122 6.5 5.0 7.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.827 min Scan# 3717
 Delta R.T. -0.013 min
 Lab File: BG053717.D
 Acq: 26 May 2022 15:06

Tgt Ion:264 Resp: 166207
 Ion Ratio Lower Upper
 264 100
 260 21.6 19.0 28.6
 265 21.6 17.4 26.2

