

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG052623\
 Data File : BG057579.D
 Acq On : 26 May 2023 10:29
 Operator : CG/JU
 Sample : PB153043BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB153043BL

Quant Time: May 26 11:07:11 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG042723.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 26 02:58:05 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.352	152	16937	20.000	ng	0.00
21) Naphthalene-d8	11.195	136	71985	20.000	ng	0.00
39) Acenaphthene-d10	14.973	164	60288	20.000	ng	0.00
64) Phenanthrene-d10	17.716	188	166774	20.000	ng	0.00
76) Chrysene-d12	22.022	240	140857	20.000	ng	0.00
86) Perylene-d12	25.529	264	150003	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.873	112	151543	153.056	ng	0.00
7) Phenol-d6	7.506	99	229583	152.696	ng	0.00
23) Nitrobenzene-d5	9.539	82	143160	83.469	ng	0.00
42) 2,4,6-Tribromophenol	16.459	330	137147	160.326	ng	0.00
45) 2-Fluorobiphenyl	13.598	172	389425	86.995	ng	0.00
79) Terphenyl-d14	20.283	244	833030	96.512	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG052623\
Data File : BG057579.D
Acq On : 26 May 2023 10:29
Operator : CG/JU
Sample : PB153043BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB153043BL


Quant Time: May 26 11:07:11 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG042723.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 26 02:58:05 2023
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.352 min Scan# 81
Delta R.T. 0.001 min
Lab File: BG057579.D
Acq: 26 May 2023 10:29


Instrument :
BNA_G
ClientSampleId :
PB153043BL





Tgt Ion:152 Resp: 16937
Ion Ratio Lower Upper
152 100
150 167.0 126.2 189.4
115 61.2 45.0 67.4




#5
2-Fluorophenol
Concen: 153.056 ng
RT: 5.873 min Scan# 397
Delta R.T. 0.001 min
Lab File: BG057579.D
Acq: 26 May 2023 10:29



Tgt Ion:112 Resp: 151543
Ion Ratio Lower Upper
112 100
64 62.3 49.4 74.2
63 34.8 31.6 47.4









#7
Phenol-d6
Concen: 152.696 ng
RT: 7.506 min Scan# 61
Delta R.T. 0.007 min
Lab File: BG057579.D
Acq: 26 May 2023 10:29




Instrument :
BNA_G
ClientSampleId :
PB153043BL


Tgt Ion: 99 Resp: 229583
Ion Ratio Lower Upper
99 100
42 17.3 15.1 22.7
71 39.4 35.2 52.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 11.195 min Scan# 1303
Delta R.T. 0.001 min
Lab File: BG057579.D
Acq: 26 May 2023 10:29

Tgt Ion: 136 Resp: 71985
Ion Ratio Lower Upper
136 100
137 12.4 8.3 12.5
54 8.1 6.7 10.1
68 6.3 4.6 6.8









#23
 Nitrobenzene-d5
 Concen: 83.469 ng
 RT: 9.539 min Scan# 1025
 Delta R.T. 0.001 min
 Lab File: BG057579.D
 Acq: 26 May 2023 10:29




Instrument :
 BNA_G
 ClientSampleId :
 PB153043BL


Tgt Ion: 82 Resp: 143160
 Ion Ratio Lower Upper
 82 100
 128 39.5 29.0 43.4
 54 44.0 41.4 62.0



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.973 min Scan# 1946
 Delta R.T. 0.001 min
 Lab File: BG057579.D
 Acq: 26 May 2023 10:29

Tgt Ion:164 Resp: 60288
 Ion Ratio Lower Upper
 164 100
 162 101.7 81.8 122.6
 160 43.0 34.6 52.0









#42
2,4,6-Tribromophenol
Concen: 160.326 ng
RT: 16.459 min Scan# 2199
Delta R.T. 0.001 min
Lab File: BG057579.D
Acq: 26 May 2023 10:29




Instrument :
BNA_G
ClientSampleId :
PB153043BL


Tgt Ion:330 Resp: 137147
Ion Ratio Lower Upper
330 100
332 96.3 78.2 117.2
141 30.1 27.8 41.8



#45
2-Fluorobiphenyl
Concen: 86.995 ng
RT: 13.598 min Scan# 1712
Delta R.T. 0.001 min
Lab File: BG057579.D
Acq: 26 May 2023 10:29

Tgt Ion:172 Resp: 389425
Ion Ratio Lower Upper
172 100
171 35.3 29.4 44.0
170 23.7 19.0 28.6





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.716 min Scan# 2416

Delta R.T. 0.007 min

Lab File: BG057579.D

Acq: 26 May 2023 10:29

Instrument :

BNA_G

ClientSampleId :

PB153043BL





Tgt Ion:188 Resp: 166774

Ion Ratio Lower Upper

188 100

94 5.9 5.1 7.7

80 7.2 5.7 8.5



#76

Chrysene-d12

Concen: 20.000 ng

RT: 22.022 min Scan# 3146

Delta R.T. 0.001 min

Lab File: BG057579.D

Acq: 26 May 2023 10:29




Tgt Ion:240 Resp: 140857


Ion Ratio Lower Upper

240 100

120 6.6 4.9 7.3

236 24.3 21.4 32.2









#79
 Terphenyl-d14
 Concen: 96.512 ng
 RT: 20.283 min Scan# 21
 Delta R.T. 0.007 min
 Lab File: BG057579.D
 Acq: 26 May 2023 10:29

Instrument :
 BNA_G
 ClientSampleId :
 PB153043BL

Tgt Ion:244 Resp: 833030
 Ion Ratio Lower Upper
 244 100
 212 7.2 6.1 9.1
 122 6.0 5.1 7.7



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 25.529 min Scan# 3743
 Delta R.T. 0.007 min
 Lab File: BG057579.D
 Acq: 26 May 2023 10:29

Tgt Ion:264 Resp: 150003
 Ion Ratio Lower Upper
 264 100
 260 24.1 18.8 28.2
 265 22.9 17.9 26.9

