

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG052722\
 Data File : BG053732.D
 Acq On : 27 May 2022 14:13
 Operator : CG/JU
 Sample : N2921-04
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 P013-SS002-1824-01

Quant Time: May 28 01:56:24 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG050522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 25 15:11:41 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.948	152	23799	20.000	ng	-0.04
21) Naphthalene-d8	10.762	136	94622	20.000	ng	-0.04
39) Acenaphthene-d10	14.592	164	72312	20.000	ng	-0.03
64) Phenanthrene-d10	17.341	188	162773	20.000	ng	-0.03
76) Chrysene-d12	21.600	240	149549	20.000	ng	-0.04
86) Perylene-d12	24.778	264	150641	20.000	ng	-0.06
System Monitoring Compounds						
5) 2-Fluorophenol	5.516	112	142641	101.719	ng	-0.04
7) Phenol-d6	7.132	99	213111	100.136	ng	-0.03
23) Nitrobenzene-d5	9.117	82	150455	67.687	ng	-0.04
42) 2,4,6-Tribromophenol	16.084	330	109033	102.233	ng	-0.03
45) 2-Fluorobiphenyl	13.212	172	346844	70.090	ng	-0.03
79) Terphenyl-d14	19.949	244	583514	72.670	ng	-0.03


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG052722\
Data File : BG053732.D
Acq On : 27 May 2022 14:13
Operator : CG/JU
Sample : N2921-04
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
P013-SS002-1824-01


Quant Time: May 28 01:56:24 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG050522.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 25 15:11:41 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.948 min Scan# 84
Delta R.T. -0.038 min
Lab File: BG053732.D
Acq: 27 May 2022 14:13

Instrument :
BNA_G
ClientSampleId :
P013-SS002-1824-01







Tgt Ion:152 Resp: 23799
Ion Ratio Lower Upper
152 100
150 160.4 131.6 197.4
115 59.7 50.9 76.3



#5
2-Fluorophenol
Concen: 101.719 ng
RT: 5.516 min Scan# 430
Delta R.T. -0.038 min
Lab File: BG053732.D
Acq: 27 May 2022 14:13

Tgt Ion:112 Resp: 142641
Ion Ratio Lower Upper
112 100
64 70.8 55.1 82.7
63 39.9 30.4 45.6









#7
Phenol-d6
Concen: 100.136 ng
RT: 7.132 min Scan# 705
Delta R.T. -0.032 min
Lab File: BG053732.D
Acq: 27 May 2022 14:13




Instrument :
BNA_G
ClientSampleId :
P013-SS002-1824-01


Tgt Ion: 99 Resp: 213111
Ion Ratio Lower Upper
99 100
42 20.9 17.0 25.6
71 45.9 33.8 50.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.762 min Scan# 1323
Delta R.T. -0.038 min
Lab File: BG053732.D
Acq: 27 May 2022 14:13

Tgt Ion: 136 Resp: 94622
Ion Ratio Lower Upper
136 100
137 10.7 8.5 12.7
54 9.7 7.4 11.2
68 5.3 4.9 7.3





#23

Nitrobenzene-d5

Concen: 67.687 ng

RT: 9.117 min Scan# 1

Delta R.T. -0.038 min

Lab File: BG053732.D

Acq: 27 May 2022 14:13

Instrument :

BNA_G

ClientSampleId :

P013-SS002-1824-01





Tgt Ion: 82 Resp: 150455

Ion Ratio Lower Upper

82 100

128 32.7 27.9 41.9

54 49.9 41.2 61.8



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.592 min Scan# 1975

Delta R.T. -0.032 min

Lab File: BG053732.D

Acq: 27 May 2022 14:13




Tgt Ion:164 Resp: 72312


Ion Ratio Lower Upper

164 100

162 100.4 82.3 123.5

160 41.2 34.2 51.2









#42
2,4,6-Tribromophenol
Concen: 102.233 ng
RT: 16.084 min Scan# 2183
Delta R.T. -0.032 min
Lab File: BG053732.D
Acq: 27 May 2022 14:13




Instrument :
BNA_G
ClientSampleId :
P013-SS002-1824-01


Tgt Ion:330 Resp: 109033
Ion Ratio Lower Upper
330 100
332 95.7 76.0 114.0
141 31.7 27.1 40.7



#45
2-Fluorobiphenyl
Concen: 70.090 ng
RT: 13.212 min Scan# 1740
Delta R.T. -0.032 min
Lab File: BG053732.D
Acq: 27 May 2022 14:13

Tgt Ion:172 Resp: 346844
Ion Ratio Lower Upper
172 100
171 35.2 28.5 42.7
170 23.4 18.9 28.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.341 min Scan# 24
Delta R.T. -0.032 min
Lab File: BG053732.D
Acq: 27 May 2022 14:13




Instrument :
BNA_G
ClientSampleId :
P013-SS002-1824-01


Tgt Ion:188 Resp: 162773
Ion Ratio Lower Upper
188 100
94 6.8 5.4 8.0
80 8.5 6.8 10.2



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.600 min Scan# 3168
Delta R.T. -0.038 min
Lab File: BG053732.D
Acq: 27 May 2022 14:13

Tgt Ion:240 Resp: 149549
Ion Ratio Lower Upper
240 100
120 5.7 4.6 7.0
236 25.5 20.2 30.4









#79
 Terphenyl-d14
 Concen: 72.670 ng
 RT: 19.949 min Scan# 21
 Delta R.T. -0.026 min
 Lab File: BG053732.D
 Acq: 27 May 2022 14:13

Instrument :
 BNA_G
 ClientSampleId :
 P013-SS002-1824-01

Tgt Ion:244 Resp: 583514
 Ion Ratio Lower Upper
 244 100
 212 7.6 6.5 9.7
 122 6.1 5.0 7.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.778 min Scan# 3709
 Delta R.T. -0.062 min
 Lab File: BG053732.D
 Acq: 27 May 2022 14:13

Tgt Ion:264 Resp: 150641
 Ion Ratio Lower Upper
 264 100
 260 22.2 19.0 28.6
 265 21.3 17.4 26.2

