

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG052815\
 Data File : BG017332.D
 Acq On : 28 May 2015 19:12
 Operator : TP/IZ
 Sample : G2386-05
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TP-3-D11

Quant Time: May 29 01:14:44 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG051315.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 29 01:04:23 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.66	152	19979	20.00	ng	0.00
21) Naphthalene-d8	10.45	136	82591	20.00	ng	0.00
38) Acenaphthene-d10	14.31	164	55913	20.00	ng	0.00
63) Phenanthrene-d10	17.06	188	149846	20.00	ng	0.00
75) Chrysene-d12	21.25	240	174525	20.00	ng	0.00
86) Perylene-d12	23.49	264	168500	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.25	112	110952	98.53	ng	0.00
7) Phenol-d6	6.86	99	167236	105.83	ng	0.00
23) Nitrobenzene-d5	8.81	82	102835	58.13	ng	0.00
41) 2,4,6-Tribromophenol	15.80	330	53022	78.45	ng	-0.01
44) 2-Fluorobiphenyl	12.93	172	177270	46.52	ng	0.00
78) Terphenyl-d14	19.69	244	272723	32.56	ng	0.00
Target Compounds						
49) Dimethylphthalate	13.77	163	20624	4.72	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG052815\
Data File : BG017332.D
Acq On : 28 May 2015 19:12
Operator : TP/IZ
Sample : G2386-05
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TP-3-D11

Quant Time: May 29 01:14:44 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG051315.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 29 01:04:23 2015
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.66 min Scan# 845
Delta R.T. 0.00 min
Lab File: BG017332.D
Acq: 28 May 2015 19:12

Instrument :
BNA_G
ClientSampled :
TP-3-D11




Tgt Ion	Ratio	Lower	Upper
152	100		
150	142.6	120.8	181.2
115	59.9	49.4	74.2




#5

2-Fluorophenol
Concen: 98.53 ng
RT: 5.25 min Scan# 436
Delta R.T. 0.00 min
Lab File: BG017332.D
Acq: 28 May 2015 19:12

Tgt Ion	Ratio	Lower	Upper
112	100		
64	67.3	48.1	72.1
63	40.5	29.8	44.8





#7

Phenol-d6

Concen: 105.83 ng

RT: 6.86 min Scan# 709

Delta R.T. -0.01 min

Lab File: BG017332.D

Acq: 28 May 2015 19:12

Instrument :

BNA_G

ClientSampleId :

TP-3-D11





Tgt Ion: 99 Resp: 167236

Ion Ratio Lower Upper

99 100

42 28.5 23.5 35.3

71 48.8 39.8 59.8



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.45 min Scan# 1320

Delta R.T. -0.01 min

Lab File: BG017332.D

Acq: 28 May 2015 19:12

Tgt Ion: 136 Resp: 82591




Ion Ratio Lower Upper


136 100

137 10.6 8.3 12.5

54 9.0 7.4 11.2

68 7.0 3.6 5.4#









#23
 Nitrobenzene-d5
 Concen: 58.13 ng
 RT: 8.81 min Scan# 1042
 Delta R.T. -0.01 min
 Lab File: BG017332.D
 Acq: 28 May 2015 19:12




Instrument :
 BNA_G
 ClientSampleId :
 TP-3-D11


Tgt Ion	Ratio	Lower	Upper
82	100		
128	40.1	32.6	49.0
54	61.4	49.6	74.4



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.31 min Scan# 1978
 Delta R.T. -0.01 min
 Lab File: BG017332.D
 Acq: 28 May 2015 19:12

Tgt Ion	Ratio	Lower	Upper
164	100		
162	98.8	82.1	123.1
160	45.7	34.8	52.2









#41
 2,4,6-Tribromophenol
 Concen: 78.45 ng
 RT: 15.80 min Scan# 2232
 Delta R.T. -0.01 min
 Lab File: BG017332.D
 Acq: 28 May 2015 19:12

Instrument :
 BNA_G
 ClientSampleId :
 TP-3-D11

Tgt Ion:330 Resp: 53022
 Ion Ratio Lower Upper
 330 100
 332 92.5 76.9 115.3
 141 52.5 42.2 63.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E



#44
 2-Fluorobiphenyl
 Concen: 46.52 ng
 RT: 12.93 min Scan# 1743
 Delta R.T. -0.01 min
 Lab File: BG017332.D
 Acq: 28 May 2015 19:12

Tgt Ion:172 Resp: 177270
 Ion Ratio Lower Upper
 172 100
 171 34.9 29.7 44.5
 170 21.3 18.4 27.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E

