

Data Path : Z:\HPCHEM1\BNA G\DATA\BG052918\
 Data File : BG034789.D
 Acq On : 29 May 2018 22:48
 Operator : SJ/JU
 Sample : J3157-04
 Misc :
 ALS Vial : 14 Sample Multiplier: 1


Quant Time: May 30 04:54:05 2018
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG051618.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 25 14:58:34 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.03	152	84054	20.00	ng	0.00
21) Naphthalene-d8	10.85	136	301228	20.00	ng	0.00
38) Acenaphthene-d10	14.68	164	200569	20.00	ng	0.00
63) Phenanthrene-d10	17.43	188	540562	20.00	ng	0.00
75) Chrysene-d12	21.72	240	651842	20.00	ng	-0.02
86) Perylene-d12	24.98	264	647004	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	671502	123.05	ng	0.00
7) Phenol-d6	7.20	99	859820	97.40	ng	0.00
23) Nitrobenzene-d5	9.20	82	656393	83.24	ng	0.00
41) 2,4,6-Tribromophenol	16.17	330	461656	133.65	ng	0.00
44) 2-Fluorobiphenyl	13.30	172	1363220	92.27	ng	0.00
78) Terphenyl-d14	20.05	244	2749548	92.50	ng	0.00
Target Compounds						
76) Benzidine	19.69	184	15193	4.212	ng	Qvalue # 95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG052918\
Data File : BG034789.D
Acq On : 29 May 2018 22:48
Operator : SJ/JU
Sample : J3157-04
Misc :
ALS Vial : 14 Sample Multiplier: 1

Quant Time: May 30 04:54:05 2018
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG051618.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 25 14:58:34 2018
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.03 min Scan# 807
Delta R.T. -0.00 min
Lab File: BG034789.D
Acq: 29 May 2018 22:48

Tot Ion	Ratio	Lower	Upper
152	100		
150	149.4	126.6	189.8
115	57.4	53.0	79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 123.048 ng
RT: 5.61 min Scan# 395
Delta R.T. -0.00 min
Lab File: BG034789.D
Acq: 29 May 2018 22:48

Tgt Ion	Ratio	Lower	Upper
112	100		
64	61.3	56.3	84.5
63	31.2	30.1	45.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG0
Ion 63.00 (62.70 to 63.70): BG0





#7

Phenol-d6

Concen: 97.396 ng

RT: 7.20 min Scan# 666


Delta R.T. -0.00 min

Lab File: BG034789.D




Acq: 29 May 2018 22:48

Tot Ion: 99 Resp: 859820

Ion	Ratio	Lower	Upper
99	100		
42	13.7	14.1	21.1#
71	38.3	26.1	39.1



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.85 min Scan# 1286


Delta R.T. -0.01 min

Lab File: BG034789.D



Acq: 29 May 2018 22:48


Tgt Ion: 136 Resp: 301228

Ion	Ratio	Lower	Upper
136	100		
137	12.1	9.2	13.8
54	7.9	10.3	15.5#
68	5.8	4.5	6.7







Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC








#23
 Nitrobenzene-d5
 Concen: 83.241 ng
 RT: 9.20 min Scan# 1006
 Delta R.T. -0.00 min
 Lab File: BG034789.D
 Acq: 29 May 2018 22:48


Tot Ion:	82	Resp:	656393
Ion	Ratio	Lower	Upper
82	100		
128	36.3	29.7	44.5
54	40.6	43.1	64.7#



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.68 min Scan# 1939
 Delta R.T. -0.00 min
 Lab File: BG034789.D
 Acq: 29 May 2018 22:48


Tgt Ion:	164	Resp:	200569
Ion	Ratio	Lower	Upper
164	100		
162	95.8	78.8	118.2
160	43.2	35.4	53.0








#41
 2,4,6-Tribromophenol
 Concen: 133.645 ng
 RT: 16.17 min Scan# 2193
 Delta R.T. -0.01 min
 Lab File: BG034789.D
 Acq: 29 May 2018 22:48

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.2	77.0	115.6
141	28.4	25.2	37.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 92.274 ng
 RT: 13.30 min Scan# 1704
 Delta R.T. -0.00 min
 Lab File: BG034789.D
 Acq: 29 May 2018 22:48

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.8	30.0	45.0
170	24.2	19.5	29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.43 min Scan# 2407

Delta R.T. -0.01 min

Lab File: BG034789.D

Acq: 29 May 2018 22:48


Tot Ion:188 Resp: 540562

Ion Ratio Lower Upper

188 100

94 6.3 6.9 10.3#




80 8.9 7.7 11.5



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.72 min Scan# 3137

Delta R.T. -0.02 min

Lab File: BG034789.D

Acq: 29 May 2018 22:48


Tgt Ion:240 Resp: 651842

Ion Ratio Lower Upper

240 100

120 5.6 6.8 10.2#



236 25.6 20.9 31.3




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#76

Benzidine

Concen: 4.212 ng

RT: 19.69 min Scan# 2792

Delta R.T. 0.01 min

Lab File: BG034789.D

Acq: 29 May 2018 22:48


Tot Ion:184 Resp: 15193

Ion Ratio Lower Upper




184 100

185 10.3 11.1 16.7#

183 13.5 10.6 16.0



Abundance Ion 184.00 (183.70 to 184.70): E
Ion 185.00 (184.70 to 185.70): E
Ion 183.00 (182.70 to 183.70): E



#78

Terphenyl-d14

Concen: 92.502 ng

RT: 20.05 min Scan# 2853

Delta R.T. -0.01 min

Lab File: BG034789.D

Acq: 29 May 2018 22:48


Tgt Ion:244 Resp: 2749548

Ion Ratio Lower Upper



244 100


212 8.9 5.8 8.8#

122 7.2 7.0 10.4




Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 24.98 min Scan# 3692
 Delta R.T. -0.02 min
 Lab File: BG034789.D
 Acq: 29 May 2018 22:48

Tot	Ion:264	Resp:	647004
Ion	Ratio	Lower	Upper
264	100		
260	20.4	17.4	26.0
265	21.8	17.7	26.5



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

