

Data Path : Z:\HPCHEM1\BNA G\DATA\BG052918\
 Data File : BG034797.D
 Acq On : 30 May 2018 4:35
 Operator : SJ/JU
 Sample : J3178-15
 Misc :
 ALS Vial : 20 Sample Multiplier: 1


Quant Time: May 30 07:56:52 2018
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG051618.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 25 14:58:34 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.03	152	80253	20.00	ng	0.00
21) Naphthalene-d8	10.84	136	277396	20.00	ng	-0.01
38) Acenaphthene-d10	14.68	164	187281	20.00	ng	0.00
63) Phenanthrene-d10	17.44	188	520414	20.00	ng	0.00
75) Chrysene-d12	21.72	240	625668	20.00	ng	-0.02
86) Perylene-d12	24.99	264	628624	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	707231	135.73	ng	0.00
7) Phenol-d6	7.20	99	914821	108.53	ng	0.00
23) Nitrobenzene-d5	9.20	82	688900	94.87	ng	0.00
41) 2,4,6-Tribromophenol	16.18	330	523978	162.45	ng	0.00
44) 2-Fluorobiphenyl	13.30	172	1443334	104.63	ng	0.00
78) Terphenyl-d14	20.05	244	2912600	102.09	ng	-0.01
Target Compounds						
76) Benzidine	19.69	184	32807	5.195	ng	Qvalue # 89

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG052918\
Data File : BG034797.D
Acq On : 30 May 2018 4:35
Operator : SJ/JU
Sample : J3178-15
Misc :
ALS Vial : 20 Sample Multiplier: 1

Quant Time: May 30 07:56:52 2018
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG051618.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 25 14:58:34 2018
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.03 min Scan# 808
Delta R.T. -0.00 min
Lab File: BG034797.D
Acq: 30 May 2018 4:35

Tot Ion	Ratio	Lower	Upper
152	100		
150	135.1	126.6	189.8
115	57.7	53.0	79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 135.733 ng
RT: 5.61 min Scan# 396
Delta R.T. -0.00 min
Lab File: BG034797.D
Acq: 30 May 2018 4:35

Tgt Ion	Ratio	Lower	Upper
112	100		
64	62.5	56.3	84.5
63	30.7	30.1	45.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG0
Ion 63.00 (62.70 to 63.70): BG0





#7

Phenol-d6

Concen: 108.534 ng

RT: 7.20 min Scan# 666


Delta R.T. -0.01 min

Lab File: BG034797.D




Acq: 30 May 2018 4:35

Tot Ion: 99 Resp: 914821

Ion	Ratio	Lower	Upper
99	100		
42	13.7	14.1	21.1#
71	37.6	26.1	39.1



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.84 min Scan# 1286


Delta R.T. -0.01 min

Lab File: BG034797.D



Acq: 30 May 2018 4:35


Tgt Ion: 136 Resp: 277396

Ion	Ratio	Lower	Upper
136	100		
137	10.9	9.2	13.8
54	7.4	10.3	15.5#
68	6.3	4.5	6.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC





#23

Nitrobenzene-d5

Concen: 94.869 ng

RT: 9.20 min Scan# 1006

Delta R.T. -0.01 min

Lab File: BG034797.D

Acq: 30 May 2018 4:35


Tot Ion: 82 Resp: 688900

Ion Ratio Lower Upper




82 100

128 38.3 29.7 44.5

54 40.9 43.1 64.7#



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.68 min Scan# 1939

Delta R.T. -0.01 min

Lab File: BG034797.D

Acq: 30 May 2018 4:35


Tgt Ion: 164 Resp: 187281

Ion Ratio Lower Upper



164 100


162 93.8 78.8 118.2

160 41.7 35.4 53.0




Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC








#41
 2,4,6-Tribromophenol
 Concen: 162.449 ng
 RT: 16.18 min Scan# 2194
 Delta R.T. -0.01 min
 Lab File: BG034797.D
 Acq: 30 May 2018 4:35

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.3	77.0	115.6
141	28.0	25.2	37.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 104.629 ng
 RT: 13.30 min Scan# 1704
 Delta R.T. -0.01 min
 Lab File: BG034797.D
 Acq: 30 May 2018 4:35

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.6	30.0	45.0
170	26.0	19.5	29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.44 min Scan# 2408

Delta R.T. -0.01 min

Lab File: BG034797.D

Acq: 30 May 2018 4:35


Tot Ion:188 Resp: 520414

Ion Ratio Lower Upper

188 100

94 6.6 6.9 10.3#




80 6.8 7.7 11.5#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): B

Ion 80.00 (79.70 to 80.70): B



#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.72 min Scan# 3137

Delta R.T. -0.02 min

Lab File: BG034797.D

Acq: 30 May 2018 4:35


Tgt Ion:240 Resp: 625668

Ion Ratio Lower Upper

240 100

120 5.0 6.8 10.2#



236 24.6 20.9 31.3




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#76

Benzidine

Concen: 5.195 ng

RT: 19.69 min Scan# 2792

Delta R.T. 0.01 min

Lab File: BG034797.D

Acq: 30 May 2018 4:35


Tot Ion:184 Resp: 32807

Ion Ratio Lower Upper




184 100

185 12.4 11.1 16.7

183 5.6 10.6 16.0#



Abundance Ion 184.00 (183.70 to 184.70): E
Ion 185.00 (184.70 to 185.70): E
Ion 183.00 (182.70 to 183.70): E



#78

Terphenyl-d14

Concen: 102.086 ng

RT: 20.05 min Scan# 2853

Delta R.T. -0.01 min

Lab File: BG034797.D

Acq: 30 May 2018 4:35


Tgt Ion:244 Resp: 2912600

Ion Ratio Lower Upper



244 100


212 8.7 5.8 8.8

122 7.6 7.0 10.4




Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.000 ng
RT: 24.99 min Scan# 3693
Delta R.T. -0.02 min
Lab File: BG034797.D
Acq: 30 May 2018 4:35

Tot Ion:	264	Resp:	628624
Ion	Ratio	Lower	Upper
264	100		
260	23.5	17.4	26.0
265	21.5	17.7	26.5



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

