

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG053116\
 Data File : BG022111.D
 Acq On : 31 May 2016 11:54
 Operator : UM/SJ
 Sample : PB90612BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SBLK12

Quant Time: Jun 01 01:07:35 2016
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG052116.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Jun 01 01:07:08 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.14	152	29532	20.00	ng/ul	0.00
18) Naphthalene-d8	10.96	136	153365	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.77	164	99890	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.51	188	243480	20.00	ng/ul	0.00
75) Chrysene-d12	21.79	240	231572	20.00	ng/ul	0.00
83) Perylene-d12	25.10	264	215821	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.50	96	2309	4.07	ng/uL	0.00
5) Phenol-d5	7.30	99	80169	30.04	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.46	67	45770	32.72	ng/ul	0.00
9) 2-Chlorophenol-d4	7.67	132	73670	33.03	ng/ul	0.00
13) 4-Methylphenol-d8	8.85	113	73715	32.57	ng/ul	0.00
19) Nitrobenzene-d5	9.31	128	40403	35.72	ng/ul	0.00
22) 2-Nitrophenol-d4	10.03	143	44512	36.33	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.58	165	70257	32.50	ng/ul	0.00
29) 4-Chloroaniline-d4	11.09	131	108731	46.19	ng/ul	0.00
43) Dimethylphthalate-d6	14.16	166	308047	41.06	ng/ul	0.00
46) Acenaphthylene-d8	14.46	160	357670	34.14	ng/ul	0.00
51) 4-Nitrophenol-d4	14.98	143	41390	32.03	ng/ul	0.00
57) Fluorene-d10	15.75	176	257753	36.68	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.88	200	42582	33.46	ng/ul	0.00
70) Anthracene-d10	17.60	188	402264	34.42	ng/ul	0.00
76) Pyrene-d10	19.88	212	433468	33.19	ng/ul	0.00
87) Benzo(a)pyrene-d12	24.87	264	355157	35.47	ng/ul	0.00


Target Compounds					Qvalue
45) 2,6-Dinitrotoluene	14.77	165	13401	8.29 ng/ul#	34
54) 2,4-Dinitrotoluene	14.77	165	13401	6.15 ng/ul#	46


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG053116\
Data File : BG022111.D
Acq On : 31 May 2016 11:54
Operator : UM/SJ
Sample : PB90612BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SBLK12

Quant Time: Jun 01 01:07:35 2016
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG052116.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Jun 01 01:07:08 2016
Response via : Initial Calibration









#45
 2,6-Dinitrotoluene
 Concen: 8.29 ng/ul
 RT: 14.77 min Scan# 2030
 Delta R.T. 0.43 min
 Lab File: BG022111.D
 Acq: 31 May 2016 11:54

Instrument :
 BNA_G
 ClientSampleId :
 SBLK12

Tgt Ion	Ratio	Lower	Upper
165	100		
89	0.0	41.5	62.3#
121	0.0	17.0	25.4#




Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 89.00 (88.70 to 89.70): BG
 Ion 121.00 (120.70 to 121.70): E



#54
 2,4-Dinitrotoluene
 Concen: 6.15 ng/ul
 RT: 14.77 min Scan# 2030
 Delta R.T. -0.36 min
 Lab File: BG022111.D
 Acq: 31 May 2016 11:54

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	25.7	38.5#
182	0.0	2.1	3.1#



Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BG
 Ion 182.00 (181.70 to 182.70): E

