

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG060120\
 Data File : BG045558.D
 Acq On : 1 Jun 2020 16:35
 Operator : CG/JU
 Sample : L2798-12
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 NM-EB-8

Quant Time: Jun 01 17:15:04 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG051520.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 01 15:07:00 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.95	152	60040	20.00	ng	0.00
21) Naphthalene-d8	10.76	136	242620	20.00	ng	0.00
39) Acenaphthene-d10	14.60	164	173681	20.00	ng	0.00
64) Phenanthrene-d10	17.34	188	412454	20.00	ng	0.00
76) Chrysene-d12	21.60	240	391746	20.00	ng	0.00
87) Perylene-d12	24.75	264	415150	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.54	112	160474	52.23	ng	0.00
7) Phenol-d6	7.15	99	140378	32.10	ng	0.00
23) Nitrobenzene-d5	9.11	82	392538	88.23	ng	0.00
42) 2,4,6-Tribromophenol	16.09	330	315563	142.07	ng	0.00
45) 2-Fluorobiphenyl	13.22	172	939469	91.75	ng	0.00
79) Terphenyl-d14	19.96	244	1712956	101.98	ng	0.00
Target Compounds						
50) Dimethylphthalate	14.05	163	182892	15.351	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG060120\
Data File : BG045558.D
Acq On : 1 Jun 2020 16:35
Operator : CG/JU
Sample : L2798-12
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
NM-EB-8

Quant Time: Jun 01 17:15:04 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG051520.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 01 15:07:00 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.95 min Scan# 828
Delta R.T. 0.00 min
Lab File: BG045558.D
Acq: 1 Jun 2020 16:35

Instrument :
BNA_G
ClientSampleId :
NM-EB-8

Tot Ion:152 Resp: 60040
Ion Ratio Lower Upper
152 100
150 154.5 122.4 183.6
115 52.3 44.2 66.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 52.234 ng
RT: 5.54 min Scan# 417
Delta R.T. 0.00 min
Lab File: BG045558.D
Acq: 1 Jun 2020 16:35

Tgt Ion:112 Resp: 160474
Ion Ratio Lower Upper
112 100
64 60.8 48.6 72.8
63 32.1 26.5 39.7



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 32.104 ng

RT: 7.15 min Scan# 691

Delta R.T. 0.00 min

Lab File: BG045558.D

Acq: 1 Jun 2020 16:35

Instrument :

BNA_G

ClientSampleId :

NM-EB-8


Tot Ion: 99 Resp: 140378

Ion Ratio Lower Upper




99 100

42 11.5 11.3 16.9

71 36.8 30.8 46.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.76 min Scan# 1306

Delta R.T. 0.00 min

Lab File: BG045558.D

Acq: 1 Jun 2020 16:35

Tgt Ion: 136 Resp: 242620


Ion Ratio Lower Upper

136 100



137 10.4 9.4 14.2


54 5.2 5.8 8.6#

68 5.2 4.5 6.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 88.227 ng
RT: 9.11 min Scan# 1025
Delta R.T. -0.00 min
Lab File: BG045558.D
Acq: 1 Jun 2020 16:35




Instrument :
BNA_G
ClientSampleId :
NM-EB-8


Tot Ion	82	Resp	392538
Ion Ratio	Lower	Upper	
82	100		
128	38.2	30.9	46.3
54	39.0	30.3	45.5



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.60 min Scan# 1959
Delta R.T. 0.00 min
Lab File: BG045558.D
Acq: 1 Jun 2020 16:35

Tgt Ion	164	Resp	173681
Ion Ratio	Lower	Upper	
164	100		
162	98.2	76.9	115.3
160	43.9	33.8	50.8









#42
 2,4,6-Tribromophenol
 Concen: 142.070 ng
 RT: 16.09 min Scan# 2213
 Delta R.T. -0.00 min
 Lab File: BG045558.D
 Acq: 1 Jun 2020 16:35

Instrument :
 BNA_G
 ClientSampled :
 NM-EB-8

Tot Ion:330 Resp: 315563
 Ion Ratio Lower Upper
 330 100
 332 98.3 78.2 117.4
 141 35.1 28.2 42.4




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 91.751 ng
 RT: 13.22 min Scan# 1724
 Delta R.T. 0.00 min
 Lab File: BG045558.D
 Acq: 1 Jun 2020 16:35

Tgt Ion:172 Resp: 939469
 Ion Ratio Lower Upper
 172 100
 171 36.6 29.5 44.3
 170 24.0 18.5 27.7



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 15.351 ng

RT: 14.05 min Scan# 1865

Delta R.T. -0.01 min

Lab File: BG045558.D

Acq: 1 Jun 2020 16:35

Instrument :

BNA_G

ClientSampleId :

NM-EB-8


Tot Ion:163 Resp: 182892

Ion Ratio Lower Upper

163 100

194 3.8 3.2 4.8




164 11.1 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.34 min Scan# 2426

Delta R.T. -0.00 min

Lab File: BG045558.D

Acq: 1 Jun 2020 16:35


Tgt Ion:188 Resp: 412454

Ion Ratio Lower Upper

188 100

94 7.3 5.5 8.3



80 8.0 6.6 10.0




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.60 min Scan# 3151

Delta R.T. -0.00 min

Lab File: BG045558.D

Acq: 1 Jun 2020 16:35

Instrument :

BNA_G

ClientSampleId :

NM-EB-8


Tot Ion:240 Resp: 391746

Ion Ratio Lower Upper

240 100

120 7.7 6.1 9.1




236 25.3 22.3 33.5



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#79

Terphenyl-d14

Concen: 101.983 ng

RT: 19.96 min Scan# 2872

Delta R.T. 0.00 min

Lab File: BG045558.D

Acq: 1 Jun 2020 16:35


Tgt Ion:244 Resp: 1712956

Ion Ratio Lower Upper

244 100

212 9.1 7.4 11.0



122 8.9 6.8 10.2




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#87
 Pervlene-d12
 Concen: 20.000 ng
 RT: 24.75 min Scan# 3687
 Delta R.T. -0.00 min
 Lab File: BG045558.D
 Acq: 1 Jun 2020 16:35

Instrument :
 BNA_G
 ClientSampleId :
 NM-EB-8

Tot Ion	Ratio	Lower	Upper
264	100		
260	22.4	18.2	27.4
265	21.3	17.6	26.4



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

