

Data Path : Z:\HPCHEM1\BNA G\DATA\BG060216\
 Data File : BG022151.D
 Acq On : 2 Jun 2016 13:29
 Operator : UM/SJ
 Sample : H3302-02
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 CB200

Manual Integrations
 APPROVED

umangi
 6/3/2016 4:54:54 PM

Quant Time: Jun 03 11:09:44 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG052116.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Jun 03 01:08:24 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.14	152	48477	20.00	ng/ul	0.00
18) Naphthalene-d8	10.95	136	256557	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.76	164	165253	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.51	188	354988	20.00	ng/ul	0.00
75) Chrysene-d12	21.79	240	319380	20.00	ng/ul	0.00
83) Perylene-d12	25.10	264	320523	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.51	96	749	0.81	ng/uL	0.00
5) Phenol-d5	7.30	99	37795	8.63	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.45	67	28851	12.56	ng/ul	0.00
9) 2-Chlorophenol-d4	7.67	132	33187	9.06	ng/ul	0.00
13) 4-Methylphenol-d8	8.84	113	35208	9.48	ng/ul	0.00
19) Nitrobenzene-d5	9.31	128	24906	13.16	ng/ul	0.00
22) 2-Nitrophenol-d4	10.04	143	7361	3.59	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.58	165	24969	6.91	ng/ul	0.00
29) 4-Chloroaniline-d4	11.12	131	2895m	0.74	ng/ul	0.03
43) Dimethylphthalate-d6	14.15	166	63806	5.14	ng/ul	0.00
46) Acenaphthylene-d8	14.46	160	260675	15.04	ng/ul	0.00
51) 4-Nitrophenol-d4	0.00	143	0d	0.00	ng/ul	0.00
57) Fluorene-d10	15.75	176	179315	15.43	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.88	200	137	0.07	ng/ul	0.01
70) Anthracene-d10	17.60	188	254906	14.96	ng/ul	0.00
76) Pyrene-d10	19.88	212	261677	14.53	ng/ul	0.00
87) Benzo(a)pyrene-d12	24.87	264	226175	15.21	ng/ul	0.00

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	14.20	163	17187	1.38	ng/ul	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA G\DATA\BG060216\
Data File : BG022151.D
Acq On : 2 Jun 2016 13:29
Operator : UM/SJ
Sample : H3302-02
Misc :
ALS Vial : 6 Sample Multiplier: 1


Instrument :
BNA_G
ClientSampleId :
CB200

Manual Integrations
APPROVED

umangi
6/3/2016 4:54:54 PM

Quant Time: Jun 03 11:09:44 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG052116.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Jun 03 01:08:24 2016
Response via : Initial Calibration






#44
 Dimethylphthalate
 Concen: 1.38 ng/ul
 RT: 14.20 min Scan# 1934
 Delta R.T. -0.01 min
 Lab File: BG022151.D
 Acq: 2 Jun 2016 13:29

Instrument :
 BNA_G
 ClientSampleId :
 CB200

Tot Ion:	163	Resp:	17187
Ion Ratio	Lower	Upper	
163	100		
194	4.1	3.4	5.2
164	12.0	8.8	13.2

Manual Integrations
 APPROVED

umangi
 6/3/2016 4:54:54 PM



Abundance Ion 163.00 (162.70 to 163.70): E
 Ion 194.00 (193.70 to 194.70): E
 Ion 164.00 (163.70 to 164.70): E

