

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG060515\
 Data File : BG017483.D
 Acq On : 5 Jun 2015 20:52
 Operator : TP/IZ
 Sample : G2446-01RE
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 T-550RE

Quant Time: Jun 05 22:57:46 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG060315.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 05 22:50:24 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.62	152	21483	20.00	ng	0.00
21) Naphthalene-d8	10.42	136	86773	20.00	ng	0.00
38) Acenaphthene-d10	14.29	164	59474	20.00	ng	0.00
63) Phenanthrene-d10	17.05	188	145248	20.00	ng	0.00
75) Chrysene-d12	21.24	240	187815	20.00	ng	0.00
86) Perylene-d12	23.48	264	190222	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.23	112	5808	4.76	ng	0.00
7) Phenol-d6	6.85	99	4906	2.95	ng	0.00
23) Nitrobenzene-d5	8.79	82	9430	5.42	ng	0.00
41) 2,4,6-Tribromophenol	15.80	330	9011	10.91	ng	0.00
44) 2-Fluorobiphenyl	12.91	172	24267	6.16	ng	0.00
78) Terphenyl-d14	19.69	244	68865	7.58	ng	0.00
Target Compounds						
53) 2,4-Dinitrophenol	14.34	184	90	7.13	ng	# 13
69) Pentachlorophenol	16.72	266	112	5.60	ng	# 22


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG060515\
Data File : BG017483.D
Acq On : 5 Jun 2015 20:52
Operator : TP/IZ
Sample : G2446-01RE
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
T-550RE

Quant Time: Jun 05 22:57:46 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG060315.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 05 22:50:24 2015
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.62 min Scan# 840
Delta R.T. 0.00 min
Lab File: BG017483.D
Acq: 5 Jun 2015 20:52

Instrument :
BNA_G
ClientSampleId :
T-550RE




Tgt Ion:152 Resp: 21483
Ion Ratio Lower Upper
152 100
150 151.0 121.7 182.5
115 66.8 48.6 73.0




#5

2-Fluorophenol
Concen: 4.76 ng
RT: 5.23 min Scan# 432
Delta R.T. 0.01 min
Lab File: BG017483.D
Acq: 5 Jun 2015 20:52

Tgt Ion:112 Resp: 5808
Ion Ratio Lower Upper
112 100
64 61.5 51.6 77.4
63 42.9 33.3 49.9





#7

Phenol-d6

Concen: 2.95 ng

RT: 6.85 min Scan# 708

Delta R.T. 0.01 min

Lab File: BG017483.D

Acq: 5 Jun 2015 20:52

Instrument :

BNA_G

ClientSampleId :

T-550RE


Tgt Ion: 99 Resp: 4906

Ion Ratio Lower Upper




99 100

42 29.2 21.0 31.6

71 56.9 37.2 55.8#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.42 min Scan# 1316

Delta R.T. 0.00 min

Lab File: BG017483.D

Acq: 5 Jun 2015 20:52

Tgt Ion: 136 Resp: 86773


Ion Ratio Lower Upper

136 100



137 10.8 7.9 11.9


54 9.2 7.2 10.8

68 4.8 4.5 6.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 5.42 ng
 RT: 8.79 min Scan# 1038
 Delta R.T. 0.00 min
 Lab File: BG017483.D
 Acq: 5 Jun 2015 20:52

Instrument :
 BNA_G
 ClientSampleId :
 T-550RE

Tgt Ion: 82 Resp: 9430
 Ion Ratio Lower Upper
 82 100
 128 39.1 32.2 48.4
 54 56.8 47.4 71.2




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.29 min Scan# 1975
 Delta R.T. -0.01 min
 Lab File: BG017483.D
 Acq: 5 Jun 2015 20:52

Tgt Ion: 164 Resp: 59474
 Ion Ratio Lower Upper
 164 100
 162 97.2 81.8 122.6
 160 44.1 31.0 46.4



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 10.91 ng
 RT: 15.80 min Scan# 2231
 Delta R.T. -0.01 min
 Lab File: BG017483.D
 Acq: 5 Jun 2015 20:52

Instrument :
 BNA_G
 ClientSampleId :
 T-550RE

Tgt Ion:330 Resp: 9011
 Ion Ratio Lower Upper
 330 100
 332 95.4 75.9 113.9
 141 48.7 40.2 60.4




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 6.16 ng
 RT: 12.91 min Scan# 1740
 Delta R.T. 0.00 min
 Lab File: BG017483.D
 Acq: 5 Jun 2015 20:52

Tgt Ion:172 Resp: 24267
 Ion Ratio Lower Upper
 172 100
 171 38.0 29.0 43.6
 170 25.4 18.9 28.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#53
 2,4-Dinitrophenol
 Concen: 7.13 ng
 RT: 14.34 min Scan# 1984
 Delta R.T. -0.09 min
 Lab File: BG017483.D
 Acq: 5 Jun 2015 20:52




Instrument :
 BNA_G
 ClientSampled :
 T-550RE


Tgt Ion:184 Resp: 90
 Ion Ratio Lower Upper
 184 100
 63 0.0 61.5 92.3#
 154 0.0 53.8 80.8#



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 17.05 min Scan# 2444
 Delta R.T. 0.00 min
 Lab File: BG017483.D
 Acq: 5 Jun 2015 20:52

Tgt Ion:188 Resp: 145248
 Ion Ratio Lower Upper
 188 100
 94 7.5 6.3 9.5
 80 7.4 5.2 7.8





#69

Pentachlorophenol

Concen: 5.60 ng

RT: 16.72 min Scan# 2388

Delta R.T. 0.00 min

Lab File: BG017483.D

Acq: 5 Jun 2015 20:52

Instrument :

BNA_G

ClientSampleId :

T-550RE


Tgt Ion:266 Resp: 112

Ion Ratio Lower Upper

266 100

268 0.0 47.0 70.6#

264 0.0 45.7 68.5#




Abundance Ion 265.70 (265.40 to 266.40): E


Ion 268.00 (267.70 to 268.70): E

Ion 264.00 (263.70 to 264.70): E

Time-->



Time-->



#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.24 min Scan# 3158

Delta R.T. -0.01 min

Lab File: BG017483.D

Acq: 5 Jun 2015 20:52


Tgt Ion:240 Resp: 187815

Ion Ratio Lower Upper

240 100

120 7.4 6.5 9.7

236 25.4 20.8 31.2




Abundance Ion 240.00 (239.70 to 240.70): E


Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E

Time-->



Time-->



#78

Terphenyl-d14

Concen: 7.58 ng

RT: 19.69 min Scan# 2893

Delta R.T. -0.01 min

Lab File: BG017483.D

Acq: 5 Jun 2015 20:52

Instrument :

BNA_G

ClientSampleId :

T-550RE


Tgt Ion:244 Resp: 68865

Ion Ratio Lower Upper

244 100

212 9.0 6.4 9.6




122 6.9 6.6 10.0



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.48 min Scan# 3539

Delta R.T. -0.01 min

Lab File: BG017483.D

Acq: 5 Jun 2015 20:52


Tgt Ion:264 Resp: 190222

Ion Ratio Lower Upper

264 100

260 24.3 18.2 27.4

265 21.3 15.8 23.6



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

