

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG060515\
 Data File : BG017496.D
 Acq On : 6 Jun 2015 6:44
 Operator : TP/IZ
 Sample : G2504-05
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 MW-5

Quant Time: Jun 08 03:36:08 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG060315.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 04 01:31:15 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.62	152	14593	20.00	ng	0.00
21) Naphthalene-d8	10.42	136	60943	20.00	ng	0.00
38) Acenaphthene-d10	14.29	164	39175	20.00	ng	0.00
63) Phenanthrene-d10	17.05	188	110271	20.00	ng	0.00
75) Chrysene-d12	21.24	240	155139	20.00	ng	0.00
86) Perylene-d12	23.48	264	154699	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.22	112	42290	51.06	ng	0.00
7) Phenol-d6	6.84	99	31938	28.30	ng	0.00
23) Nitrobenzene-d5	8.79	82	92900	76.10	ng	0.00
41) 2,4,6-Tribromophenol	15.80	330	71719	131.81	ng	0.00
44) 2-Fluorobiphenyl	12.91	172	208899	80.44	ng	0.00
78) Terphenyl-d14	19.69	244	584757	77.90	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG060515\
Data File : BG017496.D
Acq On : 6 Jun 2015 6:44
Operator : TP/IZ
Sample : G2504-05
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
MW-5

Quant Time: Jun 08 03:36:08 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG060315.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 04 01:31:15 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.62 min Scan# 840
Delta R.T. -0.00 min
Lab File: BG017496.D
Acq: 6 Jun 2015 6:44

Instrument :
BNA_G
ClientSampled :
MW-5

Tgt Ion:152 Resp: 14593
Ion Ratio Lower Upper
152 100
150 133.9 121.7 182.5
115 60.5 48.6 73.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 51.06 ng
RT: 5.22 min Scan# 431
Delta R.T. 0.00 min
Lab File: BG017496.D
Acq: 6 Jun 2015 6:44

Tgt Ion:112 Resp: 42290
Ion Ratio Lower Upper
112 100
64 64.1 51.6 77.4
63 33.9 33.3 49.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 28.30 ng

RT: 6.84 min Scan# 707

Delta R.T. 0.01 min

Lab File: BG017496.D

Acq: 6 Jun 2015 6:44

Instrument :

BNA_G

ClientSampleId :

MW-5


Tgt Ion: 99 Resp: 31938

Ion Ratio Lower Upper



99 100

42 27.4 21.0 31.6

71 51.4 37.2 55.8



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.42 min Scan# 1316

Delta R.T. -0.00 min

Lab File: BG017496.D

Acq: 6 Jun 2015 6:44

Tgt Ion: 136 Resp: 60943


Ion Ratio Lower Upper

136 100



137 10.7 7.9 11.9


54 9.2 7.2 10.8

68 3.6 4.5 6.7#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 76.10 ng
 RT: 8.79 min Scan# 1038
 Delta R.T. -0.00 min
 Lab File: BG017496.D
 Acq: 6 Jun 2015 6:44

Instrument :
 BNA_G
 ClientSampleId :
 MW-5

Tgt Ion: 82 Resp: 92900
 Ion Ratio Lower Upper
 82 100
 128 40.5 32.2 48.4
 54 61.6 47.4 71.2




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC





#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.29 min Scan# 1975
 Delta R.T. 0.00 min
 Lab File: BG017496.D
 Acq: 6 Jun 2015 6:44

Tgt Ion: 164 Resp: 39175
 Ion Ratio Lower Upper
 164 100
 162 105.3 81.8 122.6
 160 44.3 31.0 46.4



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC








#41
 2,4,6-Tribromophenol
 Concen: 131.81 ng
 RT: 15.80 min Scan# 2231
 Delta R.T. 0.00 min
 Lab File: BG017496.D
 Acq: 6 Jun 2015 6:44

Instrument :
 BNA_G
 ClientSampleId :
 MW-5

Tgt Ion:330 Resp: 71719
 Ion Ratio Lower Upper
 330 100
 332 94.5 75.9 113.9
 141 52.0 40.2 60.4




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 80.44 ng
 RT: 12.91 min Scan# 1739
 Delta R.T. -0.00 min
 Lab File: BG017496.D
 Acq: 6 Jun 2015 6:44

Tgt Ion:172 Resp: 208899
 Ion Ratio Lower Upper
 172 100
 171 34.7 29.0 43.6
 170 22.7 18.9 28.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.05 min Scan# 2444

Delta R.T. 0.00 min

Lab File: BG017496.D

Acq: 6 Jun 2015 6:44

Instrument :

BNA_G

ClientSampleId :

MW-5


Tgt Ion:188 Resp: 110271

Ion Ratio Lower Upper

188 100

94 8.9 6.3 9.5




80 6.5 5.2 7.8



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.24 min Scan# 3158

Delta R.T. 0.01 min

Lab File: BG017496.D

Acq: 6 Jun 2015 6:44


Tgt Ion:240 Resp: 155139

Ion Ratio Lower Upper

240 100

120 8.3 6.5 9.7



236 25.2 20.8 31.2




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 77.90 ng

RT: 19.69 min Scan# 2893

Delta R.T. 0.00 min

Lab File: BG017496.D

Acq: 6 Jun 2015 6:44

Instrument :

BNA_G

ClientSampleId :

MW-5


Tgt Ion:244 Resp: 584757

Ion Ratio Lower Upper

244 100

212 8.7 6.4 9.6




122 9.0 6.6 10.0



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.48 min Scan# 3539

Delta R.T. 0.01 min

Lab File: BG017496.D

Acq: 6 Jun 2015 6:44


Tgt Ion:264 Resp: 154699

Ion Ratio Lower Upper

264 100

260 24.3 18.2 27.4

265 20.0 15.8 23.6



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

