

Data Path : Z:\HPCHEM1\BNA G\DATA\BG060517\
 Data File : BG027224.D
 Acq On : 5 Jun 2017 22:31
 Operator : SJ/MA
 Sample : PB99411TB
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Jun 06 04:05:29 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG060517.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 05 16:00:35 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.57	152	48568	20.00	ng	0.00
21) Naphthalene-d8	11.39	136	222719	20.00	ng	0.00
38) Acenaphthene-d10	15.15	164	146219	20.00	ng	0.00
63) Phenanthrene-d10	17.90	188	363075	20.00	ng	-0.02
75) Chrysene-d12	22.29	240	413350	20.00	ng	-0.02
86) Perylene-d12	26.00	264	386446	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	6.15	112	499818	157.04	ng	0.00
7) Phenol-d6	7.70	99	684139	146.43	ng	0.00
23) Nitrobenzene-d5	9.73	82	342248	96.64	ng	0.00
41) 2,4,6-Tribromophenol	16.64	330	284440	147.73	ng	0.00
44) 2-Fluorobiphenyl	13.78	172	965791	92.40	ng	0.00
78) Terphenyl-d14	20.49	244	1547920	95.53	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG060517\
Data File : BG027224.D
Acq On : 5 Jun 2017 22:31
Operator : SJ/MA
Sample : PB99411TB
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Jun 06 04:05:29 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG060517.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 05 16:00:35 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.57 min Scan# 831
Delta R.T. -0.01 min
Lab File: BG027224.D
Acq: 5 Jun 2017 22:31

Instrument :
BNA_G
ClientSampleId :

Tot Ion:152 Resp: 48568
Ion Ratio Lower Upper
152 100
150 156.9 114.0 171.0
115 64.9 48.1 72.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 157.04 ng
RT: 6.15 min Scan# 419
Delta R.T. -0.01 min
Lab File: BG027224.D
Acq: 5 Jun 2017 22:31

Tgt Ion:112 Resp: 499818
Ion Ratio Lower Upper
112 100
64 61.7 61.8 92.6#
63 32.3 37.2 55.8#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 146.43 ng

RT: 7.70 min Scan# 683

Delta R.T. -0.00 min

Lab File: BG027224.D

Acq: 5 Jun 2017 22:31

Instrument :

BNA_G

ClientSampleId :


Tot Ion: 99 Resp: 684139

Ion Ratio Lower Upper




99 100

42 16.6 20.5 30.7#

71 31.2 37.6 56.4#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 11.39 min Scan# 1311

Delta R.T. -0.01 min

Lab File: BG027224.D

Acq: 5 Jun 2017 22:31

Tgt Ion: 136 Resp: 222719


Ion Ratio Lower Upper

136 100



137 11.7 8.9 13.3


54 8.7 9.3 13.9#

68 6.7 5.1 7.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 96.64 ng
 RT: 9.73 min Scan# 1029
 Delta R.T. -0.01 min
 Lab File: BG027224.D
 Acq: 5 Jun 2017 22:31




Instrument :
 BNA_G
 ClientSampled :


Tot Ion: 82 Resp: 342248
 Ion Ratio Lower Upper
 82 100
 128 40.0 26.4 39.6#
 54 49.9 49.4 74.2



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 15.15 min Scan# 1951
 Delta R.T. -0.01 min
 Lab File: BG027224.D
 Acq: 5 Jun 2017 22:31

Tgt Ion:164 Resp: 146219
 Ion Ratio Lower Upper
 164 100
 162 103.6 85.1 127.7
 160 44.1 34.7 52.1









#41
 2,4,6-Tribromophenol
 Concen: 147.73 ng
 RT: 16.64 min Scan# 2204
 Delta R.T. -0.01 min
 Lab File: BG027224.D
 Acq: 5 Jun 2017 22:31

Instrument :
 BNA_G
 ClientSampled :

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.6	77.3	115.9
141	32.5	32.1	48.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 92.40 ng
 RT: 13.78 min Scan# 1718
 Delta R.T. -0.01 min
 Lab File: BG027224.D
 Acq: 5 Jun 2017 22:31

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.3	32.2	48.2
170	24.8	21.8	32.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.90 min Scan# 2419
Delta R.T. -0.02 min
Lab File: BG027224.D
Acq: 5 Jun 2017 22:31




Instrument :
BNA_G
ClientSampleId :


Tot Ion:188 Resp: 363075
Ion Ratio Lower Upper
188 100
94 10.2 5.8 8.8#
80 11.4 7.5 11.3#



#75
Chrysene-d12
Concen: 20.00 ng
RT: 22.29 min Scan# 3167
Delta R.T. -0.02 min
Lab File: BG027224.D
Acq: 5 Jun 2017 22:31

Tgt Ion:240 Resp: 413350
Ion Ratio Lower Upper
240 100
120 10.6 5.7 8.5#
236 25.8 22.2 33.4





#78

Terphenyl-d14

Concen: 95.53 ng

RT: 20.49 min Scan# 2859

Delta R.T. -0.01 min

Lab File: BG027224.D

Acq: 5 Jun 2017 22:31

Instrument :

BNA_G

ClientSampleId :


Tot Ion:244 Resp: 1547920

Ion Ratio Lower Upper




244 100

212 8.1 10.0 15.0#

122 11.0 8.6 12.8



Abundance Ion 244.00 (243.70 to 244.70): E
1500000
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 26.00 min Scan# 3797

Delta R.T. -0.03 min

Lab File: BG027224.D

Acq: 5 Jun 2017 22:31


Tgt Ion:264 Resp: 386446

Ion Ratio Lower Upper

264 100

260 24.7 21.8 32.8

265 23.0 18.2 27.4



Abundance Ion 264.00 (263.70 to 264.70): E
150000
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

