

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG060615\
 Data File : BG017522.D
 Acq On : 7 Jun 2015 7:38
 Operator : TP/IZ
 Sample : G2508-07
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 UNDERCUTAB-4(0-2)

Quant Time: Jun 08 05:22:16 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG060315.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 04 01:31:15 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.62	152	14405	20.00	ng	0.00
21) Naphthalene-d8	10.42	136	63842	20.00	ng	0.00
38) Acenaphthene-d10	14.29	164	46887	20.00	ng	0.00
63) Phenanthrene-d10	17.04	188	111637	20.00	ng	0.00
75) Chrysene-d12	21.24	240	122720	20.00	ng	0.00
86) Perylene-d12	23.48	264	119721	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.21	112	140023	171.25	ng	0.00
7) Phenol-d6	6.84	99	190790	171.28	ng	0.00
23) Nitrobenzene-d5	8.79	82	135377	105.85	ng	0.00
41) 2,4,6-Tribromophenol	15.79	330	83177	127.72	ng	0.00
44) 2-Fluorobiphenyl	12.90	172	260453	83.79	ng	0.00
78) Terphenyl-d14	19.68	244	355314	59.84	ng	0.00
Target Compounds						
49) Dimethylphthalate	13.75	163	34109	8.36	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG060615\
Data File : BG017522.D
Acq On : 7 Jun 2015 7:38
Operator : TP/IZ
Sample : G2508-07
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
UNDERCUTAB-4(0-2)

Quant Time: Jun 08 05:22:16 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG060315.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 04 01:31:15 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.62 min Scan# 840
Delta R.T. -0.01 min
Lab File: BG017522.D
Acq: 7 Jun 2015 7:38

Instrument :
BNA_G
ClientSampleId :
UNDERCUTAB-4(0-2)

Tgt Ion:152 Resp: 14405
Ion Ratio Lower Upper
152 100
150 152.2 121.7 182.5
115 64.3 48.6 73.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 171.25 ng
RT: 5.21 min Scan# 430
Delta R.T. -0.01 min
Lab File: BG017522.D
Acq: 7 Jun 2015 7:38

Tgt Ion:112 Resp: 140023
Ion Ratio Lower Upper
112 100
64 65.7 51.6 77.4
63 41.1 33.3 49.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 171.28 ng

RT: 6.84 min Scan# 706

Delta R.T. 0.00 min

Lab File: BG017522.D

Acq: 7 Jun 2015 7:38

Instrument :

BNA_G

ClientSampleId :

UNDERCUTAB-4(0-2)


Tgt Ion: 99 Resp: 190790

Ion Ratio Lower Upper




99 100

42 32.6 21.0 31.6#

71 54.1 37.2 55.8



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.42 min Scan# 1316

Delta R.T. -0.01 min

Lab File: BG017522.D

Acq: 7 Jun 2015 7:38

Tgt Ion: 136 Resp: 63842


Ion Ratio Lower Upper

136 100



137 10.2 7.9 11.9


54 7.3 7.2 10.8

68 4.6 4.5 6.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 105.85 ng
 RT: 8.79 min Scan# 1038
 Delta R.T. -0.01 min
 Lab File: BG017522.D
 Acq: 7 Jun 2015 7:38




Instrument :
 BNA_G
 ClientSampleId :
 UNDERCUTAB-4(0-2)


Tgt Ion	Ratio	Lower	Upper
82	100		
128	36.9	32.2	48.4
54	64.9	47.4	71.2



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.29 min Scan# 1975
 Delta R.T. 0.00 min
 Lab File: BG017522.D
 Acq: 7 Jun 2015 7:38

Tgt Ion	Ratio	Lower	Upper
164	100		
162	97.7	81.8	122.6
160	40.7	31.0	46.4









#41
 2,4,6-Tribromophenol
 Concen: 127.72 ng
 RT: 15.79 min Scan# 2230
 Delta R.T. -0.01 min
 Lab File: BG017522.D
 Acq: 7 Jun 2015 7:38

Instrument :
 BNA_G
 ClientSampleId :
 UNDERCUTAB-4(0-2)

Tgt Ion:330 Resp: 83177
 Ion Ratio Lower Upper
 330 100
 332 97.6 75.9 113.9
 141 53.4 40.2 60.4




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 83.79 ng
 RT: 12.90 min Scan# 1739
 Delta R.T. -0.01 min
 Lab File: BG017522.D
 Acq: 7 Jun 2015 7:38

Tgt Ion:172 Resp: 260453
 Ion Ratio Lower Upper
 172 100
 171 36.8 29.0 43.6
 170 22.6 18.9 28.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 8.36 ng

RT: 13.75 min Scan# 1883

Delta R.T. -0.01 min

Lab File: BG017522.D

Acq: 7 Jun 2015 7:38

Instrument :

BNA_G

ClientSampleId :

UNDERCUTAB-4(0-2)


Tgt Ion:163 Resp: 34109

Ion Ratio Lower Upper

163 100

194 5.8 4.9 7.3




164 10.3 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.04 min Scan# 2443

Delta R.T. -0.01 min

Lab File: BG017522.D

Acq: 7 Jun 2015 7:38


Tgt Ion:188 Resp: 111637

Ion Ratio Lower Upper

188 100

94 6.8 6.3 9.5



80 10.1 5.2 7.8#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC









#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 21.24 min Scan# 3157
 Delta R.T. 0.00 min
 Lab File: BG017522.D
 Acq: 7 Jun 2015 7:38




Instrument :
 BNA_G
 ClientSampleId :
 UNDERCUTAB-4(0-2)


Tgt Ion:240 Resp: 122720
 Ion Ratio Lower Upper
 240 100
 120 8.7 6.5 9.7
 236 24.0 20.8 31.2



#78
 Terphenyl-d14
 Concen: 59.84 ng
 RT: 19.68 min Scan# 2893
 Delta R.T. 0.00 min
 Lab File: BG017522.D
 Acq: 7 Jun 2015 7:38

Tgt Ion:244 Resp: 355314
 Ion Ratio Lower Upper
 244 100
 212 8.7 6.4 9.6
 122 8.9 6.6 10.0





#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 23.48 min Scan# 3539
 Delta R.T. 0.01 min
 Lab File: BG017522.D
 Acq: 7 Jun 2015 7:38

Instrument :
 BNA_G
 ClientSampleId :
 UNDERCUTAB-4(0-2)

Tgt Ion: 264 Resp: 119721
 Ion Ratio Lower Upper
 264 100
 260 22.9 18.2 27.4
 265 20.0 15.8 23.6

