

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG060616\
 Data File : BG022185.D
 Acq On : 7 Jun 2016 1:50
 Operator : UM/SJ
 Sample : H3402-12
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SB-18

Quant Time: Jun 07 03:24:28 2016
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG060616.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 06 16:12:45 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.12	152	24001	20.00	ng	0.00
21) Naphthalene-d8	10.94	136	112604	20.00	ng	0.00
38) Acenaphthene-d10	14.75	164	73492	20.00	ng	0.00
63) Phenanthrene-d10	17.49	188	173076	20.00	ng	0.00
75) Chrysene-d12	21.77	240	184322	20.00	ng	0.00
86) Perylene-d12	25.06	264	175912	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.67	112	171124	137.85	ng	0.00
7) Phenol-d6	7.28	99	257820	132.10	ng	0.00
23) Nitrobenzene-d5	9.29	82	131887	81.66	ng	0.00
41) 2,4,6-Tribromophenol	16.23	330	131174	157.96	ng	0.00
44) 2-Fluorobiphenyl	13.37	172	368464	76.41	ng	0.00
78) Terphenyl-d14	20.09	244	675815	87.05	ng	0.00
Target Compounds						
49) Dimethylphthalate	14.19	163	103702	17.02	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG060616\
Data File : BG022185.D
Acq On : 7 Jun 2016 1:50
Operator : UM/SJ
Sample : H3402-12
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SB-18

Quant Time: Jun 07 03:24:28 2016
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG060616.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 06 16:12:45 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.12 min Scan# 899

Delta R.T. 0.00 min

Lab File: BG022185.D

Acq: 7 Jun 2016 1:50

Instrument :

BNA_G

ClientSampleId :

SB-18


Tgt Ion:152 Resp: 24001

Ion Ratio Lower Upper

152 100

150 153.0 130.1 195.1




115 53.4 62.2 93.2#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 137.85 ng

RT: 5.67 min Scan# 481

Delta R.T. 0.00 min

Lab File: BG022185.D

Acq: 7 Jun 2016 1:50


Tgt Ion:112 Resp: 171124

Ion Ratio Lower Upper

112 100

64 45.5 51.1 76.7#



63 23.2 24.6 37.0#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 132.10 ng

RT: 7.28 min Scan# 755

Delta R.T. 0.00 min

Lab File: BG022185.D

Acq: 7 Jun 2016 1:50

Instrument :

BNA_G

ClientSampleId :

SB-18


Tgt Ion: 99 Resp: 257820

Ion Ratio Lower Upper




99 100

42 10.0 16.4 24.6#

71 24.1 25.0 37.4#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.94 min Scan# 1378

Delta R.T. 0.00 min

Lab File: BG022185.D

Acq: 7 Jun 2016 1:50

Tgt Ion: 136 Resp: 112604


Ion Ratio Lower Upper

136 100



137 9.4 9.0 13.4


54 5.1 9.6 14.4#

68 5.9 6.4 9.6#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 81.66 ng
 RT: 9.29 min Scan# 1097
 Delta R.T. -0.00 min
 Lab File: BG022185.D
 Acq: 7 Jun 2016 1:50

Instrument :
 BNA_G
 ClientSampled :
 SB-18

Tgt Ion: 82 Resp: 131887
 Ion Ratio Lower Upper
 82 100
 128 48.3 33.4 50.0
 54 32.9 46.1 69.1#




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.75 min Scan# 2026
 Delta R.T. -0.00 min
 Lab File: BG022185.D
 Acq: 7 Jun 2016 1:50

Tgt Ion: 164 Resp: 73492
 Ion Ratio Lower Upper
 164 100
 162 97.7 78.0 117.0
 160 47.4 32.9 49.3



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 157.96 ng
 RT: 16.23 min Scan# 2279
 Delta R.T. -0.00 min
 Lab File: BG022185.D
 Acq: 7 Jun 2016 1:50

Instrument :
 BNA_G
 ClientSampleId :
 SB-18

Tgt Ion	Ratio	Lower	Upper
330	100		
332	95.1	78.0	117.0
141	37.1	33.8	50.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 76.41 ng
 RT: 13.37 min Scan# 1792
 Delta R.T. 0.00 min
 Lab File: BG022185.D
 Acq: 7 Jun 2016 1:50

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.5	27.8	41.6
170	25.0	19.6	29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 17.02 ng

RT: 14.19 min Scan# 1932

Delta R.T. -0.00 min

Lab File: BG022185.D

Acq: 7 Jun 2016 1:50

Instrument :

BNA_G

ClientSampleId :

SB-18


Tgt Ion:163 Resp: 103702

Ion Ratio Lower Upper

163 100

194 4.2 3.0 4.6




164 9.4 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.49 min Scan# 2493

Delta R.T. -0.00 min

Lab File: BG022185.D

Acq: 7 Jun 2016 1:50


Tgt Ion:188 Resp: 173076

Ion Ratio Lower Upper

188 100

94 9.9 7.5 11.3



80 10.3 8.6 13.0




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.77 min Scan# 3221

Delta R.T. -0.00 min

Lab File: BG022185.D

Acq: 7 Jun 2016 1:50

Instrument :

BNA_G

ClientSampleId :

SB-18


Tgt Ion:240 Resp: 184322

Ion Ratio Lower Upper

240 100

120 13.1 8.4 12.6#




236 26.6 19.6 29.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 87.05 ng

RT: 20.09 min Scan# 2935

Delta R.T. 0.00 min

Lab File: BG022185.D

Acq: 7 Jun 2016 1:50


Tgt Ion:244 Resp: 675815

Ion Ratio Lower Upper

244 100

212 7.7 6.5 9.7



122 12.0 8.6 12.8




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 25.06 min Scan# 3782
Delta R.T. 0.00 min
Lab File: BG022185.D
Acq: 7 Jun 2016 1:50

Instrument :
BNA_G
ClientSampleId :
SB-18

Tgt Ion: 264 Resp: 175912
Ion Ratio Lower Upper
264 100
260 23.8 20.2 30.4
265 22.8 17.8 26.8

