

Data Path : Z:\HPCHEM1\BNA G\DATA\BG060617\
 Data File : BG027246.D
 Acq On : 6 Jun 2017 12:57
 Operator : SJ/MA
 Sample : I3438-05
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TP-5-6

Quant Time: Jun 06 18:06:34 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG060517.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 05 16:00:35 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.57	152	46557	20.00	ng	0.00
21) Naphthalene-d8	11.38	136	207932	20.00	ng	-0.01
38) Acenaphthene-d10	15.15	164	137213	20.00	ng	-0.01
63) Phenanthrene-d10	17.90	188	357885	20.00	ng	-0.01
75) Chrysene-d12	22.29	240	397704	20.00	ng	-0.02
86) Perylene-d12	25.99	264	374700	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	6.15	112	437121	143.27	ng	0.00
7) Phenol-d6	7.70	99	556172	124.19	ng	0.00
23) Nitrobenzene-d5	9.73	82	364382	110.21	ng	-0.01
41) 2,4,6-Tribromophenol	16.63	330	318513	176.28	ng	-0.01
44) 2-Fluorobiphenyl	13.78	172	944950	96.34	ng	-0.01
78) Terphenyl-d14	20.48	244	1610612	103.31	ng	-0.01
Target Compounds						
55) 4-Nitrophenol	15.54	139	744	6.46	ng	Qvalue # 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG060617\
Data File : BG027246.D
Acq On : 6 Jun 2017 12:57
Operator : SJ/MA
Sample : I3438-05
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TP-5-6

Quant Time: Jun 06 18:06:34 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG060517.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 05 16:00:35 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.57 min Scan# 831
Delta R.T. -0.01 min
Lab File: BG027246.D
Acq: 6 Jun 2017 12:57

Instrument :
BNA_G
ClientSampleId :
TP-5-6

Tot Ion:152 Resp: 46557
Ion Ratio Lower Upper
152 100
150 153.1 114.0 171.0
115 59.4 48.1 72.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 143.27 ng
RT: 6.15 min Scan# 419
Delta R.T. -0.01 min
Lab File: BG027246.D
Acq: 6 Jun 2017 12:57

Tgt Ion:112 Resp: 437121
Ion Ratio Lower Upper
112 100
64 64.0 61.8 92.6
63 33.0 37.2 55.8#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 124.19 ng

RT: 7.70 min Scan# 683

Delta R.T. -0.00 min

Lab File: BG027246.D

Acq: 6 Jun 2017 12:57

Instrument :

BNA_G

ClientSampleId :

TP-5-6


Tot Ion: 99 Resp: 556172

Ion Ratio Lower Upper




99 100

42 17.0 20.5 30.7#

71 31.8 37.6 56.4#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 11.38 min Scan# 1310

Delta R.T. -0.01 min

Lab File: BG027246.D

Acq: 6 Jun 2017 12:57

Tgt Ion: 136 Resp: 207932


Ion Ratio Lower Upper

136 100



137 10.9 8.9 13.3


54 8.5 9.3 13.9#

68 7.1 5.1 7.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 110.21 ng
 RT: 9.73 min Scan# 1028
 Delta R.T. -0.01 min
 Lab File: BG027246.D
 Acq: 6 Jun 2017 12:57




Instrument :
 BNA_G
 ClientSampleID :
 TP-5-6

Tot Ion: 82 Resp: 364382
 Ion Ratio Lower Upper
 82 100
 128 42.2 26.4 39.6#
 54 49.9 49.4 74.2



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 15.15 min Scan# 1950
 Delta R.T. -0.01 min
 Lab File: BG027246.D
 Acq: 6 Jun 2017 12:57

Tgt Ion:164 Resp: 137213
 Ion Ratio Lower Upper
 164 100
 162 102.2 85.1 127.7
 160 44.1 34.7 52.1









#41
 2,4,6-Tribromophenol
 Concen: 176.28 ng
 RT: 16.63 min Scan# 2203
 Delta R.T. -0.01 min
 Lab File: BG027246.D
 Acq: 6 Jun 2017 12:57




Instrument :
 BNA_G
 ClientSampled :
 TP-5-6


Tot Ion	Ratio	Lower	Upper
330	100		
332	96.1	77.3	115.9
141	32.3	32.1	48.1



#44
 2-Fluorobiphenyl
 Concen: 96.34 ng
 RT: 13.78 min Scan# 1717
 Delta R.T. -0.01 min
 Lab File: BG027246.D
 Acq: 6 Jun 2017 12:57

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.6	32.2	48.2
170	24.7	21.8	32.6






#55
4-Nitrophenol
Concen: 6.46 ng
RT: 15.54 min Scan# 2017
Delta R.T. 0.21 min
Lab File: BG027246.D
Acq: 6 Jun 2017 12:57

Instrument :
BNA_G
ClientSampleId :
TP-5-6



Tot Ion	Ratio	Lower	Upper
139	100		
109	0.0	101.2	141.2#
65	0.0	135.3	175.3#



Abundance Ion 139.00 (138.70 to 139.70): E
Ion 109.00 (108.70 to 109.70): E
Ion 65.00 (64.70 to 65.70): BGC


15.54

Time-->



#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.90 min Scan# 2419
Delta R.T. -0.01 min
Lab File: BG027246.D
Acq: 6 Jun 2017 12:57


Tgt Ion	Ratio	Lower	Upper
188	100		
94	9.5	5.8	8.8#
80	10.7	7.5	11.3




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC

17.90

Time-->





#75

Chrysene-d12

Concen: 20.00 ng

RT: 22.29 min Scan# 3166

Delta R.T. -0.02 min

Lab File: BG027246.D

Acq: 6 Jun 2017 12:57

Instrument :

BNA_G

ClientSampled :

TP-5-6


Tot Ion:240 Resp: 397704

Ion Ratio Lower Upper

240 100

120 10.3 5.7 8.5#




236 25.7 22.2 33.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 103.31 ng

RT: 20.48 min Scan# 2858

Delta R.T. -0.01 min

Lab File: BG027246.D

Acq: 6 Jun 2017 12:57


Tgt Ion:244 Resp: 1610612

Ion Ratio Lower Upper

244 100

212 8.2 10.0 15.0#



122 11.2 8.6 12.8




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.00 ng
RT: 25.99 min Scan# 3795
Delta R.T. -0.04 min
Lab File: BG027246.D
Acq: 6 Jun 2017 12:57

Instrument :
BNA_G
ClientSampleId :
TP-5-6

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.6	21.8	32.8
265	21.6	18.2	27.4

