

Data Path : Z:\HPCHEM1\BNA G\Data\BG060617\
 Data File : BG027277.D
 Acq On : 7 Jun 2017 10:48
 Operator : SJ/MA
 Sample : I3478-15
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Jun 07 12:13:48 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG060517.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 05 16:00:35 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.559	152	53178	20.00	ng	-0.02
21) Naphthalene-d8	11.379	136	248241	20.00	ng	-0.02
38) Acenaphthene-d10	15.145	164	161757	20.00	ng	-0.01
63) Phenanthrene-d10	17.895	188	385345	20.00	ng	-0.02
75) Chrysene-d12	22.278	240	435089	20.00	ng	-0.03
86) Perylene-d12	25.968	264	400147	20.00	ng	-0.06
System Monitoring Compounds						
5) 2-Fluorophenol	6.144	112	483316	138.69	ng	-0.01
7) Phenol-d6	7.695	99	623722	121.93	ng	0.00
23) Nitrobenzene-d5	9.722	82	410079	103.89	ng	-0.02
41) 2,4,6-Tribromophenol	16.626	330	323555	151.90	ng	-0.02
44) 2-Fluorobiphenyl	13.771	172	1022881	88.47	ng	-0.02
78) Terphenyl-d14	20.475	244	1602026	93.93	ng	-0.02


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\Data\BG060617\
Data File : BG027277.D
Acq On : 7 Jun 2017 10:48
Operator : SJ/MA
Sample : I3478-15
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Jun 07 12:13:48 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG060517.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 05 16:00:35 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.559 min Scan# 82

Delta R.T. -0.020 min

Lab File: BG027277.D

Acq: 7 Jun 2017 10:48

Instrument :

BNA_G

ClientSampleId :





Tot Ion:152 Resp: 53178

Ion Ratio Lower Upper

152 100

150 156.7 114.0 171.0

115 65.6 48.1 72.1



#5

2-Fluorophenol

Concen: 138.69 ng

RT: 6.144 min Scan# 418

Delta R.T. -0.014 min

Lab File: BG027277.D

Acq: 7 Jun 2017 10:48




Tgt Ion:112 Resp: 483316


Ion Ratio Lower Upper

112 100

64 66.7 61.8 92.6

63 33.5 37.2 55.8#





#7

Phenol-d6

Concen: 121.93 ng

RT: 7.695 min Scan# 68

Delta R.T. -0.008 min

Lab File: BG027277.D

Acq: 7 Jun 2017 10:48

Instrument :

BNA_G

ClientSampleId :





Tot Ion: 99 Resp: 623722

Ion Ratio Lower Upper

99 100

42 16.6 20.5 30.7#

71 30.7 37.6 56.4#



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 11.379 min Scan# 1309

Delta R.T. -0.020 min

Lab File: BG027277.D

Acq: 7 Jun 2017 10:48

Tgt Ion: 136 Resp: 248241




Ion Ratio Lower Upper


136 100

137 11.1 8.9 13.3

54 9.9 9.3 13.9

68 7.3 5.1 7.7









#23
 Nitrobenzene-d5
 Concen: 103.89 ng
 RT: 9.722 min Scan# 10
 Delta R.T. -0.020 min
 Lab File: BG027277.D
 Acq: 7 Jun 2017 10:48




Instrument :
 BNA_G
 ClientSampled :


Tot Ion	82	Resp	410079
Ion Ratio	100	Lower	Upper
128	40.0	26.4	39.6#
54	50.2	49.4	74.2



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 15.145 min Scan# 1950
 Delta R.T. -0.014 min
 Lab File: BG027277.D
 Acq: 7 Jun 2017 10:48

Tgt Ion	164	Resp	161757
Ion Ratio <td>100</td> <td>Lower</td> <td>Upper</td>	100	Lower	Upper
162	101.5	85.1	127.7
160	43.5	34.7	52.1









#41
 2,4,6-Tribromophenol
 Concen: 151.90 ng
 RT: 16.626 min Scan# 22
 Delta R.T. -0.020 min
 Lab File: BG027277.D
 Acq: 7 Jun 2017 10:48




Instrument :
 BNA_G
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
330	100		
332	98.0	77.3	115.9
141	32.3	32.1	48.1



#44
 2-Fluorobiphenyl
 Concen: 88.47 ng
 RT: 13.771 min Scan# 1716
 Delta R.T. -0.020 min
 Lab File: BG027277.D
 Acq: 7 Jun 2017 10:48

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.9	32.2	48.2
170	24.6	21.8	32.6









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.895 min Scan# 241
Delta R.T. -0.020 min
Lab File: BG027277.D
Acq: 7 Jun 2017 10:48




Instrument :
BNA_G
ClientSampleId :

Tot Ion:188 Resp: 385345
Ion Ratio Lower Upper
188 100
94 10.4 5.8 8.8#
80 11.4 7.5 11.3#



#75
Chrysene-d12
Concen: 20.00 ng
RT: 22.278 min Scan# 3164
Delta R.T. -0.032 min
Lab File: BG027277.D
Acq: 7 Jun 2017 10:48

Tgt Ion:240 Resp: 435089
Ion Ratio Lower Upper
240 100
120 11.3 5.7 8.5#
236 25.4 22.2 33.4





#78

Terphenyl-d14

Concen: 93.93 ng

RT: 20.475 min Scan# 28

Delta R.T. -0.020 min

Lab File: BG027277.D

Acq: 7 Jun 2017 10:48

Instrument :

BNA_G

ClientSampleId :





Tot Ion:244 Resp: 1602026

Ion Ratio Lower Upper

244 100

212 8.3 10.0 15.0#

122 11.3 8.6 12.8



#86

Perylene-d12

Concen: 20.00 ng

RT: 25.968 min Scan# 3792

Delta R.T. -0.055 min

Lab File: BG027277.D

Acq: 7 Jun 2017 10:48

Tgt Ion:264 Resp: 400147

Ion Ratio Lower Upper

264 100

260 23.2 21.8 32.8

265 21.4 18.2 27.4

