

Data Path : Z:\HPCHEM1\BNA G\DATA\BG060716\
 Data File : BG022217.D
 Acq On : 7 Jun 2016 23:28
 Operator : UM/SJ
 Sample : H3399-19
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 GW-5

Quant Time: Jun 08 03:13:13 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG060616.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 06 16:12:45 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.12	152	19988	20.00	ng	0.00
21) Naphthalene-d8	10.94	136	94132	20.00	ng	0.00
38) Acenaphthene-d10	14.75	164	65421	20.00	ng	0.00
63) Phenanthrene-d10	17.49	188	163831	20.00	ng	0.00
75) Chrysene-d12	21.76	240	165559	20.00	ng	0.00
86) Perylene-d12	25.06	264	158974	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.67	112	63846	61.76	ng	0.00
7) Phenol-d6	7.27	99	65149	40.08	ng	0.00
23) Nitrobenzene-d5	9.29	82	126890	93.98	ng	0.00
41) 2,4,6-Tribromophenol	16.23	330	59333	80.26	ng	0.00
44) 2-Fluorobiphenyl	13.37	172	390505	90.97	ng	0.00
78) Terphenyl-d14	20.08	244	660804	94.76	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG060716\
Data File : BG022217.D
Acq On : 7 Jun 2016 23:28
Operator : UM/SJ
Sample : H3399-19
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
GW-5

Quant Time: Jun 08 03:13:13 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG060616.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 06 16:12:45 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.12 min Scan# 899

Delta R.T. -0.00 min

Lab File: BG022217.D

Acq: 7 Jun 2016 23:28

Instrument :

BNA_G

ClientSampled :

GW-5


Tot Ion:152 Resp: 19988

Ion Ratio Lower Upper

152 100

150 167.7 130.1 195.1



115 58.6 62.2 93.2#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 61.76 ng

RT: 5.67 min Scan# 481

Delta R.T. -0.00 min

Lab File: BG022217.D

Acq: 7 Jun 2016 23:28


Tgt Ion:112 Resp: 63846

Ion Ratio Lower Upper

112 100

64 45.9 51.1 76.7#



63 22.4 24.6 37.0#



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 40.08 ng

RT: 7.27 min Scan# 755

Delta R.T. -0.00 min

Lab File: BG022217.D

Acq: 7 Jun 2016 23:28

Instrument :

BNA_G

ClientSampleId :

GW-5


Tot Ion: 99 Resp: 65149

Ion Ratio Lower Upper




99 100

42 10.8 16.4 24.6#

71 25.2 25.0 37.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.94 min Scan# 1379

Delta R.T. 0.00 min

Lab File: BG022217.D

Acq: 7 Jun 2016 23:28

Tgt Ion: 136 Resp: 94132


Ion Ratio Lower Upper

136 100



137 10.9 9.0 13.4

54 5.4 9.6 14.4#

68 5.5 6.4 9.6#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC








#23
 Nitrobenzene-d5
 Concen: 93.98 ng
 RT: 9.29 min Scan# 1098
 Delta R.T. -0.00 min
 Lab File: BG022217.D
 Acq: 7 Jun 2016 23:28

Instrument :
 BNA_G
 ClientSampleId :
 GW-5

Tot Ion: 82 Resp: 126890
 Ion Ratio Lower Upper
 82 100
 128 49.0 33.4 50.0
 54 33.4 46.1 69.1#




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC





#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.75 min Scan# 2027
 Delta R.T. -0.00 min
 Lab File: BG022217.D
 Acq: 7 Jun 2016 23:28

Tgt Ion:164 Resp: 65421
 Ion Ratio Lower Upper
 164 100
 162 106.4 78.0 117.0
 160 47.2 32.9 49.3



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC





#41

2,4,6-Tribromophenol

Concen: 80.26 ng

RT: 16.23 min Scan# 2280

Delta R.T. -0.00 min

Lab File: BG022217.D

Acq: 7 Jun 2016 23:28

Instrument :

BNA_G

ClientSampleId :

GW-5


Tot Ion:330 Resp: 59333

Ion Ratio Lower Upper

330 100

332 95.4 78.0 117.0




141 38.0 33.8 50.8



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44

2-Fluorobiphenyl

Concen: 90.97 ng

RT: 13.37 min Scan# 1792

Delta R.T. -0.00 min

Lab File: BG022217.D

Acq: 7 Jun 2016 23:28


Tgt Ion:172 Resp: 390505

Ion Ratio Lower Upper

172 100

171 40.1 27.8 41.6



170 25.6 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.49 min Scan# 2494

Delta R.T. -0.00 min

Lab File: BG022217.D

Acq: 7 Jun 2016 23:28

Instrument :

BNA_G

ClientSampleId :

GW-5


Tot Ion:188 Resp: 163831

Ion Ratio Lower Upper

188 100

94 8.6 7.5 11.3




80 10.0 8.6 13.0



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.76 min Scan# 3221

Delta R.T. -0.01 min

Lab File: BG022217.D

Acq: 7 Jun 2016 23:28


Tgt Ion:240 Resp: 165559

Ion Ratio Lower Upper

240 100

120 13.3 8.4 12.6#



236 27.6 19.6 29.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 94.76 ng

RT: 20.08 min Scan# 2935

Delta R.T. -0.00 min

Lab File: BG022217.D

Acq: 7 Jun 2016 23:28

Instrument :

BNA_G

ClientSampleId :

GW-5


Tot Ion:244 Resp: 660804

Ion Ratio Lower Upper

244 100

212 7.5 6.5 9.7




122 12.9 8.6 12.8#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 25.06 min Scan# 3782

Delta R.T. -0.00 min

Lab File: BG022217.D

Acq: 7 Jun 2016 23:28


Tgt Ion:264 Resp: 158974

Ion Ratio Lower Upper

264 100

260 25.5 20.2 30.4

265 22.9 17.8 26.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

