

Data Path : Z:\HPCHEM1\BNA G\DATA\BG060716\
 Data File : BG022220.D
 Acq On : 8 Jun 2016 1:27
 Operator : UM/SJ
 Sample : H3426-04
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 GW-6

Quant Time: Jun 08 03:13:48 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG060616.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 06 16:12:45 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.12	152	21873	20.00	ng	0.00
21) Naphthalene-d8	10.93	136	107335	20.00	ng	0.00
38) Acenaphthene-d10	14.75	164	72721	20.00	ng	0.00
63) Phenanthrene-d10	17.49	188	168941	20.00	ng	0.00
75) Chrysene-d12	21.76	240	164106	20.00	ng	0.00
86) Perylene-d12	25.06	264	161793	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.66	112	83318	73.65	ng	0.00
7) Phenol-d6	7.27	99	77429	43.53	ng	0.00
23) Nitrobenzene-d5	9.29	82	150885	98.00	ng	0.00
41) 2,4,6-Tribromophenol	16.23	330	122236	148.76	ng	0.00
44) 2-Fluorobiphenyl	13.37	172	441426	92.51	ng	0.00
78) Terphenyl-d14	20.08	244	730245	105.64	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG060716\
Data File : BG022220.D
Acq On : 8 Jun 2016 1:27
Operator : UM/SJ
Sample : H3426-04
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
GW-6

Quant Time: Jun 08 03:13:48 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG060616.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 06 16:12:45 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.12 min Scan# 899

Delta R.T. -0.00 min

Lab File: BG022220.D

Acq: 8 Jun 2016 1:27

Instrument :

BNA_G

ClientSampleId :

GW-6





Tot Ion:152 Resp: 21873

Ion Ratio Lower Upper

152 100

150 156.6 130.1 195.1

115 52.7 62.2 93.2#



#5

2-Fluorophenol

Concen: 73.65 ng

RT: 5.66 min Scan# 481

Delta R.T. -0.00 min

Lab File: BG022220.D

Acq: 8 Jun 2016 1:27




Tgt Ion:112 Resp: 83318


Ion Ratio Lower Upper

112 100

64 51.5 51.1 76.7

63 22.8 24.6 37.0#





#7

Phenol-d6

Concen: 43.53 ng

RT: 7.27 min Scan# 755

Delta R.T. -0.00 min

Lab File: BG022220.D

Acq: 8 Jun 2016 1:27

Instrument :

BNA_G

ClientSampleId :

GW-6


Tot Ion: 99 Resp: 77429

Ion Ratio Lower Upper




99 100

42 9.1 16.4 24.6#

71 24.8 25.0 37.4#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.93 min Scan# 1378

Delta R.T. -0.00 min

Lab File: BG022220.D

Acq: 8 Jun 2016 1:27

Tgt Ion: 136 Resp: 107335


Ion Ratio Lower Upper

136 100



137 11.3 9.0 13.4


54 6.3 9.6 14.4#

68 6.4 6.4 9.6



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 98.00 ng
RT: 9.29 min Scan# 1098
Delta R.T. -0.00 min
Lab File: BG022220.D
Acq: 8 Jun 2016 1:27

Instrument :
BNA_G
ClientSampleId :
GW-6

Tot Ion: 82 Resp: 150885
Ion Ratio Lower Upper
82 100
128 52.1 33.4 50.0#
54 34.7 46.1 69.1#




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC






#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.75 min Scan# 2027
Delta R.T. -0.00 min
Lab File: BG022220.D
Acq: 8 Jun 2016 1:27

Tgt Ion:164 Resp: 72721
Ion Ratio Lower Upper
164 100
162 99.4 78.0 117.0
160 45.4 32.9 49.3



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 148.76 ng
 RT: 16.23 min Scan# 2280
 Delta R.T. -0.00 min
 Lab File: BG022220.D
 Acq: 8 Jun 2016 1:27

Instrument :
 BNA_G
 ClientSampleId :
 GW-6

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.6	78.0	117.0
141	39.0	33.8	50.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 92.51 ng
 RT: 13.37 min Scan# 1792
 Delta R.T. -0.00 min
 Lab File: BG022220.D
 Acq: 8 Jun 2016 1:27

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.6	27.8	41.6
170	25.6	19.6	29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E







#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.49 min Scan# 2494
Delta R.T. -0.00 min
Lab File: BG022220.D
Acq: 8 Jun 2016 1:27

Instrument :
BNA_G
ClientSampleId :
GW-6



Tot Ion:188 Resp: 168941
Ion Ratio Lower Upper
188 100
94 10.0 7.5 11.3
80 11.0 8.6 13.0



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC




Time--> 17.40 17.50 17.60




#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.76 min Scan# 3221
Delta R.T. -0.01 min
Lab File: BG022220.D
Acq: 8 Jun 2016 1:27


Tgt Ion:240 Resp: 164106
Ion Ratio Lower Upper
240 100
120 12.8 8.4 12.6#
236 26.3 19.6 29.4




Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E



Time--> 21.70 21.80 21.90





#78

Terphenyl-d14

Concen: 105.64 ng

RT: 20.08 min Scan# 2935

Delta R.T. -0.00 min

Lab File: BG022220.D

Acq: 8 Jun 2016 1:27

Instrument :

BNA_G

ClientSampleId :

GW-6


Tot Ion:244 Resp: 730245

Ion Ratio Lower Upper

244 100

212 7.3 6.5 9.7




122 13.3 8.6 12.8#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 25.06 min Scan# 3782

Delta R.T. -0.00 min

Lab File: BG022220.D

Acq: 8 Jun 2016 1:27


Tgt Ion:264 Resp: 161793

Ion Ratio Lower Upper

264 100

260 23.8 20.2 30.4

265 20.9 17.8 26.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

