

Data Path : Z:\HPCHEM1\BNA G\DATA\BG060717\
 Data File : BG027288.D
 Acq On : 7 Jun 2017 18:00
 Operator : SJ/MA
 Sample : I3482-12RE
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 CL-01-060517-DRE

Quant Time: Jun 08 06:10:20 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG060517.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 05 16:00:35 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.56	152	54719	20.00	ng	-0.02
21) Naphthalene-d8	11.38	136	254563	20.00	ng	-0.02
38) Acenaphthene-d10	15.14	164	170109	20.00	ng	-0.02
63) Phenanthrene-d10	17.89	188	382327	20.00	ng	-0.03
75) Chrysene-d12	22.27	240	438860	20.00	ng	-0.04
86) Perylene-d12	25.96	264	402854	20.00	ng	-0.06
System Monitoring Compounds						
5) 2-Fluorophenol	6.14	112	56976	15.89	ng	-0.01
7) Phenol-d6	7.68	99	76848	14.60	ng	-0.02
23) Nitrobenzene-d5	9.72	82	47592	11.76	ng	-0.02
41) 2,4,6-Tribromophenol	16.62	330	24812	11.08	ng	-0.03
44) 2-Fluorobiphenyl	13.76	172	129285	10.63	ng	-0.03
78) Terphenyl-d14	20.46	244	200437	11.65	ng	-0.03


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG060717\
Data File : BG027288.D
Acq On : 7 Jun 2017 18:00
Operator : SJ/MA
Sample : I3482-12RE
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
CL-01-060517-DRE

Quant Time: Jun 08 06:10:20 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG060517.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 05 16:00:35 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.56 min Scan# 829

Delta R.T. -0.02 min

Lab File: BG027288.D

Acq: 7 Jun 2017 18:00

Instrument :

BNA_G

ClientSampleId :

CL-01-060517-DRE


Tot Ion:152 Resp: 54719

Ion Ratio Lower Upper

152 100

150 154.0 114.0 171.0




115 63.0 48.1 72.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 15.89 ng

RT: 6.14 min Scan# 418

Delta R.T. -0.01 min

Lab File: BG027288.D

Acq: 7 Jun 2017 18:00


Tgt Ion:112 Resp: 56976

Ion Ratio Lower Upper

112 100

64 67.4 61.8 92.6



63 35.0 37.2 55.8#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 14.60 ng

RT: 7.68 min Scan# 680

Delta R.T. -0.02 min

Lab File: BG027288.D

Acq: 7 Jun 2017 18:00

Instrument :

BNA_G

ClientSampleId :

CL-01-060517-DRE


Tot Ion: 99 Resp: 76848

Ion Ratio Lower Upper




99 100

42 18.4 20.5 30.7#

71 30.9 37.6 56.4#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 11.38 min Scan# 1309

Delta R.T. -0.02 min

Lab File: BG027288.D

Acq: 7 Jun 2017 18:00

Tgt Ion: 136 Resp: 254563


Ion Ratio Lower Upper

136 100



137 11.3 8.9 13.3


54 9.8 9.3 13.9

68 7.9 5.1 7.7#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 11.76 ng
 RT: 9.72 min Scan# 1027
 Delta R.T. -0.02 min
 Lab File: BG027288.D
 Acq: 7 Jun 2017 18:00




Instrument :
 BNA_G
 ClientSampleId :
 CL-01-060517-DRE


Tot Ion	82	Resp	47592
Ion Ratio	Lower	Upper	
82	100		
128	37.8	26.4	39.6
54	52.6	49.4	74.2



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 15.14 min Scan# 1949
 Delta R.T. -0.02 min
 Lab File: BG027288.D
 Acq: 7 Jun 2017 18:00

Tgt Ion	164	Resp	170109
Ion Ratio	Lower	Upper	
164	100		
162	104.2	85.1	127.7
160	44.1	34.7	52.1









#41
 2,4,6-Tribromophenol
 Concen: 11.08 ng
 RT: 16.62 min Scan# 2201
 Delta R.T. -0.03 min
 Lab File: BG027288.D
 Acq: 7 Jun 2017 18:00

Instrument :
 BNA_G
 ClientSampleId :
 CL-01-060517-DRE

Tot Ion	Ratio	Lower	Upper
330	100		
332	98.3	77.3	115.9
141	36.7	32.1	48.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 10.63 ng
 RT: 13.76 min Scan# 1715
 Delta R.T. -0.03 min
 Lab File: BG027288.D
 Acq: 7 Jun 2017 18:00

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.8	32.2	48.2
170	22.9	21.8	32.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.89 min Scan# 2417

Delta R.T. -0.03 min

Lab File: BG027288.D

Acq: 7 Jun 2017 18:00

Instrument :

BNA_G

ClientSampleId :

CL-01-060517-DRE


Tot Ion:188 Resp: 382327

Ion Ratio Lower Upper

188 100

94 10.5 5.8 8.8#




80 11.6 7.5 11.3#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.00 ng

RT: 22.27 min Scan# 3163

Delta R.T. -0.04 min

Lab File: BG027288.D

Acq: 7 Jun 2017 18:00


Tgt Ion:240 Resp: 438860

Ion Ratio Lower Upper

240 100

120 11.0 5.7 8.5#



236 25.5 22.2 33.4




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 11.65 ng

RT: 20.46 min Scan# 2855

Delta R.T. -0.03 min

Lab File: BG027288.D

Acq: 7 Jun 2017 18:00

Instrument :

BNA_G

ClientSampleId :

CL-01-060517-DRE





Tot Ion:244 Resp: 200437

Ion Ratio Lower Upper

244 100

212 7.5 10.0 15.0#

122 11.7 8.6 12.8



#86

Perylene-d12

Concen: 20.00 ng

RT: 25.96 min Scan# 3791

Delta R.T. -0.06 min

Lab File: BG027288.D

Acq: 7 Jun 2017 18:00

Tgt Ion:264 Resp: 402854

Ion Ratio Lower Upper

264 100

260 23.4 21.8 32.8

265 21.8 18.2 27.4

