

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG060815\
 Data File : BG017549.D
 Acq On : 8 Jun 2015 20:07
 Operator : TP/IZ
 Sample : G2561-01
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 IDW-Z2-B522-01

Quant Time: Jun 09 02:16:47 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG060315.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 09 02:10:45 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.61	152	14996	20.00	ng	0.00
21) Naphthalene-d8	10.40	136	58330	20.00	ng	0.00
38) Acenaphthene-d10	14.27	164	40361	20.00	ng	-0.01
63) Phenanthrene-d10	17.02	188	106468	20.00	ng	-0.02
75) Chrysene-d12	21.22	240	134148	20.00	ng	-0.02
86) Perylene-d12	23.45	264	138472	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.20	112	106799	125.47	ng	0.00
7) Phenol-d6	6.82	99	117657	101.46	ng	0.00
23) Nitrobenzene-d5	8.77	82	107900	92.34	ng	0.00
41) 2,4,6-Tribromophenol	15.77	330	83092	148.22	ng	-0.01
44) 2-Fluorobiphenyl	12.89	172	251200	93.89	ng	-0.01
78) Terphenyl-d14	19.66	244	611921	94.28	ng	-0.02
Target Compounds						
15) Benzyl Alcohol	7.92	79	2372	2.20	ng	Qvalue # 61


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG060815\
Data File : BG017549.D
Acq On : 8 Jun 2015 20:07
Operator : TP/IZ
Sample : G2561-01
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
IDW-Z2-B522-01

Quant Time: Jun 09 02:16:47 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG060315.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 09 02:10:45 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.61 min Scan# 837
Delta R.T. -0.01 min
Lab File: BG017549.D
Acq: 8 Jun 2015 20:07

Instrument :
BNA_G
ClientSampleId :
IDW-Z2-B522-01

Tgt Ion:152 Resp: 14996
Ion Ratio Lower Upper
152 100
150 134.2 121.7 182.5
115 56.6 48.6 73.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 125.47 ng
RT: 5.20 min Scan# 428
Delta R.T. -0.00 min
Lab File: BG017549.D
Acq: 8 Jun 2015 20:07

Tgt Ion:112 Resp: 106799
Ion Ratio Lower Upper
112 100
64 63.7 51.6 77.4
63 40.0 33.3 49.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG0
Ion 63.00 (62.70 to 63.70): BG0





#7

Phenol-d6

Concen: 101.46 ng

RT: 6.82 min Scan# 703

Delta R.T. -0.00 min

Lab File: BG017549.D

Acq: 8 Jun 2015 20:07

Instrument :

BNA_G

ClientSampleId :

IDW-Z2-B522-01


Tgt Ion: 99 Resp: 117657

Ion Ratio Lower Upper




99 100

42 31.0 21.0 31.6

71 58.4 37.2 55.8#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#15

Benzyl Alcohol

Concen: 2.20 ng

RT: 7.92 min Scan# 891

Delta R.T. 0.06 min

Lab File: BG017549.D

Acq: 8 Jun 2015 20:07


Tgt Ion: 79 Resp: 2372

Ion Ratio Lower Upper



79 100


108 34.4 53.7 80.5#

77 95.9 53.0 79.4#



Abundance Ion 79.00 (78.70 to 79.70): BGC
Ion 108.00 (107.70 to 108.70): BGC
Ion 77.00 (76.70 to 77.70): BGC









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.40 min Scan# 1312
Delta R.T. -0.01 min
Lab File: BG017549.D
Acq: 8 Jun 2015 20:07

Instrument :
BNA_G
ClientSampleId :
IDW-Z2-B522-01

Tgt Ion:	136	Resp:	58330
Ion	Ratio	Lower	Upper
136	100		
137	11.0	7.9	11.9
54	8.9	7.2	10.8
68	4.7	4.5	6.7




Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC






#23
Nitrobenzene-d5
Concen: 92.34 ng
RT: 8.77 min Scan# 1035
Delta R.T. -0.01 min
Lab File: BG017549.D
Acq: 8 Jun 2015 20:07

Tgt Ion:	82	Resp:	107900
Ion	Ratio	Lower	Upper
82	100		
128	37.4	32.2	48.4
54	66.4	47.4	71.2



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 14.27 min Scan# 1972

Delta R.T. -0.01 min

Lab File: BG017549.D

Acq: 8 Jun 2015 20:07

Instrument :

BNA_G

ClientSampleId :

IDW-Z2-B522-01


Tgt Ion:164 Resp: 40361

Ion Ratio Lower Upper

164 100

162 89.4 81.8 122.6




160 42.6 31.0 46.4



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 148.22 ng

RT: 15.77 min Scan# 2227

Delta R.T. -0.01 min

Lab File: BG017549.D

Acq: 8 Jun 2015 20:07


Tgt Ion:330 Resp: 83092

Ion Ratio Lower Upper

330 100

332 95.2 75.9 113.9



141 51.9 40.2 60.4




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E





#44

2-Fluorobiphenyl

Concen: 93.89 ng

RT: 12.89 min Scan# 1736

Delta R.T. -0.01 min

Lab File: BG017549.D

Acq: 8 Jun 2015 20:07

Instrument :

BNA_G

ClientSampleId :

IDW-Z2-B522-01


Tgt Ion:172 Resp: 251200

Ion Ratio Lower Upper

172 100

171 37.2 29.0 43.6




170 24.2 18.9 28.3



Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.02 min Scan# 2440

Delta R.T. -0.02 min

Lab File: BG017549.D

Acq: 8 Jun 2015 20:07


Tgt Ion:188 Resp: 106468

Ion Ratio Lower Upper

188 100

94 5.4 6.3 9.5#



80 8.3 5.2 7.8#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.22 min Scan# 3154

Delta R.T. -0.02 min

Lab File: BG017549.D

Acq: 8 Jun 2015 20:07

Instrument :

BNA_G

ClientSampleId :

IDW-Z2-B522-01


Tgt Ion:240 Resp: 134148

Ion Ratio Lower Upper

240 100

120 7.3 6.5 9.7




236 23.9 20.8 31.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 94.28 ng

RT: 19.66 min Scan# 2889

Delta R.T. -0.02 min

Lab File: BG017549.D

Acq: 8 Jun 2015 20:07


Tgt Ion:244 Resp: 611921

Ion Ratio Lower Upper

244 100

212 8.4 6.4 9.6



122 9.1 6.6 10.0




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 23.45 min Scan# 3533
 Delta R.T. -0.03 min
 Lab File: BG017549.D
 Acq: 8 Jun 2015 20:07

Instrument :
 BNA_G
 ClientSampleId :
 IDW-Z2-B522-01

Tgt Ion: 264 Resp: 138472
 Ion Ratio Lower Upper
 264 100
 260 24.0 18.2 27.4
 265 20.8 15.8 23.6

