

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG060816\
 Data File : BG022244.D
 Acq On : 8 Jun 2016 22:03
 Operator : UM/SJ
 Sample : H3381-02
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 W-46

Quant Time: Jun 09 06:36:07 2016
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG060616.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 06 16:12:45 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.11	152	33542	20.00	ng	0.00
21) Naphthalene-d8	10.93	136	157849	20.00	ng	0.00
38) Acenaphthene-d10	14.75	164	96988	20.00	ng	0.00
63) Phenanthrene-d10	17.49	188	204990	20.00	ng	0.00
75) Chrysene-d12	21.76	240	185477	20.00	ng	0.00
86) Perylene-d12	25.06	264	176838	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.66	112	126695	73.03	ng	0.00
7) Phenol-d6	7.27	99	111639	40.93	ng	0.00
23) Nitrobenzene-d5	9.29	82	249496	110.20	ng	0.00
41) 2,4,6-Tribromophenol	16.23	330	167190	152.56	ng	0.00
44) 2-Fluorobiphenyl	13.37	172	696592	109.45	ng	0.00
78) Terphenyl-d14	20.08	244	868912	111.22	ng	0.00


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG060816\
Data File : BG022244.D
Acq On : 8 Jun 2016 22:03
Operator : UM/SJ
Sample : H3381-02
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
W-46

Quant Time: Jun 09 06:36:07 2016
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG060616.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 06 16:12:45 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.11 min Scan# 898

Delta R.T. -0.01 min

Lab File: BG022244.D

Acq: 8 Jun 2016 22:03

Instrument :

BNA_G

ClientSampleId :

W-46


Tgt Ion:152 Resp: 33542

Ion Ratio Lower Upper

152 100

150 157.6 130.1 195.1



115 52.2 62.2 93.2#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 73.03 ng

RT: 5.66 min Scan# 481

Delta R.T. -0.00 min

Lab File: BG022244.D

Acq: 8 Jun 2016 22:03


Tgt Ion:112 Resp: 126695

Ion Ratio Lower Upper

112 100

64 49.6 51.1 76.7#



63 23.8 24.6 37.0#



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 40.93 ng

RT: 7.27 min Scan# 755

Delta R.T. -0.00 min

Lab File: BG022244.D

Acq: 8 Jun 2016 22:03

Instrument :

BNA_G

ClientSampleId :

W-46


Tgt Ion: 99 Resp: 111639

Ion Ratio Lower Upper



99 100

42 9.5 16.4 24.6#

71 24.1 25.0 37.4#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.93 min Scan# 1378

Delta R.T. -0.00 min

Lab File: BG022244.D

Acq: 8 Jun 2016 22:03

Tgt Ion: 136 Resp: 157849


Ion Ratio Lower Upper

136 100



137 10.7 9.0 13.4

54 6.2 9.6 14.4#

68 5.7 6.4 9.6#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 110.20 ng
 RT: 9.29 min Scan# 1098
 Delta R.T. -0.00 min
 Lab File: BG022244.D
 Acq: 8 Jun 2016 22:03




Instrument :
 BNA_G
 ClientSampleId :
 W-46

Tgt Ion: 82 Resp: 249496
 Ion Ratio Lower Upper
 82 100
 128 50.7 33.4 50.0#
 54 36.0 46.1 69.1#



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.75 min Scan# 2027
 Delta R.T. -0.00 min
 Lab File: BG022244.D
 Acq: 8 Jun 2016 22:03

Tgt Ion: 164 Resp: 96988
 Ion Ratio Lower Upper
 164 100
 162 106.2 78.0 117.0
 160 48.0 32.9 49.3









#41
 2,4,6-Tribromophenol
 Concen: 152.56 ng
 RT: 16.23 min Scan# 2280
 Delta R.T. -0.00 min
 Lab File: BG022244.D
 Acq: 8 Jun 2016 22:03

Instrument :
 BNA_G
 ClientSampleId :
 W-46

Tgt Ion:330 Resp: 167190
 Ion Ratio Lower Upper
 330 100
 332 95.3 78.0 117.0
 141 38.6 33.8 50.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 109.45 ng
 RT: 13.37 min Scan# 1792
 Delta R.T. -0.00 min
 Lab File: BG022244.D
 Acq: 8 Jun 2016 22:03

Tgt Ion:172 Resp: 696592
 Ion Ratio Lower Upper
 172 100
 171 39.2 27.8 41.6
 170 26.5 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.49 min Scan# 2494

Delta R.T. -0.00 min

Lab File: BG022244.D

Acq: 8 Jun 2016 22:03

Instrument :

BNA_G

ClientSampleId :

W-46


Tgt Ion:188 Resp: 204990

Ion Ratio Lower Upper

188 100

94 9.9 7.5 11.3




80 10.0 8.6 13.0



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.76 min Scan# 3221

Delta R.T. -0.01 min

Lab File: BG022244.D

Acq: 8 Jun 2016 22:03


Tgt Ion:240 Resp: 185477

Ion Ratio Lower Upper

240 100

120 13.7 8.4 12.6#



236 27.5 19.6 29.4




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 111.22 ng

RT: 20.08 min Scan# 2935

Delta R.T. -0.00 min

Lab File: BG022244.D

Acq: 8 Jun 2016 22:03

Instrument :

BNA_G

ClientSampleId :

W-46


Tgt Ion:244 Resp: 868912

Ion Ratio Lower Upper

244 100

212 7.5 6.5 9.7




122 13.4 8.6 12.8#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 25.06 min Scan# 3782

Delta R.T. -0.00 min

Lab File: BG022244.D

Acq: 8 Jun 2016 22:03


Tgt Ion:264 Resp: 176838

Ion Ratio Lower Upper

264 100

260 24.0 20.2 30.4

265 22.6 17.8 26.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

