

Data Path : Z:\HPCHEM1\BNA G\DATA\BG060816\
 Data File : BG022251.D
 Acq On : 9 Jun 2016 2:46
 Operator : UM/SJ
 Sample : H3381-10
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 W-53

Quant Time: Jun 09 15:00:30 2016
 Quant Title :
 QLast Update : Mon Jun 06 16:12:45 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.12	152	33775	20.00	ng	0.00
21) Naphthalene-d8	10.93	136	168414	20.00	ng	0.00
38) Acenaphthene-d10	14.75	164	99420	20.00	ng	0.00
63) Phenanthrene-d10	17.49	188	205417	20.00	ng	0.00
75) Chrysene-d12	21.76	240	181393	20.00	ng	0.00
86) Perylene-d12	25.06	264	172507	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.66	112	142029	81.30	ng	0.00
7) Phenol-d6	7.28	99	128452	46.77	ng	0.00
23) Nitrobenzene-d5	9.29	82	256535	106.20	ng	0.00
41) 2,4,6-Tribromophenol	16.23	330	174039	154.92	ng	0.00
44) 2-Fluorobiphenyl	13.37	172	707265	108.41	ng	0.00
78) Terphenyl-d14	20.08	244	830978	108.76	ng	0.00


Target Compounds Ovalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG060816\
Data File : BG022251.D
Acq On : 9 Jun 2016 2:46
Operator : UM/SJ
Sample : H3381-10
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
W-53

Quant Time: Jun 09 15:00:30 2016
Quant Title :
QLast Update : Mon Jun 06 16:12:45 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.12 min Scan# 899

Delta R.T. -0.00 min

Lab File: BG022251.D

Acq: 9 Jun 2016 2:46

Instrument :

BNA_G

ClientSampleId :

W-53


Tot Ion:152 Resp: 33775

Ion Ratio Lower Upper

152 100

150 158.2 130.1 195.1




115 54.2 62.2 93.2#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 81.30 ng

RT: 5.66 min Scan# 481

Delta R.T. -0.00 min

Lab File: BG022251.D

Acq: 9 Jun 2016 2:46


Tgt Ion:112 Resp: 142029

Ion Ratio Lower Upper

112 100

64 48.3 51.1 76.7#



63 24.3 24.6 37.0#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 46.77 ng

RT: 7.28 min Scan# 756

Delta R.T. 0.00 min

Lab File: BG022251.D

Acq: 9 Jun 2016 2:46

Instrument :

BNA_G

ClientSampleId :

W-53


Tot Ion: 99 Resp: 128452

Ion Ratio Lower Upper

99 100

42 9.8 16.4 24.6#




71 24.6 25.0 37.4#



Abundance Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.93 min Scan# 1378

Delta R.T. -0.00 min

Lab File: BG022251.D

Acq: 9 Jun 2016 2:46

Tgt Ion: 136 Resp: 168414


Ion Ratio Lower Upper

136 100

137 10.9 9.0 13.4

54 5.8 9.6 14.4#

68 5.9 6.4 9.6#






Abundance Ion 136.00 (135.70 to 136.70): BGC

Ion 137.00 (136.70 to 137.70): BGC

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 106.20 ng
RT: 9.29 min Scan# 1098
Delta R.T. -0.00 min
Lab File: BG022251.D
Acq: 9 Jun 2016 2:46




Instrument :
BNA_G
ClientSampleId :
W-53


Tot Ion: 82 Resp: 256535
Ion Ratio Lower Upper
82 100
128 51.7 33.4 50.0#
54 36.1 46.1 69.1#



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.75 min Scan# 2027
Delta R.T. -0.00 min
Lab File: BG022251.D
Acq: 9 Jun 2016 2:46

Tgt Ion:164 Resp: 99420
Ion Ratio Lower Upper
164 100
162 105.2 78.0 117.0
160 50.9 32.9 49.3#









#41
 2,4,6-Tribromophenol
 Concen: 154.92 ng
 RT: 16.23 min Scan# 2280
 Delta R.T. -0.00 min
 Lab File: BG022251.D
 Acq: 9 Jun 2016 2:46

Instrument :
 BNA_G
 ClientSampleId :
 W-53

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.8	78.0	117.0
141	38.6	33.8	50.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 108.41 ng
 RT: 13.37 min Scan# 1792
 Delta R.T. -0.00 min
 Lab File: BG022251.D
 Acq: 9 Jun 2016 2:46

Tgt Ion	Ratio	Lower	Upper
172	100		
171	39.2	27.8	41.6
170	26.5	19.6	29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.49 min Scan# 2494
Delta R.T. -0.00 min
Lab File: BG022251.D
Acq: 9 Jun 2016 2:46

Instrument :
BNA_G
ClientSampleId :
W-53

Tot Ion	Ratio	Lower	Upper
188	100		
94	10.4	7.5	11.3
80	10.9	8.6	13.0




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC






#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.76 min Scan# 3221
Delta R.T. -0.01 min
Lab File: BG022251.D
Acq: 9 Jun 2016 2:46

Tgt Ion	Ratio	Lower	Upper
240	100		
120	13.5	8.4	12.6#
236	26.6	19.6	29.4



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 108.76 ng

RT: 20.08 min Scan# 2935

Delta R.T. -0.00 min

Lab File: BG022251.D

Acq: 9 Jun 2016 2:46

Instrument :

BNA_G

ClientSampleId :

W-53


Tot Ion:244 Resp: 830978

Ion Ratio Lower Upper

244 100

212 8.0 6.5 9.7




122 13.9 8.6 12.8#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 25.06 min Scan# 3782

Delta R.T. -0.00 min

Lab File: BG022251.D

Acq: 9 Jun 2016 2:46


Tgt Ion:264 Resp: 172507

Ion Ratio Lower Upper

264 100

260 22.6 20.2 30.4

265 22.6 17.8 26.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

