

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG060820\
 Data File : BG045642.D
 Acq On : 8 Jun 2020 14:55
 Operator : CG/JU
 Sample : L2886-01
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SLAB-4

Quant Time: Jun 08 16:12:58 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG051520.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 01 15:07:00 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.95	152	60583	20.00	ng	0.00
21) Naphthalene-d8	10.75	136	242764	20.00	ng	0.00
39) Acenaphthene-d10	14.59	164	167978	20.00	ng	0.00
64) Phenanthrene-d10	17.34	188	389284	20.00	ng	0.00
76) Chrysene-d12	21.60	240	365884	20.00	ng	0.00
87) Perylene-d12	24.74	264	402004	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.53	112	153540	49.53	ng	0.00
7) Phenol-d6	7.14	99	387703	87.87	ng	0.00
23) Nitrobenzene-d5	9.11	82	301440	67.71	ng	0.00
42) 2,4,6-Tribromophenol	16.08	330	25390	11.82	ng	0.00
45) 2-Fluorobiphenyl	13.21	172	697679	70.45	ng	0.00
79) Terphenyl-d14	19.96	244	1150440	73.33	ng	0.00
Target Compounds						
50) Dimethylphthalate	14.04	163	121412	10.536	ng	98
84) Bis(2-ethylhexyl)phthalate	21.49	149	27753	2.243	ng	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG060820\
Data File : BG045642.D
Acq On : 8 Jun 2020 14:55
Operator : CG/JU
Sample : L2886-01
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SLAB-4

Quant Time: Jun 08 16:12:58 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG051520.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 01 15:07:00 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.95 min Scan# 827
Delta R.T. -0.00 min
Lab File: BG045642.D
Acq: 8 Jun 2020 14:55

Instrument :
BNA_G
ClientSampleId :
SLAB-4

Tot Ion:152 Resp: 60583
Ion Ratio Lower Upper
152 100
150 151.8 122.4 183.6
115 58.1 44.2 66.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 49.529 ng
RT: 5.53 min Scan# 416
Delta R.T. -0.00 min
Lab File: BG045642.D
Acq: 8 Jun 2020 14:55

Tgt Ion:112 Resp: 153540
Ion Ratio Lower Upper
112 100
64 55.7 48.6 72.8
63 32.7 26.5 39.7



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 87.870 ng

RT: 7.14 min Scan# 689

Delta R.T. -0.01 min

Lab File: BG045642.D

Acq: 8 Jun 2020 14:55

Instrument :

BNA_G

ClientSampleId :

SLAB-4


Tot Ion: 99 Resp: 387703

Ion Ratio Lower Upper




99 100

42 14.8 11.3 16.9

71 38.9 30.8 46.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.75 min Scan# 1304

Delta R.T. -0.01 min

Lab File: BG045642.D

Acq: 8 Jun 2020 14:55

Tgt Ion: 136 Resp: 242764


Ion Ratio Lower Upper

136 100



137 10.8 9.4 14.2


54 6.5 5.8 8.6

68 5.8 4.5 6.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 67.712 ng
 RT: 9.11 min Scan# 1024
 Delta R.T. -0.01 min
 Lab File: BG045642.D
 Acq: 8 Jun 2020 14:55




Instrument :
 BNA_G
 ClientSampleId :
 SLAB-4


Tot Ion	82	Resp	301440
Ion Ratio	Lower	Upper	
82	100		
128	39.9	30.9	46.3
54	41.0	30.3	45.5



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.59 min Scan# 1958
 Delta R.T. -0.00 min
 Lab File: BG045642.D
 Acq: 8 Jun 2020 14:55

Tgt Ion	164	Resp	167978
Ion Ratio	Lower	Upper	
164	100		
162	101.8	76.9	115.3
160	42.9	33.8	50.8





#42

2,4,6-Tribromophenol

Concen: 11.819 ng

RT: 16.08 min Scan# 2212

Delta R.T. -0.01 min

Lab File: BG045642.D

Acq: 8 Jun 2020 14:55

Instrument :

BNA_G

ClientSampled :

SLAB-4


Tot Ion:330 Resp: 25390

Ion Ratio Lower Upper

330 100

332 91.0 78.2 117.4




141 34.1 28.2 42.4



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 70.450 ng

RT: 13.21 min Scan# 1723

Delta R.T. -0.00 min

Lab File: BG045642.D

Acq: 8 Jun 2020 14:55


Tgt Ion:172 Resp: 697679

Ion Ratio Lower Upper

172 100

171 35.7 29.5 44.3



170 22.8 18.5 27.7




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 10.536 ng

RT: 14.04 min Scan# 1864

Delta R.T. -0.01 min

Lab File: BG045642.D

Acq: 8 Jun 2020 14:55

Instrument :

BNA_G

ClientSampleId :

SLAB-4


Tot Ion:163 Resp: 121412

Ion Ratio Lower Upper

163 100

194 3.8 3.2 4.8




164 9.6 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.34 min Scan# 2426

Delta R.T. -0.00 min

Lab File: BG045642.D

Acq: 8 Jun 2020 14:55


Tgt Ion:188 Resp: 389284

Ion Ratio Lower Upper

188 100

94 6.8 5.5 8.3



80 8.4 6.6 10.0




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.60 min Scan# 3151

Delta R.T. -0.00 min

Lab File: BG045642.D

Acq: 8 Jun 2020 14:55

Instrument :

BNA_G

ClientSampled :

SLAB-4


Tot Ion:240 Resp: 365884

Ion Ratio Lower Upper

240 100

120 6.0 6.1 9.1#




236 27.0 22.3 33.5



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#79

Terphenyl-d14

Concen: 73.334 ng

RT: 19.96 min Scan# 2871

Delta R.T. -0.00 min

Lab File: BG045642.D

Acq: 8 Jun 2020 14:55


Tgt Ion:244 Resp: 1150440

Ion Ratio Lower Upper

244 100

212 8.5 7.4 11.0



122 7.4 6.8 10.2




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#84

Bis(2-ethylhexyl)phthalate

Concen: 2.243 ng

RT: 21.49 min Scan# 3133

Delta R.T. -0.00 min

Lab File: BG045642.D

Acq: 8 Jun 2020 14:55

Instrument :

BNA_G

ClientSampleId :

SLAB-4


Tot Ion:149 Resp: 27753

Ion Ratio Lower Upper

149 100

167 31.8 22.2 33.2




279 6.7 4.7 7.1



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 24.74 min Scan# 3686

Delta R.T. -0.01 min

Lab File: BG045642.D

Acq: 8 Jun 2020 14:55


Tgt Ion:264 Resp: 402004

Ion Ratio Lower Upper

264 100

260 22.2 18.2 27.4

265 21.1 17.6 26.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

