

Data Path : Z:\HPCHEM1\BNA G\DATA\BG060916\
 Data File : BG022276.D
 Acq On : 10 Jun 2016 2:31
 Operator : UM/SJ
 Sample : H3396-01
 Misc :
 ALS Vial : 41 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 STA-928-PLATFORM(0-4)

Quant Time: Jun 10 07:54:52 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG060616.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 06 16:12:45 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.11	152	35475	20.00	ng	0.00
21) Naphthalene-d8	10.94	136	177674	20.00	ng	0.00
38) Acenaphthene-d10	14.75	164	102436	20.00	ng	0.00
63) Phenanthrene-d10	17.49	188	203952	20.00	ng	0.00
75) Chrysene-d12	21.76	240	177484	20.00	ng	0.00
86) Perylene-d12	25.07	264	146245	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.67	112	274337	149.52	ng	0.00
7) Phenol-d6	7.28	99	382390	132.55	ng	0.00
23) Nitrobenzene-d5	9.29	82	239205	93.86	ng	0.00
41) 2,4,6-Tribromophenol	16.23	330	149836	129.45	ng	0.00
44) 2-Fluorobiphenyl	13.37	172	644346	95.86	ng	0.00
78) Terphenyl-d14	20.08	244	773322	103.44	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG060916\
Data File : BG022276.D
Acq On : 10 Jun 2016 2:31
Operator : UM/SJ
Sample : H3396-01
Misc :
ALS Vial : 41 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
STA-928-PLATFORM(0-4)

Quant Time: Jun 10 07:54:52 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG060616.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 06 16:12:45 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.11 min Scan# 898
Delta R.T. -0.01 min
Lab File: BG022276.D
Acq: 10 Jun 2016 2:31

Instrument :
BNA_G
ClientSampleId :
STA-928-PLATFORM(0-4)

Tot Ion:152 Resp: 35475
Ion Ratio Lower Upper
152 100
150 158.1 130.1 195.1
115 53.4 62.2 93.2#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 149.52 ng
RT: 5.67 min Scan# 482
Delta R.T. 0.00 min
Lab File: BG022276.D
Acq: 10 Jun 2016 2:31

Tgt Ion:112 Resp: 274337
Ion Ratio Lower Upper
112 100
64 49.4 51.1 76.7#
63 24.0 24.6 37.0#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 132.55 ng

RT: 7.28 min Scan# 756

Delta R.T. 0.00 min

Lab File: BG022276.D

Acq: 10 Jun 2016 2:31

Instrument :

BNA_G

ClientSampleId :

STA-928-PLATFORM(0-4)


Tot Ion: 99 Resp: 382390

Ion Ratio Lower Upper




99 100

42 9.9 16.4 24.6#

71 25.3 25.0 37.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.94 min Scan# 1379

Delta R.T. 0.00 min

Lab File: BG022276.D

Acq: 10 Jun 2016 2:31

Tgt Ion: 136 Resp: 177674


Ion Ratio Lower Upper

136 100



137 10.8 9.0 13.4


54 5.1 9.6 14.4#

68 5.2 6.4 9.6#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 93.86 ng
 RT: 9.29 min Scan# 1098
 Delta R.T. -0.00 min
 Lab File: BG022276.D
 Acq: 10 Jun 2016 2:31

Instrument :
 BNA_G
 ClientSampleId :
 STA-928-PLATFORM(0-4)

Tot Ion	82	Resp	239205
Ion Ratio	Lower	Upper	
82	100		
128	49.0	33.4	50.0
54	35.5	46.1	69.1#




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.75 min Scan# 2027
 Delta R.T. -0.00 min
 Lab File: BG022276.D
 Acq: 10 Jun 2016 2:31

Tgt Ion	164	Resp	102436
Ion Ratio	Lower	Upper	
164	100		
162	106.6	78.0	117.0
160	47.9	32.9	49.3



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 129.45 ng
 RT: 16.23 min Scan# 2280
 Delta R.T. -0.00 min
 Lab File: BG022276.D
 Acq: 10 Jun 2016 2:31




Instrument :
 BNA_G
 ClientSampleId :
 STA-928-PLATFORM(0-4)


Tot Ion	Ratio	Lower	Upper
330	100		
332	96.1	78.0	117.0
141	36.9	33.8	50.8



#44
 2-Fluorobiphenyl
 Concen: 95.86 ng
 RT: 13.37 min Scan# 1792
 Delta R.T. -0.00 min
 Lab File: BG022276.D
 Acq: 10 Jun 2016 2:31

Tgt Ion	Ratio	Lower	Upper
172	100		
171	39.6	27.8	41.6
170	25.5	19.6	29.4





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.49 min Scan# 2494

Delta R.T. -0.00 min

Lab File: BG022276.D

Acq: 10 Jun 2016 2:31

Instrument :

BNA_G

ClientSampleId :

STA-928-PLATFORM(0-4)


Tot Ion:188 Resp: 203952

Ion Ratio Lower Upper

188 100

94 9.5 7.5 11.3




80 10.4 8.6 13.0



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.76 min Scan# 3221

Delta R.T. -0.01 min

Lab File: BG022276.D

Acq: 10 Jun 2016 2:31


Tgt Ion:240 Resp: 177484

Ion Ratio Lower Upper

240 100

120 12.9 8.4 12.6#



236 26.8 19.6 29.4




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 103.44 ng

RT: 20.08 min Scan# 2935

Delta R.T. -0.00 min

Lab File: BG022276.D

Acq: 10 Jun 2016 2:31

Instrument :

BNA_G

ClientSampleId :

STA-928-PLATFORM(0-4)


Tot Ion:244 Resp: 773322

Ion Ratio Lower Upper

244 100

212 7.6 6.5 9.7




122 13.8 8.6 12.8#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 25.07 min Scan# 3783

Delta R.T. 0.00 min

Lab File: BG022276.D

Acq: 10 Jun 2016 2:31


Tgt Ion:264 Resp: 146245

Ion Ratio Lower Upper

264 100

260 23.1 20.2 30.4

265 20.9 17.8 26.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

