

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG060917\
 Data File : BG027354.D
 Acq On : 9 Jun 2017 19:27
 Operator : SJ/MA
 Sample : I3541-03
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 RT-4215

Quant Time: Jun 10 04:21:15 2017
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG060517.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 05 16:00:35 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.56	152	39415	20.00	ng	-0.02
21) Naphthalene-d8	11.37	136	180172	20.00	ng	-0.03
38) Acenaphthene-d10	15.13	164	110970	20.00	ng	-0.03
63) Phenanthrene-d10	17.88	188	288303	20.00	ng	-0.03
75) Chrysene-d12	22.27	240	338588	20.00	ng	-0.04
86) Perylene-d12	25.96	264	323539	20.00	ng	-0.07
System Monitoring Compounds						
5) 2-Fluorophenol	6.14	112	387454	150.00	ng	-0.01
7) Phenol-d6	7.69	99	501287	132.21	ng	-0.01
23) Nitrobenzene-d5	9.72	82	339677	118.57	ng	-0.03
41) 2,4,6-Tribromophenol	16.62	330	262738	179.80	ng	-0.03
44) 2-Fluorobiphenyl	13.76	172	774407	97.63	ng	-0.03
78) Terphenyl-d14	20.46	244	1481319	111.61	ng	-0.03


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG060917\
Data File : BG027354.D
Acq On : 9 Jun 2017 19:27
Operator : SJ/MA
Sample : I3541-03
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
RT-4215

Quant Time: Jun 10 04:21:15 2017
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG060517.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 05 16:00:35 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.56 min Scan# 829
Delta R.T. -0.02 min
Lab File: BG027354.D
Acq: 9 Jun 2017 19:27

Instrument :
BNA_G
ClientSampleId :
RT-4215

Tgt Ion:152 Resp: 39415
Ion Ratio Lower Upper
152 100
150 158.4 114.0 171.0
115 70.1 48.1 72.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 150.004 ng
RT: 6.14 min Scan# 418
Delta R.T. -0.01 min
Lab File: BG027354.D
Acq: 9 Jun 2017 19:27

Tgt Ion:112 Resp: 387454
Ion Ratio Lower Upper
112 100
64 70.5 61.8 92.6
63 35.0 37.2 55.8#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 132.213 ng

RT: 7.69 min Scan# 681

Delta R.T. -0.01 min

Lab File: BG027354.D

Acq: 9 Jun 2017 19:27

Instrument :

BNA_G

ClientSampleId :

RT-4215


Tgt Ion: 99 Resp: 501287

Ion Ratio Lower Upper




99 100

42 18.0 20.5 30.7#

71 34.1 37.6 56.4#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.37 min Scan# 1308

Delta R.T. -0.03 min

Lab File: BG027354.D

Acq: 9 Jun 2017 19:27

Tgt Ion: 136 Resp: 180172


Ion Ratio Lower Upper

136 100



137 11.8 8.9 13.3


54 12.0 9.3 13.9

68 9.0 5.1 7.7#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 118.565 ng
 RT: 9.72 min Scan# 1026
 Delta R.T. -0.03 min
 Lab File: BG027354.D
 Acq: 9 Jun 2017 19:27




Instrument :
 BNA_G
 ClientSampled :
 RT-4215


Tgt Ion: 82 Resp: 339677
 Ion Ratio Lower Upper
 82 100
 128 39.1 26.4 39.6
 54 53.0 49.4 74.2



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 15.13 min Scan# 1948
 Delta R.T. -0.03 min
 Lab File: BG027354.D
 Acq: 9 Jun 2017 19:27

Tgt Ion: 164 Resp: 110970
 Ion Ratio Lower Upper
 164 100
 162 105.7 85.1 127.7
 160 44.9 34.7 52.1









#41
 2,4,6-Tribromophenol
 Concen: 179.800 ng
 RT: 16.62 min Scan# 2201
 Delta R.T. -0.03 min
 Lab File: BG027354.D
 Acq: 9 Jun 2017 19:27

Instrument :
 BNA_G
 ClientSampleId :
 RT-4215

Tgt Ion:330 Resp: 262738
 Ion Ratio Lower Upper
 330 100
 332 97.2 77.3 115.9
 141 33.6 32.1 48.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 97.628 ng
 RT: 13.76 min Scan# 1714
 Delta R.T. -0.03 min
 Lab File: BG027354.D
 Acq: 9 Jun 2017 19:27

Tgt Ion:172 Resp: 774407
 Ion Ratio Lower Upper
 172 100
 171 37.0 32.2 48.2
 170 25.0 21.8 32.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.88 min Scan# 2416
Delta R.T. -0.03 min
Lab File: BG027354.D
Acq: 9 Jun 2017 19:27




Instrument :
BNA_G
ClientSampleId :
RT-4215


Tgt Ion:188 Resp: 288303
Ion Ratio Lower Upper
188 100
94 11.8 5.8 8.8#
80 13.4 7.5 11.3#



#75
Chrysene-d12
Concen: 20.000 ng
RT: 22.27 min Scan# 3162
Delta R.T. -0.04 min
Lab File: BG027354.D
Acq: 9 Jun 2017 19:27

Tgt Ion:240 Resp: 338588
Ion Ratio Lower Upper
240 100
120 11.5 5.7 8.5#
236 27.0 22.2 33.4





#78

Terphenyl-d14

Concen: 111.606 ng

RT: 20.46 min Scan# 2855

Delta R.T. -0.03 min

Lab File: BG027354.D

Acq: 9 Jun 2017 19:27

Instrument :

BNA_G

ClientSampled :

RT-4215


Tgt Ion:244 Resp: 1481319

Ion Ratio Lower Upper

244 100

212 8.3 10.0 15.0#




122 12.1 8.6 12.8



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 25.96 min Scan# 3790

Delta R.T. -0.07 min

Lab File: BG027354.D

Acq: 9 Jun 2017 19:27


Tgt Ion:264 Resp: 323539

Ion Ratio Lower Upper

264 100

260 23.8 21.8 32.8

265 21.6 18.2 27.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

