

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG061016\
 Data File : BG022305.D
 Acq On : 11 Jun 2016 3:15
 Operator : UM/SJ
 Sample : H3448-21
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 DFTPP

Quant Time: Jun 11 04:23:13 2016
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG060616.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 06 16:12:45 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.11	152	29113	20.00	ng	-0.01
21) Naphthalene-d8	10.93	136	140714	20.00	ng	0.00
38) Acenaphthene-d10	14.74	164	83907	20.00	ng	0.00
63) Phenanthrene-d10	17.49	188	182046	20.00	ng	0.00
75) Chrysene-d12	21.76	240	158352	20.00	ng	-0.01
86) Perylene-d12	25.05	264	147963	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.66	112	272813	181.18	ng	0.00
7) Phenol-d6	7.27	99	391110	165.20	ng	0.00
23) Nitrobenzene-d5	9.28	82	209425	103.76	ng	-0.01
41) 2,4,6-Tribromophenol	16.23	330	120801	127.41	ng	0.00
44) 2-Fluorobiphenyl	13.36	172	462622	84.02	ng	0.00
78) Terphenyl-d14	20.08	244	618004	92.65	ng	0.00
Target Compounds						
49) Dimethylphthalate	14.18	163	210225	30.22	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG061016\
Data File : BG022305.D
Acq On : 11 Jun 2016 3:15
Operator : UM/SJ
Sample : H3448-21
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
DFTPP

Quant Time: Jun 11 04:23:13 2016
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG060616.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 06 16:12:45 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.11 min Scan# 897
Delta R.T. -0.01 min
Lab File: BG022305.D
Acq: 11 Jun 2016 3:15

Instrument :
BNA_G
ClientSampleId :
DFTPP

Tgt Ion:152 Resp: 29113
Ion Ratio Lower Upper
152 100
150 156.4 130.1 195.1
115 55.5 62.2 93.2#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 181.18 ng
RT: 5.66 min Scan# 480
Delta R.T. -0.01 min
Lab File: BG022305.D
Acq: 11 Jun 2016 3:15

Tgt Ion:112 Resp: 272813
Ion Ratio Lower Upper
112 100
64 50.3 51.1 76.7#
63 24.5 24.6 37.0#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 165.20 ng

RT: 7.27 min Scan# 754

Delta R.T. -0.01 min

Lab File: BG022305.D

Acq: 11 Jun 2016 3:15

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tgt Ion: 99 Resp: 391110

Ion Ratio Lower Upper




99 100

42 10.9 16.4 24.6#

71 25.7 25.0 37.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.93 min Scan# 1377

Delta R.T. -0.01 min

Lab File: BG022305.D

Acq: 11 Jun 2016 3:15

Tgt Ion: 136 Resp: 140714


Ion Ratio Lower Upper

136 100



137 12.2 9.0 13.4


54 5.9 9.6 14.4#

68 5.8 6.4 9.6#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 103.76 ng
 RT: 9.28 min Scan# 1096
 Delta R.T. -0.01 min
 Lab File: BG022305.D
 Acq: 11 Jun 2016 3:15

Instrument :
 BNA_G
 ClientSampleId :
 DFTPP

Tgt Ion	Ratio	Lower	Upper
82	100		
128	47.8	33.4	50.0
54	36.2	46.1	69.1#




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.74 min Scan# 2026
 Delta R.T. -0.01 min
 Lab File: BG022305.D
 Acq: 11 Jun 2016 3:15

Tgt Ion	Ratio	Lower	Upper
164	100		
162	106.7	78.0	117.0
160	48.9	32.9	49.3



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 127.41 ng
 RT: 16.23 min Scan# 2279
 Delta R.T. -0.01 min
 Lab File: BG022305.D
 Acq: 11 Jun 2016 3:15

Instrument :
 BNA_G
 ClientSampleId :
 DFTPP

Tgt Ion	Ratio	Lower	Upper
330	100		
332	94.3	78.0	117.0
141	42.4	33.8	50.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 84.02 ng
 RT: 13.36 min Scan# 1791
 Delta R.T. -0.01 min
 Lab File: BG022305.D
 Acq: 11 Jun 2016 3:15

Tgt Ion	Ratio	Lower	Upper
172	100		
171	39.4	27.8	41.6
170	25.1	19.6	29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 30.22 ng
RT: 14.18 min Scan# 1931
Delta R.T. -0.01 min
Lab File: BG022305.D
Acq: 11 Jun 2016 3:15




Instrument :
BNA_G
ClientSampleId :
DFTPP


Tgt Ion:163 Resp: 210225
Ion Ratio Lower Upper
163 100
194 3.9 3.0 4.6
164 10.0 8.1 12.1



#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.49 min Scan# 2493
Delta R.T. -0.01 min
Lab File: BG022305.D
Acq: 11 Jun 2016 3:15

Tgt Ion:188 Resp: 182046
Ion Ratio Lower Upper
188 100
94 9.8 7.5 11.3
80 11.0 8.6 13.0









#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.76 min Scan# 3220
Delta R.T. -0.01 min
Lab File: BG022305.D
Acq: 11 Jun 2016 3:15




Instrument :
BNA_G
ClientSampleId :
DFTPP


Tgt Ion:240 Resp: 158352
Ion Ratio Lower Upper
240 100
120 13.3 8.4 12.6#
236 27.4 19.6 29.4



#78
Terphenyl-d14
Concen: 92.65 ng
RT: 20.08 min Scan# 2934
Delta R.T. -0.01 min
Lab File: BG022305.D
Acq: 11 Jun 2016 3:15

Tgt Ion:244 Resp: 618004
Ion Ratio Lower Upper
244 100
212 7.9 6.5 9.7
122 14.6 8.6 12.8#





#86
Perylene-d12
Concen: 20.00 ng
RT: 25.05 min Scan# 3781
Delta R.T. -0.01 min
Lab File: BG022305.D
Acq: 11 Jun 2016 3:15

Instrument :
BNA_G
ClientSampleId :
DFTPP

Tgt Ion: 264 Resp: 147963
Ion Ratio Lower Upper
264 100
260 22.9 20.2 30.4
265 21.8 17.8 26.8

