

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG061115\
 Data File : BG017619.D
 Acq On : 11 Jun 2015 21:03
 Operator : TP/IZ
 Sample : G2522-21
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 FB060315

Quant Time: Jun 12 01:24:30 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG060315.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 12 01:16:03 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.54	152	17135	20.00	ng	0.00
21) Naphthalene-d8	10.33	136	70518	20.00	ng	0.00
38) Acenaphthene-d10	14.21	164	54980	20.00	ng	0.00
63) Phenanthrene-d10	16.96	188	161373	20.00	ng	0.00
75) Chrysene-d12	21.16	240	201057	20.00	ng	0.00
86) Perylene-d12	23.35	264	179444	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.12	112	73380	75.45	ng	0.00
7) Phenol-d6	6.74	99	58115	43.86	ng	0.00
23) Nitrobenzene-d5	8.69	82	164791	116.66	ng	0.00
41) 2,4,6-Tribromophenol	15.71	330	134091	175.59	ng	0.00
44) 2-Fluorobiphenyl	12.82	172	426218	116.94	ng	0.00
78) Terphenyl-d14	19.61	244	1077281	110.74	ng	0.00
Target Compounds						
15) Benzyl Alcohol	7.85	79	3675	2.98	ng	# 54
53) 2,4-Dinitrophenol	14.39	184	55	7.10	ng	# 13


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG061115\
Data File : BG017619.D
Acq On : 11 Jun 2015 21:03
Operator : TP/IZ
Sample : G2522-21
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
FB060315

Quant Time: Jun 12 01:24:30 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG060315.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 12 01:16:03 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.54 min Scan# 825
Delta R.T. 0.01 min
Lab File: BG017619.D
Acq: 11 Jun 2015 21:03

Instrument :
BNA_G
ClientSampleId :
FB060315

Tgt Ion:152 Resp: 17135
Ion Ratio Lower Upper
152 100
150 147.2 121.7 182.5
115 66.7 48.6 73.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 75.45 ng
RT: 5.12 min Scan# 414
Delta R.T. 0.01 min
Lab File: BG017619.D
Acq: 11 Jun 2015 21:03

Tgt Ion:112 Resp: 73380
Ion Ratio Lower Upper
112 100
64 64.4 51.6 77.4
63 44.7 33.3 49.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 43.86 ng

RT: 6.74 min Scan# 690

Delta R.T. 0.01 min

Lab File: BG017619.D

Acq: 11 Jun 2015 21:03

Instrument :

BNA_G

ClientSampleId :

FB060315


Tgt Ion: 99 Resp: 58115

Ion Ratio Lower Upper




99 100

42 39.0 21.0 31.6#

71 53.8 37.2 55.8



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#15

Benzyl Alcohol

Concen: 2.98 ng

RT: 7.85 min Scan# 878

Delta R.T. 0.06 min

Lab File: BG017619.D

Acq: 11 Jun 2015 21:03


Tgt Ion: 79 Resp: 3675

Ion Ratio Lower Upper



79 100


108 37.4 53.7 80.5#

77 110.4 53.0 79.4#



Abundance Ion 79.00 (78.70 to 79.70): BGC
Ion 108.00 (107.70 to 108.70): BGC
Ion 77.00 (76.70 to 77.70): BGC









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.33 min Scan# 1300
Delta R.T. 0.01 min
Lab File: BG017619.D
Acq: 11 Jun 2015 21:03




Instrument :
BNA_G
ClientSampleId :
FB060315


Tgt Ion:	136	Resp:	70518
Ion	Ratio	Lower	Upper
136	100		
137	9.1	7.9	11.9
54	11.1	7.2	10.8#
68	5.9	4.5	6.7



#23
Nitrobenzene-d5
Concen: 116.66 ng
RT: 8.69 min Scan# 1022
Delta R.T. -0.00 min
Lab File: BG017619.D
Acq: 11 Jun 2015 21:03

Tgt Ion:	82	Resp:	164791
Ion	Ratio	Lower	Upper
82	100		
128	35.3	32.2	48.4
54	70.8	47.4	71.2





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 14.21 min Scan# 1961

Delta R.T. -0.00 min

Lab File: BG017619.D

Acq: 11 Jun 2015 21:03

Instrument :

BNA_G

ClientSampleId :

FB060315


Tgt Ion:164 Resp: 54980

Ion Ratio Lower Upper

164 100

162 89.6 81.8 122.6




160 43.0 31.0 46.4



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 175.59 ng

RT: 15.71 min Scan# 2216

Delta R.T. -0.01 min

Lab File: BG017619.D

Acq: 11 Jun 2015 21:03


Tgt Ion:330 Resp: 134091

Ion Ratio Lower Upper

330 100

332 99.4 75.9 113.9



141 57.4 40.2 60.4




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 116.94 ng
RT: 12.82 min Scan# 1725
Delta R.T. -0.00 min
Lab File: BG017619.D
Acq: 11 Jun 2015 21:03




Instrument :
BNA_G
ClientSampleId :
FB060315


Tgt Ion:172 Resp: 426218
Ion Ratio Lower Upper
172 100
171 34.4 29.0 43.6
170 23.3 18.9 28.3



#53
2,4-Dinitrophenol
Concen: 7.10 ng
RT: 14.39 min Scan# 1991
Delta R.T. 0.03 min
Lab File: BG017619.D
Acq: 11 Jun 2015 21:03

Tgt Ion:184 Resp: 55
Ion Ratio Lower Upper
184 100
63 0.0 61.5 92.3#
154 0.0 53.8 80.8#





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 16.96 min Scan# 2429

Delta R.T. -0.01 min

Lab File: BG017619.D

Acq: 11 Jun 2015 21:03

Instrument :

BNA_G

ClientSampleId :

FB060315


Tgt Ion:188 Resp: 161373

Ion Ratio Lower Upper

188 100

94 5.3 6.3 9.5#




80 6.6 5.2 7.8



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.16 min Scan# 3144

Delta R.T. -0.01 min

Lab File: BG017619.D

Acq: 11 Jun 2015 21:03


Tgt Ion:240 Resp: 201057

Ion Ratio Lower Upper

240 100

120 5.8 6.5 9.7#



236 26.5 20.8 31.2




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 110.74 ng

RT: 19.61 min Scan# 2880

Delta R.T. -0.00 min

Lab File: BG017619.D

Acq: 11 Jun 2015 21:03

Instrument :

BNA_G

ClientSampleId :

FB060315


Tgt Ion:244 Resp: 1077281

Ion Ratio Lower Upper

244 100

212 9.4 6.4 9.6




122 6.1 6.6 10.0#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.35 min Scan# 3517

Delta R.T. -0.02 min

Lab File: BG017619.D

Acq: 11 Jun 2015 21:03


Tgt Ion:264 Resp: 179444

Ion Ratio Lower Upper

264 100

260 21.2 18.2 27.4

265 23.1 15.8 23.6



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

