

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG061120\
 Data File : BG045724.D
 Acq On : 11 Jun 2020 16:55
 Operator : CG/JU
 Sample : PB129493BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Jun 11 18:10:18 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG051520.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 01 15:07:00 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.95	152	43521	20.00	ng	0.00
21) Naphthalene-d8	10.75	136	178275	20.00	ng	-0.01
39) Acenaphthene-d10	14.59	164	135277	20.00	ng	0.00
64) Phenanthrene-d10	17.34	188	346476	20.00	ng	0.00
76) Chrysene-d12	21.59	240	320902	20.00	ng	-0.01
87) Perylene-d12	24.74	264	331804	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.53	112	341026	153.14	ng	-0.01
7) Phenol-d6	7.13	99	484400	152.83	ng	-0.02
23) Nitrobenzene-d5	9.10	82	348771	106.68	ng	-0.01
42) 2,4,6-Tribromophenol	16.08	330	283354	163.78	ng	-0.01
45) 2-Fluorobiphenyl	13.21	172	835520	104.76	ng	0.00
79) Terphenyl-d14	19.95	244	1634985	118.83	ng	0.00
Target Compounds						
15) Benzyl Alcohol	8.27	79	6730	2.570	ng	# 57
19) n-Nitroso-di-n-propylamine	9.10	70	48799	22.264	ng	# 79
51) 2,6-Dinitrotoluene	14.59	165	18051	8.620	ng	# 22
57) 2,4-Dinitrotoluene	14.59	165	18107	5.971	ng	# 22
77) Benzidine	19.95	184	31830	3.532	ng	# 93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG061120\
Data File : BG045724.D
Acq On : 11 Jun 2020 16:55
Operator : CG/JU
Sample : PB129493BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Jun 11 18:10:18 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG051520.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 01 15:07:00 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.95 min Scan# 827
Delta R.T. -0.00 min
Lab File: BG045724.D
Acq: 11 Jun 2020 16:55

Instrument :
BNA_G
ClientSampled :

Tot Ion:152 Resp: 43521
Ion Ratio Lower Upper
152 100
150 160.6 122.4 183.6
115 62.1 44.2 66.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 153.137 ng
RT: 5.53 min Scan# 415
Delta R.T. -0.01 min
Lab File: BG045724.D
Acq: 11 Jun 2020 16:55

Tgt Ion:112 Resp: 341026
Ion Ratio Lower Upper
112 100
64 59.7 48.6 72.8
63 34.2 26.5 39.7



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 152.827 ng

RT: 7.13 min Scan# 688

Delta R.T. -0.02 min

Lab File: BG045724.D

Acq: 11 Jun 2020 16:55

Instrument :

BNA_G

ClientSampleId :





Tot Ion: 99 Resp: 484400

Ion Ratio Lower Upper

99 100

42 14.7 11.3 16.9

71 40.8 30.8 46.2



#15

Benzyl Alcohol

Concen: 2.570 ng

RT: 8.27 min Scan# 882

Delta R.T. 0.07 min

Lab File: BG045724.D

Acq: 11 Jun 2020 16:55




Tgt Ion: 79 Resp: 6730


Ion Ratio Lower Upper

79 100

108 27.4 58.2 87.4#

77 87.9 51.0 76.4#









#19
n-Nitroso-di-n-propylamine
Concen: 22.264 ng
RT: 9.10 min Scan# 1024
Delta R.T. 0.35 min
Lab File: BG045724.D
Acq: 11 Jun 2020 16:55




Instrument :
BNA_G
ClientSampleId :


Tot Ion	Ratio	Lower	Upper
70	100		
42	34.6	33.2	49.8
101	0.0	7.8	11.6#
130	1.8	15.4	23.2#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.75 min Scan# 1304
Delta R.T. -0.01 min
Lab File: BG045724.D
Acq: 11 Jun 2020 16:55

Tgt Ion	Ratio	Lower	Upper
136	100		
137	12.5	9.4	14.2
54	7.1	5.8	8.6
68	5.8	4.5	6.7









#23
Nitrobenzene-d5
Concen: 106.684 ng
RT: 9.10 min Scan# 1024
Delta R.T. -0.01 min
Lab File: BG045724.D
Acq: 11 Jun 2020 16:55




Instrument :
BNA_G
ClientSampleId :


Tot Ion	82	Resp	348771
Ion	Ratio	Lower	Upper
82	100		
128	38.2	30.9	46.3
54	41.5	30.3	45.5



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.59 min Scan# 1958
Delta R.T. -0.00 min
Lab File: BG045724.D
Acq: 11 Jun 2020 16:55

Tgt Ion	164	Resp	135277
Ion	Ratio	Lower	Upper
164	100		
162	93.4	76.9	115.3
160	44.1	33.8	50.8





#42

2,4,6-Tribromophenol

Concen: 163.785 ng

RT: 16.08 min Scan# 2212

Delta R.T. -0.01 min

Lab File: BG045724.D

Acq: 11 Jun 2020 16:55

Instrument :

BNA_G

ClientSampleId :


Tot Ion:330 Resp: 283354

Ion Ratio Lower Upper

330 100

332 95.6 78.2 117.4




141 34.8 28.2 42.4



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 104.764 ng

RT: 13.21 min Scan# 1723

Delta R.T. -0.00 min

Lab File: BG045724.D

Acq: 11 Jun 2020 16:55


Tgt Ion:172 Resp: 835520

Ion Ratio Lower Upper

172 100

171 35.9 29.5 44.3



170 23.3 18.5 27.7




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E






#51
2,6-Dinitrotoluene
Concen: 8.620 ng
RT: 14.59 min Scan# 1958
Delta R.T. 0.42 min
Lab File: BG045724.D
Acq: 11 Jun 2020 16:55

Instrument :
BNA_G
ClientSampleId :




Tot Ion	Ratio	Lower	Upper
165	100		
63	0.0	45.0	67.4#
89	2.3	50.2	75.4#



Abundance Ion 165.00 (164.70 to 165.70): E


Ion 63.00 (62.70 to 63.70): BGC

Ion 89.00 (88.70 to 89.70): BGC



#57
2,4-Dinitrotoluene
Concen: 5.971 ng
RT: 14.59 min Scan# 1958
Delta R.T. -0.37 min
Lab File: BG045724.D
Acq: 11 Jun 2020 16:55

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	32.5	48.7#
89	2.3	61.8	92.6#
182	0.0	2.3	3.5#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BGC

Ion 89.00 (88.70 to 89.70): BGC

Ion 182.00 (181.70 to 182.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.34 min Scan# 2426

Delta R.T. -0.00 min

Lab File: BG045724.D

Acq: 11 Jun 2020 16:55

Instrument :

BNA_G

ClientSampled :


Tot Ion:188 Resp: 346476

Ion Ratio Lower Upper

188 100

94 7.9 5.5 8.3




80 7.3 6.6 10.0



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BG

Ion 80.00 (79.70 to 80.70): BG



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.59 min Scan# 3150

Delta R.T. -0.01 min

Lab File: BG045724.D

Acq: 11 Jun 2020 16:55


Tgt Ion:240 Resp: 320902

Ion Ratio Lower Upper

240 100

120 6.5 6.1 9.1



236 26.1 22.3 33.5




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#77

Benzidine

Concen: 3.532 ng

RT: 19.95 min Scan# 2871

Delta R.T. 0.38 min

Lab File: BG045724.D

Acq: 11 Jun 2020 16:55

Instrument :

BNA_G

ClientSampleId :


Tot Ion:184 Resp: 31830

Ion Ratio Lower Upper

184 100

185 16.3 11.7 17.5




183 8.4 10.2 15.4#



Abundance Ion 184.00 (183.70 to 184.70): E

Ion 185.00 (184.70 to 185.70): E

Ion 183.00 (182.70 to 183.70): E



#79

Terphenyl-d14

Concen: 118.830 ng

RT: 19.95 min Scan# 2871

Delta R.T. -0.00 min

Lab File: BG045724.D

Acq: 11 Jun 2020 16:55


Tgt Ion:244 Resp: 1634985

Ion Ratio Lower Upper

244 100

212 9.2 7.4 11.0



122 8.5 6.8 10.2




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#87
 Pervlene-d12
 Concen: 20.000 ng
 RT: 24.74 min Scan# 3686
 Delta R.T. -0.01 min
 Lab File: BG045724.D
 Acq: 11 Jun 2020 16:55

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.2	18.2	27.4
265	22.0	17.6	26.4



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

