

Data Path : Z:\HPCHEM1\BNA G\DATA\BG061417\
 Data File : BG027448.D
 Acq On : 15 Jun 2017 12:17
 Operator : SJ/MA
 Sample : I3665-10
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 HA3-WC2

Quant Time: Jun 15 14:29:57 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG061417.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 14 19:09:08 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.53	152	37054	20.00	ng	0.00
21) Naphthalene-d8	11.34	136	163477	20.00	ng	0.00
38) Acenaphthene-d10	15.11	164	105548	20.00	ng	0.00
63) Phenanthrene-d10	17.86	188	319756	20.00	ng	0.00
75) Chrysene-d12	22.23	240	362708	20.00	ng	0.00
86) Perylene-d12	25.88	264	191734	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	6.11	112	354602	135.25	ng	0.00
7) Phenol-d6	7.66	99	447234	110.99	ng	0.00
23) Nitrobenzene-d5	9.68	82	310580	96.86	ng	0.00
41) 2,4,6-Tribromophenol	16.59	330	289372	182.67	ng	0.00
44) 2-Fluorobiphenyl	13.73	172	695174	95.15	ng	0.00
78) Terphenyl-d14	20.44	244	1540968	108.89	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG061417\
Data File : BG027448.D
Acq On : 15 Jun 2017 12:17
Operator : SJ/MA
Sample : I3665-10
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
HA3-WC2

Quant Time: Jun 15 14:29:57 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG061417.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 14 19:09:08 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.53 min Scan# 823

Delta R.T. -0.00 min

Lab File: BG027448.D

Acq: 15 Jun 2017 12:17

Instrument :

BNA_G

ClientSampleId :

HA3-WC2


Tot Ion:152 Resp: 37054

Ion Ratio Lower Upper

152 100

150 149.9 114.0 171.0




115 68.6 48.1 72.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 135.25 ng

RT: 6.11 min Scan# 411

Delta R.T. -0.00 min

Lab File: BG027448.D

Acq: 15 Jun 2017 12:17


Tgt Ion:112 Resp: 354602

Ion Ratio Lower Upper

112 100

64 74.5 61.8 92.6



63 36.3 37.2 55.8#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 110.99 ng

RT: 7.66 min Scan# 676

Delta R.T. 0.00 min

Lab File: BG027448.D

Acq: 15 Jun 2017 12:17

Instrument :

BNA_G

ClientSampleId :

HA3-WC2


Tot Ion: 99 Resp: 447234

Ion Ratio Lower Upper




99 100

42 18.1 20.5 30.7#

71 33.0 37.6 56.4#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 11.34 min Scan# 1302

Delta R.T. -0.00 min

Lab File: BG027448.D

Acq: 15 Jun 2017 12:17

Tgt Ion: 136 Resp: 163477


Ion Ratio Lower Upper

136 100



137 11.4 8.9 13.3


54 11.6 9.3 13.9

68 9.1 5.1 7.7#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 96.86 ng
 RT: 9.68 min Scan# 1020
 Delta R.T. -0.01 min
 Lab File: BG027448.D
 Acq: 15 Jun 2017 12:17

Instrument :
 BNA_G
 ClientSampleId :
 HA3-WC2

Tot Ion	82	Resp	310580
Ion	Ratio	Lower	Upper
82	100		
128	38.2	26.4	39.6
54	53.5	49.4	74.2




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 15.11 min Scan# 1943
 Delta R.T. -0.00 min
 Lab File: BG027448.D
 Acq: 15 Jun 2017 12:17

Tgt Ion	164	Resp	105548
Ion	Ratio	Lower	Upper
164	100		
162	109.1	85.1	127.7
160	46.4	34.7	52.1



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC





#41

2,4,6-Tribromophenol

Concen: 182.67 ng

RT: 16.59 min Scan# 2196

Delta R.T. -0.00 min

Lab File: BG027448.D

Acq: 15 Jun 2017 12:17

Instrument :

BNA_G

ClientSampleId :

HA3-WC2


Tot Ion:330 Resp: 289372

Ion Ratio Lower Upper




330 100

332 97.0 77.3 115.9

141 33.3 32.1 48.1



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E



#44

2-Fluorobiphenyl

Concen: 95.15 ng

RT: 13.73 min Scan# 1709

Delta R.T. -0.00 min

Lab File: BG027448.D

Acq: 15 Jun 2017 12:17


Tgt Ion:172 Resp: 695174

Ion Ratio Lower Upper



172 100


171 36.5 32.2 48.2

170 24.4 21.8 32.6



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.86 min Scan# 2411

Delta R.T. -0.00 min

Lab File: BG027448.D

Acq: 15 Jun 2017 12:17

Instrument :

BNA_G

ClientSampleId :

HA3-WC2


Tot Ion:188 Resp: 319756

Ion Ratio Lower Upper

188 100

94 11.3 5.8 8.8#




80 13.3 7.5 11.3#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.00 ng

RT: 22.23 min Scan# 3155

Delta R.T. -0.01 min

Lab File: BG027448.D

Acq: 15 Jun 2017 12:17


Tgt Ion:240 Resp: 362708

Ion Ratio Lower Upper

240 100

120 12.4 5.7 8.5#



236 27.0 22.2 33.4




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 108.89 ng

RT: 20.44 min Scan# 2850

Delta R.T. -0.00 min

Lab File: BG027448.D

Acq: 15 Jun 2017 12:17

Instrument :


BNA_G

ClientSampled :

HA3-WC2

Tot Ion:244 Resp: 1540968




Ion	Ratio	Lower	Upper
244	100		
212	8.1	10.0	15.0#
122	12.0	8.6	12.8



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 25.88 min Scan# 3776


Delta R.T. -0.02 min

Lab File: BG027448.D

Acq: 15 Jun 2017 12:17

Tgt Ion:264 Resp: 191734

Ion	Ratio	Lower	Upper
264	100		
260	25.8	21.8	32.8
265	20.5	18.2	27.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

