

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG061515\
 Data File : BG017686.D
 Acq On : 15 Jun 2015 11:41
 Operator : TP/IZ
 Sample : G2627-10RE
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 MW-27RE

Quant Time: Jun 16 01:53:25 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG061215.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Jun 13 02:22:44 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.52	152	20707	20.00	ng	0.00
21) Naphthalene-d8	10.32	136	73278	20.00	ng	0.00
38) Acenaphthene-d10	14.20	164	55574	20.00	ng	0.00
63) Phenanthrene-d10	16.97	188	162498	20.00	ng	0.00
75) Chrysene-d12	21.17	240	235826	20.00	ng	0.00
86) Perylene-d12	23.36	264	242560	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.11	112	18026	16.86	ng	0.00
7) Phenol-d6	6.74	99	20991	13.40	ng	0.00
23) Nitrobenzene-d5	8.70	82	20751	11.89	ng	0.00
41) 2,4,6-Tribromophenol	15.71	330	20921	21.81	ng	0.00
44) 2-Fluorobiphenyl	12.82	172	59098	14.71	ng	0.00
78) Terphenyl-d14	19.61	244	168707	14.92	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG061515\
Data File : BG017686.D
Acq On : 15 Jun 2015 11:41
Operator : TP/IZ
Sample : G2627-10RE
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
MW-27RE

Quant Time: Jun 16 01:53:25 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG061215.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Jun 13 02:22:44 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.52 min Scan# 823

Delta R.T. -0.00 min

Lab File: BG017686.D

Acq: 15 Jun 2015 11:41

Instrument :

BNA_G

ClientSampled :

MW-27RE


Tgt Ion:152 Resp: 20707

Ion Ratio Lower Upper

152 100

150 135.5 119.4 179.0




115 51.5 58.2 87.2#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 16.86 ng

RT: 5.11 min Scan# 412

Delta R.T. -0.00 min

Lab File: BG017686.D

Acq: 15 Jun 2015 11:41


Tgt Ion:112 Resp: 18026

Ion Ratio Lower Upper

112 100

64 56.1 47.0 70.6



63 40.3 38.6 58.0




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 13.40 ng

RT: 6.74 min Scan# 689

Delta R.T. 0.00 min

Lab File: BG017686.D

Acq: 15 Jun 2015 11:41

Instrument :

BNA_G

ClientSampleId :

MW-27RE


Tgt Ion: 99 Resp: 20991

Ion Ratio Lower Upper




99 100

42 23.9 17.4 26.2

71 58.5 47.4 71.0



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.32 min Scan# 1299

Delta R.T. 0.00 min

Lab File: BG017686.D

Acq: 15 Jun 2015 11:41

Tgt Ion: 136 Resp: 73278


Ion Ratio Lower Upper

136 100



137 8.5 8.7 13.1#


54 6.0 4.7 7.1

68 4.4 2.4 3.6#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 11.89 ng
 RT: 8.70 min Scan# 1023
 Delta R.T. 0.01 min
 Lab File: BG017686.D
 Acq: 15 Jun 2015 11:41

Instrument :
 BNA_G
 ClientSampled :
 MW-27RE

Tgt Ion	Ratio	Lower	Upper
82	100		
128	22.5	27.3	40.9#
54	41.5	37.0	55.4




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.20 min Scan# 1960
 Delta R.T. -0.00 min
 Lab File: BG017686.D
 Acq: 15 Jun 2015 11:41

Tgt Ion	Ratio	Lower	Upper
164	100		
162	101.9	75.0	112.4
160	43.8	30.3	45.5



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 21.81 ng
 RT: 15.71 min Scan# 2217
 Delta R.T. 0.00 min
 Lab File: BG017686.D
 Acq: 15 Jun 2015 11:41

Instrument :
 BNA_G
 ClientSampleId :
 MW-27RE

Tgt Ion:330 Resp: 20921
 Ion Ratio Lower Upper
 330 100
 332 90.2 76.6 114.8
 141 39.2 34.6 51.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 14.71 ng
 RT: 12.82 min Scan# 1725
 Delta R.T. 0.00 min
 Lab File: BG017686.D
 Acq: 15 Jun 2015 11:41

Tgt Ion:172 Resp: 59098
 Ion Ratio Lower Upper
 172 100
 171 34.4 28.2 42.2
 170 19.9 17.4 26.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 16.97 min Scan# 2430

Delta R.T. 0.00 min

Lab File: BG017686.D

Acq: 15 Jun 2015 11:41

Instrument :

BNA_G

ClientSampled :

MW-27RE


Tgt Ion:188 Resp: 162498

Ion Ratio Lower Upper

188 100

94 3.4 3.9 5.9#




80 6.0 5.0 7.6



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BG

Ion 80.00 (79.70 to 80.70): BG



#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.17 min Scan# 3145

Delta R.T. 0.00 min

Lab File: BG017686.D

Acq: 15 Jun 2015 11:41


Tgt Ion:240 Resp: 235826

Ion Ratio Lower Upper

240 100

120 4.0 3.5 5.3



236 26.2 19.5 29.3




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 14.92 ng

RT: 19.61 min Scan# 2880

Delta R.T. 0.00 min

Lab File: BG017686.D

Acq: 15 Jun 2015 11:41

Instrument :

BNA_G

ClientSampleId :

MW-27RE

Tgt Ion:244 Resp: 168707

Ion Ratio Lower Upper

244 100

212 7.6


6.3

9.5

122 4.1

4.6




6.8#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.36 min Scan# 3518

Delta R.T. 0.00 min

Lab File: BG017686.D

Acq: 15 Jun 2015 11:41

Tgt Ion:264 Resp: 242560

Ion Ratio Lower Upper

264 100

260 20.7


18.3

27.5

265 20.8

16.2

24.2



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

