

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG061515\
 Data File : BG017687.D
 Acq On : 15 Jun 2015 12:30
 Operator : TP/IZ
 Sample : PB83834TB
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB83834TB

Quant Time: Jun 16 01:55:40 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG061215.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Jun 13 02:22:44 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.52	152	17138	20.00	ng	0.00
21) Naphthalene-d8	10.32	136	62537	20.00	ng	0.00
38) Acenaphthene-d10	14.20	164	49948	20.00	ng	0.00
63) Phenanthrene-d10	16.96	188	145355	20.00	ng	0.00
75) Chrysene-d12	21.16	240	220057	20.00	ng	0.00
86) Perylene-d12	23.36	264	225481	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.11	112	120513	136.19	ng	0.00
7) Phenol-d6	6.73	99	161750	124.75	ng	0.00
23) Nitrobenzene-d5	8.69	82	120951	81.19	ng	0.00
41) 2,4,6-Tribromophenol	15.71	330	103521	120.07	ng	0.00
44) 2-Fluorobiphenyl	12.82	172	278718	77.18	ng	0.00
78) Terphenyl-d14	19.61	244	842532	79.87	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG061515\
Data File : BG017687.D
Acq On : 15 Jun 2015 12:30
Operator : TP/IZ
Sample : PB83834TB
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB83834TB

Quant Time: Jun 16 01:55:40 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG061215.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Jun 13 02:22:44 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.52 min Scan# 823

Delta R.T. -0.00 min

Lab File: BG017687.D

Acq: 15 Jun 2015 12:30

Instrument :

BNA_G

ClientSampleId :

PB83834TB


Tgt Ion:152 Resp: 17138

Ion Ratio Lower Upper

152 100

150 151.3 119.4 179.0




115 60.1 58.2 87.2



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 136.19 ng

RT: 5.11 min Scan# 412

Delta R.T. -0.00 min

Lab File: BG017687.D

Acq: 15 Jun 2015 12:30


Tgt Ion:112 Resp: 120513

Ion Ratio Lower Upper

112 100

64 56.3 47.0 70.6



63 49.4 38.6 58.0




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 124.75 ng

RT: 6.73 min Scan# 688

Delta R.T. -0.00 min

Lab File: BG017687.D

Acq: 15 Jun 2015 12:30

Instrument :

BNA_G

ClientSampleId :

PB83834TB





Tgt Ion: 99 Resp: 161750

Ion Ratio Lower Upper

99 100

42 23.4 17.4 26.2

71 66.5 47.4 71.0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.32 min Scan# 1299

Delta R.T. 0.00 min

Lab File: BG017687.D

Acq: 15 Jun 2015 12:30

Tgt Ion: 136 Resp: 62537




Ion Ratio Lower Upper


136 100

137 10.4 8.7 13.1

54 6.8 4.7 7.1

68 5.8 2.4 3.6#









#23
Nitrobenzene-d5
Concen: 81.19 ng
RT: 8.69 min Scan# 1021
Delta R.T. -0.00 min
Lab File: BG017687.D
Acq: 15 Jun 2015 12:30

Instrument :
BNA_G
ClientSampleId :
PB83834TB

Tgt Ion	Ratio	Lower	Upper
82	100		
128	31.1	27.3	40.9
54	44.5	37.0	55.4




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC






#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.20 min Scan# 1960
Delta R.T. -0.00 min
Lab File: BG017687.D
Acq: 15 Jun 2015 12:30

Tgt Ion	Ratio	Lower	Upper
164	100		
162	98.3	75.0	112.4
160	45.0	30.3	45.5



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC









#41
2,4,6-Tribromophenol
Concen: 120.07 ng
RT: 15.71 min Scan# 2216
Delta R.T. -0.00 min
Lab File: BG017687.D
Acq: 15 Jun 2015 12:30

Instrument :
BNA_G
ClientSampleId :
PB83834TB

Tgt Ion	Ratio	Lower	Upper
330	100		
332	98.5	76.6	114.8
141	43.2	34.6	51.8




Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E






#44
2-Fluorobiphenyl
Concen: 77.18 ng
RT: 12.82 min Scan# 1724
Delta R.T. -0.00 min
Lab File: BG017687.D
Acq: 15 Jun 2015 12:30

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.6	28.2	42.2
170	23.8	17.4	26.2



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 16.96 min Scan# 2429

Delta R.T. -0.00 min

Lab File: BG017687.D

Acq: 15 Jun 2015 12:30

Instrument :

BNA_G

ClientSampleId :

PB83834TB


Tgt Ion:188 Resp: 145355

Ion Ratio Lower Upper

188 100

94 5.3 3.9 5.9




80 7.6 5.0 7.6#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.16 min Scan# 3144

Delta R.T. -0.00 min

Lab File: BG017687.D

Acq: 15 Jun 2015 12:30


Tgt Ion:240 Resp: 220057

Ion Ratio Lower Upper

240 100

120 3.6 3.5 5.3



236 27.2 19.5 29.3




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 79.87 ng

RT: 19.61 min Scan# 2880

Delta R.T. 0.00 min

Lab File: BG017687.D

Acq: 15 Jun 2015 12:30

Instrument :

BNA_G

ClientSampleId :

PB83834TB


Tgt Ion:244 Resp: 842532

Ion Ratio Lower Upper

244 100

212 9.1 6.3 9.5


122 5.5 4.6 6.8





Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



Time-->



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.36 min Scan# 3519

Delta R.T. 0.01 min

Lab File: BG017687.D

Acq: 15 Jun 2015 12:30


Tgt Ion:264 Resp: 225481

Ion Ratio Lower Upper

264 100

260 24.7 18.3 27.5


265 21.0 16.2 24.2



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E



Time-->

