

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG061615\
 Data File : BG017709.D
 Acq On : 17 Jun 2015 4:27
 Operator : TP/IZ
 Sample : SSTDICCC040
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SSTDICCC040

Quant Time: Jun 17 06:56:59 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\625-TERPINEOL-BG061615.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 17 06:53:20 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.51	152	18659	20.00	ng	0.00
4) Naphthalene-d8	10.30	136	71195	20.00	ng	0.00
7) Acenaphthene-d10	14.19	164	60015	20.00	ng	0.00
10) Phenanthrene-d10	16.95	188	159698	20.00	ng	0.00
11) Chrysene-d12	21.15	240	253395	20.00	ng	0.00
13) Perylene-d12	23.34	264	219296	20.00	ng	0.00
System Monitoring Compounds						
2) 2-Fluorophenol	5.09	112	69262	74.63	ng	0.00
3) Phenol-d6	6.71	99	86502	74.61	ng	0.00
5) Nitrobenzene-d5	8.68	82	118150	89.59	ng	0.00
8) 2,4,6-Tribromophenol	15.70	330	57513	79.89	ng	0.00
9) 2-Fluorobiphenyl	12.80	172	282103	83.42	ng	0.00
12) Terphenyl-d14	19.59	244	878869	71.24	ng	0.00
Target Compounds						
6) Terpineol	10.37	59	1954	17.06	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG061615\
Data File : BG017709.D
Acq On : 17 Jun 2015 4:27
Operator : TP/IZ
Sample : SSTDICCC040
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SSTDICCC040

Quant Time: Jun 17 06:56:59 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\625-TERPINEOL-BG061615.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 17 06:53:20 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.51 min Scan# 820
Delta R.T. 0.00 min
Lab File: BG017709.D
Acq: 17 Jun 2015 4:27

Instrument :
BNA_G
ClientSampleId :
SSTDICCC040

Tgt Ion	Ratio	Lower	Upper
152	100		
150	149.7	119.8	179.6
115	62.0	49.6	74.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#2


2-Fluorophenol
Concen: 74.63 ng
RT: 5.09 min Scan# 409
Delta R.T. 0.00 min
Lab File: BG017709.D
Acq: 17 Jun 2015 4:27

Tgt Ion	Ratio	Lower	Upper
112	100		
64	54.4	43.5	65.3
63	40.2	32.2	48.2



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#3

Phenol-d6

Concen: 74.61 ng

RT: 6.71 min Scan# 685

Delta R.T. 0.00 min

Lab File: BG017709.D

Acq: 17 Jun 2015 4:27

Instrument :

BNA_G

ClientSampleId :

SSTDICCC040


Tgt Ion: 99 Resp: 86502

Ion Ratio Lower Upper




99 100

42 23.5 18.8 28.2

71 67.3 53.8 80.8



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#4

Naphthalene-d8

Concen: 20.00 ng

RT: 10.30 min Scan# 1296

Delta R.T. 0.00 min

Lab File: BG017709.D

Acq: 17 Jun 2015 4:27

Tgt Ion: 136 Resp: 71195


Ion Ratio Lower Upper

136 100



137 11.2 9.0 13.4


54 5.5 4.4 6.6

68 6.3 5.0 7.6



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC





#5

Nitrobenzene-d5

Concen: 89.59 ng

RT: 8.68 min Scan# 1019

Delta R.T. 0.00 min

Lab File: BG017709.D

Acq: 17 Jun 2015 4:27

Instrument :

BNA_G

ClientSampleId :

SSTDICCC040


Tgt Ion: 82 Resp: 118150

Ion Ratio Lower Upper




82 100

128 36.2 29.0 43.4

54 43.1 34.5 51.7



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC



#6

Terpineol

Concen: 17.06 ng

RT: 10.37 min Scan# 1308

Delta R.T. 0.00 min

Lab File: BG017709.D

Acq: 17 Jun 2015 4:27


Tgt Ion: 59 Resp: 1954

Ion Ratio Lower Upper



59 100


93 148.6 118.9 178.3

121 130.4 104.3 156.5



Abundance Ion 59.00 (58.70 to 59.70): BGC
Ion 93.00 (92.70 to 93.70): BGC
Ion 121.00 (120.70 to 121.70): BGC





#7

Acenaphthene-d10

Concen: 20.00 ng

RT: 14.19 min Scan# 1958

Delta R.T. 0.00 min

Lab File: BG017709.D

Acq: 17 Jun 2015 4:27

Instrument :

BNA_G

ClientSampleId :

SSTDICCC040


Tgt Ion:164 Resp: 60015

Ion Ratio Lower Upper

164 100

162 93.1 74.5 111.7




160 40.9 32.7 49.1



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#8

2,4,6-Tribromophenol

Concen: 79.89 ng

RT: 15.70 min Scan# 2214

Delta R.T. 0.00 min

Lab File: BG017709.D

Acq: 17 Jun 2015 4:27


Tgt Ion:330 Resp: 57513

Ion Ratio Lower Upper

330 100

332 97.1 77.7 116.5



141 46.2 37.0 55.4




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E





#9

2-Fluorobiphenyl

Concen: 83.42 ng

RT: 12.80 min Scan# 1721

Delta R.T. 0.00 min

Lab File: BG017709.D

Acq: 17 Jun 2015 4:27

Instrument :

BNA_G

ClientSampleId :

SSTDICCC040


Tgt Ion:172 Resp: 282103

Ion Ratio Lower Upper

172 100

171 38.9 31.1 46.7




170 23.7 19.0 28.4



Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E



#10

Phenanthrene-d10

Concen: 20.00 ng

RT: 16.95 min Scan# 2427

Delta R.T. 0.00 min

Lab File: BG017709.D

Acq: 17 Jun 2015 4:27


Tgt Ion:188 Resp: 159698

Ion Ratio Lower Upper

188 100

94 5.8 4.6 7.0



80 7.0 5.6 8.4




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC









#11
Chrysene-d12
Concen: 20.00 ng
RT: 21.15 min Scan# 3142
Delta R.T. 0.00 min
Lab File: BG017709.D
Acq: 17 Jun 2015 4:27




Instrument :
BNA_G
ClientSampleId :
SSTDICCC040


Tgt Ion:240 Resp: 253395
Ion Ratio Lower Upper
240 100
120 3.0 2.4 3.6
236 24.4 19.5 29.3



#12
Terphenyl-d14
Concen: 71.24 ng
RT: 19.59 min Scan# 2877
Delta R.T. 0.00 min
Lab File: BG017709.D
Acq: 17 Jun 2015 4:27

Tgt Ion:244 Resp: 878869
Ion Ratio Lower Upper
244 100
212 8.4 6.7 10.1
122 5.4 4.3 6.5





#13
Perylene-d12
Concen: 20.00 ng
RT: 23.34 min Scan# 3515
Delta R.T. 0.00 min
Lab File: BG017709.D
Acq: 17 Jun 2015 4:27

Instrument :
BNA_G
ClientSampleId :
SSTDICCC040

Tgt Ion	Ratio	Lower	Upper
264	100		
260	21.6	17.3	25.9
265	22.4	17.9	26.9

