

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG061617\
 Data File : BG027507.D
 Acq On : 17 Jun 2017 14:32
 Operator : SJ/MA
 Sample : SSTDC0020
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_G
 LabSampleId :
 SSTD02087

Quant Time: Jun 19 01:49:36 2017
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG061617.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Jun 19 00:57:08 2017
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	87	0.00
2	1,4-Dioxane	0.579	0.567	2.1	88	0.00
3 S	1,4-Dioxane-d8	0.500	0.516	-3.2	93	0.00
4	Benzaldehyde	1.268	1.555	-22.6#	91	0.00
5 S	Phenol-d5	2.169	2.200	-1.4	92	0.00
6	Phenol	2.273	2.359	-3.8	94	0.00
7 S	Bis-(2-Chloroethyl)ether-d8	1.478	1.624	-9.9	95	0.00
8	Bis(2-Chloroethyl)ether	1.671	1.729	-3.5	90	0.00
9 S	2-Chlorophenol-d4	1.433	1.530	-6.8	92	0.00
10	2-Chlorophenol	1.443	1.538	-6.6	91	0.00
11	2-Methylphenol	1.643	1.689	-2.8	93	0.00
12	2,2'-oxybis(1-Chloropropane	2.782	3.217	-15.6	100	0.00
13 S	4-Methylphenol-d8	1.696	1.751	-3.2	94	0.00
14	Acetophenone	2.621	2.733	-4.3	91	0.00
15 P	N-Nitroso-di-n-propylamine	1.481	1.687	-13.9	100	0.00
16	4-Methylphenol	1.804	1.892	-4.9	94	0.00
17	Hexachloroethane	0.553	0.598	-8.1	92	0.00
18 I	Naphthalene-d8	1.000	1.000	0.0	92	0.00
19 S	Nitrobenzene-d5	0.145	0.152	-4.8	94	0.00
20	Nitrobenzene	0.409	0.440	-7.6	98	0.00
21	Isophorone	0.807	0.844	-4.6	95	0.00
22 S	2-Nitrophenol-d4	0.154	0.164	-6.5	98	0.00
23 C	2-Nitrophenol	0.169	0.183	-8.3	98	0.00
24	2,4-Dimethylphenol	0.404	0.434	-7.4	98	0.00
25	Bis(2-Chloroethoxy)methane	0.496	0.505	-1.8	92	0.00
26 S	2,4-Dichlorophenol-d3	0.292	0.302	-3.4	95	0.00
27 C	2,4-Dichlorophenol	0.295	0.313	-6.1	96	0.00
28	Naphthalene	1.028	1.037	-0.9	92	0.00
29 S	4-Chloroaniline-d4	0.369	0.445	-20.6#	93	0.00
30	4-Chloroaniline	0.364	0.429	-17.9	92	0.00
31 C	Hexachlorobutadiene	0.181	0.185	-2.2	96	0.00
32	Caprolactam	0.130	0.127	2.3	90	0.00
33 C	4-Chloro-3-methylphenol	0.388	0.435	-12.1	101	0.00
34	2-Methylnaphthalene	0.762	0.787	-3.3	94	0.00
35 I	Acenaphthene-d10	1.000	1.000	0.0	94	0.00
36	1,2,4,5-Tetrachlorobenzene	0.592	0.587	0.8	94	0.00
37	Hexachlorocyclopentadiene	0.332	0.314	5.4	95	0.00
38 C	2,4,6-Trichlorophenol	0.392	0.423	-7.9	100	0.00
39	2,4,5-Trichlorophenol	0.408	0.435	-6.6	98	0.00
40	1,1'-Biphenyl	1.582	1.570	0.8	92	0.00
41	2-Chloronaphthalene	1.193	1.200	-0.6	95	0.00
42	2-Nitroaniline	0.449	0.515	-14.7	107	0.00
43 S	Dimethylphthalate-d6	1.675	1.657	1.1	93	0.00
44	Dimethylphthalate	1.661	1.654	0.4	92	0.00

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG061617\
 Data File : BG027507.D
 Acq On : 17 Jun 2017 14:32
 Operator : SJ/MA
 Sample : SSTDC0020
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_G
 LabSampleId :
 SSTD02087

Quant Time: Jun 19 01:49:36 2017
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG061617.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Jun 19 00:57:08 2017
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
45	2,6-Dinitrotoluene	0.309	0.331	-7.1	99	0.00
46 S	Acenaphthylene-d8	1.929	1.980	-2.6	94	0.00
47	Acenaphthylene	1.933	1.966	-1.7	94	0.00
48	3-Nitroaniline	0.336	0.341	-1.5	93	0.00
49 C	Acenaphthene	1.348	1.347	0.1	95	0.00
50	2,4-Dinitrophenol	0.214	0.201	6.1	101	0.00
51 S	4-Nitrophenol-d4	0.328	0.301	8.2	87	0.00
52	4-Nitrophenol	0.261	0.268	-2.7	96	0.00
53	Dibenzofuran	1.965	1.964	0.1	95	0.00
54	2,4-Dinitrotoluene	0.473	0.494	-4.4	95	0.00
55	2,3,4,6-Tetrachlorophenol	0.397	0.419	-5.5	101	0.00
56	Diethylphthalate	1.755	1.752	0.2	93	0.00
57 S	Fluorene-d10	1.571	1.584	-0.8	95	0.00
58	Fluorene	1.630	1.628	0.1	94	0.00
59	4-Chlorophenyl-phenylether	0.820	0.840	-2.4	97	0.00
60	4-Nitroaniline	0.411	0.388	5.6	89	0.00
61 I	Phenanthrene-d10	1.000	1.000	0.0	92	0.00
62 S	4,6-Dinitro-2-methylphenol-	0.124	0.119	4.0	99	0.00
63	4,6-Dinitro-2-methylphenol	0.131	0.125	4.6	96	0.00
64	N-Nitrosodiphenylamine	0.575	0.592	-3.0	93	0.00
65	4-Bromophenyl-phenylether	0.203	0.211	-3.9	97	0.00
66	Hexachlorobenzene	0.213	0.224	-5.2	95	0.00
67	Atrazine	0.220	0.225	-2.3	90	0.00
68 C	Pentachlorophenol	0.142	0.133	6.3	92	0.00
69	Phenanthrene	1.075	1.064	1.0	90	0.00
70 S	Anthracene-d10	0.933	0.943	-1.1	91	0.00
71	Anthracene	1.093	1.108	-1.4	91	0.00
72	Carbazole	0.940	0.932	0.9	87	0.00
73	Di-n-butylphthalate	1.162	1.187	-2.2	89	0.00
74 C	Fluoranthene	1.209	1.219	-0.8	86	0.00
75 I	Chrysene-d12	1.000	1.000	0.0	91	0.00
76 S	Pyrene-d10	0.977	0.965	1.2	86	0.00
77	Pyrene	1.182	1.182	0.0	86	0.00
78	Butylbenzylphthalate	0.446	0.491	-10.1	98	0.00
79	3,3'-Dichlorobenzidine	0.368	0.387	-5.2	93	0.00
80	Benzo(a)anthracene	1.114	1.168	-4.8	91	0.00
81	Bis(2-ethylhexyl)phthalate	0.640	0.702	-9.7	95	0.00
82	Chrysene	1.006	1.051	-4.5	93	0.00
83 I	Perylene-d12	1.000	1.000	0.0	93	0.00
84	Di-n-octyl phthalate	1.253	1.281	-2.2	98	0.00
85	Benzo(b)fluoranthene	1.191	1.180	0.9	93	0.00
86	Benzo(k)fluoranthene	1.145	1.180	-3.1	95	0.00
87 S	Benzo(a)pyrene-d12	0.901	0.915	-1.6	95	0.00

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG061617\
Data File : BG027507.D
Acq On : 17 Jun 2017 14:32
Operator : SJ/MA
Sample : SSTDCCC020
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_G
LabSampleId :
SSTD02087

Quant Time: Jun 19 01:49:36 2017
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG061617.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jun 19 00:57:08 2017
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
88 C	Benzo(a)pyrene	1.144	1.147	-0.3	94	0.00
89	Indeno(1,2,3-cd)pyrene	1.306	1.325	-1.5	95	0.00
90	Dibenzo(a,h)anthracene	1.121	1.139	-1.6	95	0.00
91	Benzo(g,h,i)perylene	1.069	1.085	-1.5	95	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0