

Data Path : Z:\HPCHEM1\BNA G\DATA\BG061917\
 Data File : BG027551.D
 Acq On : 20 Jun 2017 5:35
 Operator : SJ/MA
 Sample : I3625-04
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 F5A85

Quant Time: Jun 20 07:05:11 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM-EPA-BG061617.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Jun 20 01:50:01 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.52	152	31312	20.00	ng/ul	0.00
18) Naphthalene-d8	11.33	136	162504	20.00	ng/ul	0.00
35) Acenaphthene-d10	15.10	164	107837	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.85	188	257822	20.00	ng/ul	0.00
75) Chrysene-d12	22.23	240	288978	20.00	ng/ul	0.00
83) Perylene-d12	25.88	264	275054	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	4.08	96	3227	4.12	ng/uL	0.00
5) Phenol-d5	7.66	99	79220	23.33	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.83	67	58461	25.26	ng/ul	0.00
9) 2-Chlorophenol-d4	8.05	132	58617	26.13	ng/ul	0.00
13) 4-Methylphenol-d8	9.20	113	69057	26.01	ng/ul	0.00
19) Nitrobenzene-d5	9.68	128	31247	26.47	ng/ul	0.00
22) 2-Nitrophenol-d4	10.41	143	34038	27.14	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.94	165	62533	26.39	ng/ul	0.00
29) 4-Chloroaniline-d4	11.46	131	88653	29.56	ng/ul	0.00
43) Dimethylphthalate-d6	14.49	166	238746	26.44	ng/ul	0.00
46) Acenaphthylene-d8	14.80	160	278227	26.76	ng/ul	0.00
51) 4-Nitrophenol-d4	15.27	143	31617	17.90	ng/ul	0.00
57) Fluorene-d10	16.09	176	213259	25.18	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	16.19	200	30563	19.09	ng/ul	0.00
70) Anthracene-d10	17.95	188	328988	27.37	ng/ul	0.00
76) Pyrene-d10	20.22	212	378140	26.80	ng/ul	0.00
87) Benzo(a)pyrene-d12	25.62	264	339117	27.38	ng/ul	0.00

Target Compounds


						Ovalue
6) Phenol	7.68	94	5299	1.49	ng/ul	93
44) Dimethylphthalate	14.54	163	79447	8.87	ng/ul#	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG061917\
Data File : BG027551.D
Acq On : 20 Jun 2017 5:35
Operator : SJ/MA
Sample : I3625-04
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
F5A85

Quant Time: Jun 20 07:05:11 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM-EPA-BG061617.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Jun 20 01:50:01 2017
Response via : Initial Calibration





#6

Phenol

Concen: 1.49 ng/ul

RT: 7.68 min Scan# 645

Delta R.T. -0.00 min

Lab File: BG027551.D

Acq: 20 Jun 2017 5:35

Instrument :

BNA_G

ClientSampleId :

F5A85


Tot Ion: 94 Resp: 5299

Ion Ratio Lower Upper

94 100

65 33.5 26.8 40.2




66 47.7 44.4 66.6



Abundance Ion 94.00 (93.70 to 94.70): BGC

Ion 65.00 (64.70 to 65.70): BGC

Ion 66.00 (65.70 to 66.70): BGC



#44

Dimethylphthalate

Concen: 8.87 ng/ul

RT: 14.54 min Scan# 1812

Delta R.T. -0.00 min

Lab File: BG027551.D

Acq: 20 Jun 2017 5:35


Tgt Ion: 163 Resp: 79447

Ion Ratio Lower Upper

163 100

194 4.4 3.4 5.0

164 8.7 9.0 13.4#



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

