

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG062215\
 Data File : BG017746.D
 Acq On : 22 Jun 2015 15:42
 Operator : TP/IZ
 Sample : PB84121BL
 Misc : LOD/LOQ-SVOC-SOIL
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB84121BL

Quant Time: Jun 23 02:14:19 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG061815.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 19 06:05:07 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.61	152	69805	20.00	ng	-0.01
21) Naphthalene-d8	10.39	136	306240	20.00	ng	-0.01
38) Acenaphthene-d10	14.26	164	177656	20.00	ng	-0.01
63) Phenanthrene-d10	17.01	188	409966	20.00	ng	-0.02
75) Chrysene-d12	21.22	240	436222	20.00	ng	-0.02
86) Perylene-d12	23.44	264	409402	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.22	112	513842	129.18	ng	-0.01
7) Phenol-d6	6.78	99	683745	122.30	ng	-0.02
23) Nitrobenzene-d5	8.76	82	412231	77.43	ng	-0.02
41) 2,4,6-Tribromophenol	15.76	330	176278	107.01	ng	-0.02
44) 2-Fluorobiphenyl	12.88	172	812318	74.26	ng	-0.02
78) Terphenyl-d14	19.66	244	1346026	70.11	ng	-0.02
Target Compounds						
53) 2,4-Dinitrophenol	14.41	184	87	7.26	ng	Qvalue # 24


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG062215\
Data File : BG017746.D
Acq On : 22 Jun 2015 15:42
Operator : TP/IZ
Sample : PB84121BL
Misc : LOD/LOQ-SVOC-SOIL
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB84121BL

Quant Time: Jun 23 02:14:19 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG061815.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 19 06:05:07 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.61 min Scan# 837
Delta R.T. -0.01 min
Lab File: BG017746.D
Acq: 22 Jun 2015 15:42

Instrument :
BNA_G
ClientSampleId :
PB84121BL

Tgt Ion:152 Resp: 69805
Ion Ratio Lower Upper
152 100
150 159.7 119.1 178.7
115 61.6 47.0 70.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 129.18 ng
RT: 5.22 min Scan# 430
Delta R.T. -0.01 min
Lab File: BG017746.D
Acq: 22 Jun 2015 15:42

Tgt Ion:112 Resp: 513842
Ion Ratio Lower Upper
112 100
64 64.9 45.4 68.0
63 35.4 25.3 37.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 122.30 ng

RT: 6.78 min Scan# 697

Delta R.T. -0.02 min

Lab File: BG017746.D

Acq: 22 Jun 2015 15:42

Instrument :

BNA_G

ClientSampleId :

PB84121BL


Tgt Ion: 99 Resp: 683745

Ion Ratio Lower Upper




99 100

42 24.2 16.2 24.4

71 38.6 29.5 44.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.39 min Scan# 1311

Delta R.T. -0.01 min

Lab File: BG017746.D

Acq: 22 Jun 2015 15:42

Tgt Ion: 136 Resp: 306240


Ion Ratio Lower Upper

136 100



137 10.6 8.8 13.2


54 8.6 6.6 9.8

68 6.2 5.1 7.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 77.43 ng
RT: 8.76 min Scan# 1033
Delta R.T. -0.02 min
Lab File: BG017746.D
Acq: 22 Jun 2015 15:42

Instrument :
BNA_G
ClientSampleId :
PB84121BL

Tgt Ion: 82 Resp: 412231
Ion Ratio Lower Upper
82 100
128 45.6 37.8 56.6
54 53.4 39.9 59.9




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC






#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.26 min Scan# 1970
Delta R.T. -0.01 min
Lab File: BG017746.D
Acq: 22 Jun 2015 15:42

Tgt Ion: 164 Resp: 177656
Ion Ratio Lower Upper
164 100
162 94.1 76.3 114.5
160 42.0 33.7 50.5



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 107.01 ng
 RT: 15.76 min Scan# 2224
 Delta R.T. -0.02 min
 Lab File: BG017746.D
 Acq: 22 Jun 2015 15:42

Instrument :
 BNA_G
 ClientSampleId :
 PB84121BL

Tgt Ion:330 Resp: 176278
 Ion Ratio Lower Upper
 330 100
 332 96.8 76.8 115.2
 141 56.4 38.0 57.0




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 74.26 ng
 RT: 12.88 min Scan# 1735
 Delta R.T. -0.02 min
 Lab File: BG017746.D
 Acq: 22 Jun 2015 15:42

Tgt Ion:172 Resp: 812318
 Ion Ratio Lower Upper
 172 100
 171 38.2 30.7 46.1
 170 23.9 19.7 29.5



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#53
2,4-Dinitrophenol
Concen: 7.26 ng
RT: 14.41 min Scan# 1994
Delta R.T. 0.01 min
Lab File: BG017746.D
Acq: 22 Jun 2015 15:42




Instrument :
BNA_G
ClientSampled :
PB84121BL


Tgt Ion:184 Resp: 87
Ion Ratio Lower Upper
184 100
63 0.0 47.8 71.6#
154 0.0 39.3 58.9#



#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.01 min Scan# 2438
Delta R.T. -0.02 min
Lab File: BG017746.D
Acq: 22 Jun 2015 15:42

Tgt Ion:188 Resp: 409966
Ion Ratio Lower Upper
188 100
94 11.7 8.2 12.2
80 13.0 8.2 12.4#





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.22 min Scan# 3153

Delta R.T. -0.02 min

Lab File: BG017746.D

Acq: 22 Jun 2015 15:42

Instrument :

BNA_G

ClientSampleId :

PB84121BL


Tgt Ion:240 Resp: 436222

Ion Ratio Lower Upper

240 100

120 13.7 10.8 16.2




236 25.4 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 70.11 ng

RT: 19.66 min Scan# 2889

Delta R.T. -0.02 min

Lab File: BG017746.D

Acq: 22 Jun 2015 15:42


Tgt Ion:244 Resp: 1346026

Ion Ratio Lower Upper

244 100

212 8.4 7.2 10.8



122 16.2 12.8 19.2




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 23.44 min Scan# 3532
 Delta R.T. -0.02 min
 Lab File: BG017746.D
 Acq: 22 Jun 2015 15:42

Instrument :
 BNA_G
 ClientSampleId :
 PB84121BL

Tgt Ion:	264	Resp:	409402
Ion	Ratio	Lower	Upper
264	100		
260	24.1	18.6	27.8
265	22.6	18.2	27.2



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

