

Data Path : Z:\HPCHEM1\BNA_G\Data\BG062215\
 Data File : BG017739.D
 Acq On : 22 Jun 2015 10:35
 Operator : TP/IZ
 Sample : SSTDC0040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 DFTPP

Quant Time: Jun 23 02:04:35 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG061815.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 19 06:05:07 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.61	152	66177	20.00	ng	0.00
21) Naphthalene-d8	10.39	136	323975	20.00	ng	-0.01
38) Acenaphthene-d10	14.27	164	201060	20.00	ng	0.00
63) Phenanthrene-d10	17.02	188	452110	20.00	ng	-0.01
75) Chrysene-d12	21.22	240	435555	20.00	ng	0.00
86) Perylene-d12	23.45	264	409996	20.00	ng	-0.01

System Monitoring Compounds

5) 2-Fluorophenol	5.21	112	315470	83.66	ng	-0.01
7) Phenol-d6	6.79	99	456510	86.13	ng	-0.01
23) Nitrobenzene-d5	8.76	82	479671	85.17	ng	-0.01
41) 2,4,6-Tribromophenol	15.76	330	150230	80.58	ng	-0.01
44) 2-Fluorobiphenyl	12.89	172	974460	78.71	ng	-0.01
78) Terphenyl-d14	19.67	244	1546077	80.66	ng	-0.01

Target Compounds

						Qvalue
2) 1,4-Dioxane	3.17	88	74938	45.62	ng	99
3) Pyridine	3.55	79	222112	48.58	ng	95
4) n-Nitrosodimethylamine	3.47	42	103914	50.01	ng	# 99
6) Aniline	6.95	93	314329	43.13	ng	98
8) 2-Chlorophenol	7.18	128	191436	40.58	ng	89
9) Benzaldehyde	6.76	77	114867	37.39	ng	92
10) Phenol	6.81	94	249850	43.25	ng	95
11) bis(2-Chloroethyl)ether	7.05	93	189900	43.34	ng	99
12) 1,3-Dichlorobenzene	7.50	146	209028	39.84	ng	99
13) 1,4-Dichlorobenzene	7.65	146	214240	39.51	ng	97
14) 1,2-Dichlorobenzene	7.96	146	204522	39.96	ng	97
15) Benzyl Alcohol	7.85	79	201332	44.11	ng	95
16) 2,2'-oxybis(1-Chloropropan	8.15	45	304074	45.47	ng	99
17) 2-Methylphenol	8.05	107	178153	41.42	ng	97
18) Hexachloroethane	8.68	117	86569	41.63	ng	96
19) n-Nitroso-di-n-propylamine	8.42	70	195099	43.74	ng	96
20) 3+4-Methylphenols	8.38	107	244703	42.17	ng	99
22) Acetophenone	8.43	105	292029	39.75	ng	98
24) Nitrobenzene	8.80	77	256896	42.45	ng	99
25) Isophorone	9.33	82	514019	40.98	ng	96
26) 2-Nitrophenol	9.52	139	114653	41.52	ng	95
27) 2,4-Dimethylphenol	9.58	122	204929	39.18	ng	97
28) bis(2-Chloroethoxy)methane	9.82	93	258428	40.87	ng	97
29) 2,4-Dichlorophenol	10.04	162	179296	38.90	ng	98
30) 1,2,4-Trichlorobenzene	10.26	180	189813	36.67	ng	99
31) Naphthalene	10.44	128	692513	39.54	ng	100
32) Benzoic acid	9.71	122	108658	39.48	ng	98
33) 4-Chloroaniline	10.56	127	309965	40.45	ng	99
34) Hexachlorobutadiene	10.73	225	109571	36.98	ng	94
35) Caprolactam	11.34	113	98903	38.63	ng	92
36) 4-Chloro-3-methylphenol	11.69	107	229098	40.17	ng	98
37) 2-Methylnaphthalene	12.07	142	502621	39.90	ng	98
39) 1,2,4,5-Tetrachlorobenzene	12.44	216	204121	37.85	ng	97
40) Hexachlorocyclopentadiene	12.42	237	133841	36.96	ng	99


Data Path : Z:\HPCHEM1\BNA_G\Data\BG062215\
 Data File : BG017739.D
 Acq On : 22 Jun 2015 10:35
 Operator : TP/IZ
 Sample : SSTDC0040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 DFTPP

Quant Time: Jun 23 02:04:35 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG061815.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 19 06:05:07 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
42) 2,4,6-Trichlorophenol	12.69	196	148071	40.56	ng	96
43) 2,4,5-Trichlorophenol	12.75	196	162910	40.92	ng	94
45) 1,1'-Biphenyl	13.10	154	598237	40.27	ng	96
46) 2-Chloronaphthalene	13.13	162	481503	40.26	ng	99
47) 2-Nitroaniline	13.35	65	176159	49.28	ng	96
48) Acenaphthylene	13.99	152	864729	40.47	ng	99
49) Dimethylphthalate	13.74	163	615116	40.00	ng	100
50) 2,6-Dinitrotoluene	13.85	165	142336	44.89	ng	95
51) Acenaphthene	14.33	154	521952	40.48	ng	98
52) 3-Nitroaniline	14.18	138	167630	45.25	ng	91
53) 2,4-Dinitrophenol	14.38	184	65118	45.83	ng	# 88
54) Dibenzofuran	14.67	168	730957	40.26	ng	97
55) 4-Nitrophenol	14.49	139	137718	47.05	ng	96
56) 2,4-Dinitrotoluene	14.64	165	197553	43.61	ng	91
57) Fluorene	15.32	166	671126	40.89	ng	99
58) 2,3,4,6-Tetrachlorophenol	14.90	232	141469	42.85	ng	94
59) Diethylphthalate	15.11	149	674727	40.44	ng	100
60) 4-Chlorophenyl-phenylether	15.33	204	300929	39.95	ng	95
61) 4-Nitroaniline	15.35	138	189540	46.09	ng	96
62) Azobenzene	15.61	77	771608	44.14	ng	96
64) 4,6-Dinitro-2-methylphenol	15.40	198	107918	44.48	ng	92
65) n-Nitrosodiphenylamine	15.54	169	565825	39.17	ng	99
66) 4-Bromophenyl-phenylether	16.22	248	178673	38.26	ng	97
67) Hexachlorobenzene	16.32	284	187731	37.11	ng	94
68) Atrazine	16.50	200	194211	36.84	ng	99
69) Pentachlorophenol	16.67	266	111381	43.89	ng	97
70) Phenanthrene	17.07	178	1010908	39.64	ng	99
71) Anthracene	17.15	178	1004842	39.46	ng	97
72) Carbazole	17.43	167	990446	39.68	ng	100
73) Di-n-butylphthalate	18.01	149	1221118	39.20	ng	98
74) Fluoranthene	19.09	202	1104482	37.94	ng	99
76) Benzidine	19.28	184	474700	32.68	ng	99
77) Pyrene	19.45	202	1142665	41.22	ng	98
79) Butylbenzylphthalate	20.37	149	530666	40.48	ng	95
80) Benzo(a)anthracene	21.21	228	979606	39.07	ng	99
81) 3,3'-Dichlorobenzidine	21.15	252	347939	37.20	ng	99
82) Chrysene	21.26	228	910625	39.57	ng	99
83) Bis(2-ethylhexyl)phthalate	21.16	149	733365	40.26	ng	99
84) Di-n-octyl phthalate	22.04	149	1217706	40.73	ng	97
85) Indeno(1,2,3-cd)pyrene	25.73	276	1075457	38.96	ng	97
87) Benzo(b)fluoranthene	22.78	252	979630	39.69	ng	96
88) Benzo(k)fluoranthene	22.83	252	953537	40.41	ng	99
89) Benzo(a)pyrene	23.36	252	906200	39.96	ng	99
90) Dibenzo(a,h)anthracene	25.74	278	894101	38.95	ng	98
91) Benzo(g,h,i)perylene	26.42	276	860002	38.66	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed







#1

1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 7.61 min Scan# 838
 Delta R.T. -0.01 min
 Lab File: BG017739.D
 Acq: 22 Jun 2015 10:35

Instrument :
 BNA_G
 ClientSampleId :
 DFTPP




Tgt Ion:152 Resp: 66177
 Ion Ratio Lower Upper
 152 100
 150 154.8 119.1 178.7
 115 62.5 47.0 70.4




#2

1,4-Dioxane
 Concen: 45.62 ng
 RT: 3.17 min Scan# 82
 Delta R.T. -0.01 min
 Lab File: BG017739.D
 Acq: 22 Jun 2015 10:35

Tgt Ion: 88 Resp: 74938
 Ion Ratio Lower Upper
 88 100
 58 71.0 55.8 83.8
 43 35.0 27.4 41.2





#3

Pyridine

Concen: 48.58 ng

RT: 3.55 min Scan# 147

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tgt Ion: 79 Resp: 222112

Ion Ratio Lower Upper




79 100

52 75.4 55.7 83.5

51 40.6 32.2 48.4



Abundance Ion 79.00 (78.70 to 79.70): BGC
Ion 52.00 (51.70 to 52.70): BGC
Ion 51.00 (50.70 to 51.70): BGC



#4

n-Nitrosodimethylamine

Concen: 50.01 ng

RT: 3.47 min Scan# 133

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35


Tgt Ion: 42 Resp: 103914

Ion Ratio Lower Upper



42 100


74 108.9 87.4 131.2

44 6.2 6.4 9.6#



Abundance Ion 42.00 (41.70 to 42.70): BGC
Ion 74.00 (73.70 to 74.70): BGC
Ion 44.00 (43.70 to 44.70): BGC





#5

2-Fluorophenol

Concen: 83.66 ng

RT: 5.21 min Scan# 430

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tgt Ion: 112 Resp: 315470

Ion Ratio Lower Upper

112 100

64 62.7 45.4 68.0




63 34.2 25.3 37.9



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC



#6

Aniline

Concen: 43.13 ng

RT: 6.95 min Scan# 725

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35


Tgt Ion: 93 Resp: 314329

Ion Ratio Lower Upper

93 100

66 39.8 32.7 49.1



65 22.3 17.0 25.6




Abundance Ion 93.00 (92.70 to 93.70): BGC

Ion 66.00 (65.70 to 66.70): BGC

Ion 65.00 (64.70 to 65.70): BGC





#7

Phenol-d6

Concen: 86.13 ng

RT: 6.79 min Scan# 698

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tgt Ion: 99 Resp: 456510

Ion Ratio Lower Upper




99 100

42 24.3 16.2 24.4

71 39.8 29.5 44.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#8

2-Chlorophenol

Concen: 40.58 ng

RT: 7.18 min Scan# 764

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35


Tgt Ion: 128 Resp: 191436

Ion Ratio Lower Upper



128 100


130 32.8 11.1 51.1

64 52.4 21.4 61.4



Abundance Ion 128.00 (127.70 to 128.70): BGC
Ion 130.00 (129.70 to 130.70): BGC
Ion 64.00 (63.70 to 64.70): BGC





#9

Benzaldehyde

Concen: 37.39 ng

RT: 6.76 min Scan# 693

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35

Instrument :

BNA_G

ClientSampleId :

DFTPP





Tgt Ion: 77 Resp: 114867

Ion Ratio Lower Upper

77 100

105 86.2 71.8 111.8

106 84.3 74.5 114.5



#10

Phenol

Concen: 43.25 ng

RT: 6.81 min Scan# 702

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35




Tgt Ion: 94 Resp: 249850


Ion Ratio Lower Upper

94 100

65 31.8 9.9 49.9

66 43.1 19.4 59.4









#11
bis(2-Chloroethyl)ether
Concen: 43.34 ng
RT: 7.05 min Scan# 742
Delta R.T. -0.01 min
Lab File: BG017739.D
Acq: 22 Jun 2015 10:35




Instrument :
BNA_G
ClientSampleId :
DFTPP


Tgt Ion	Ratio	Lower	Upper
93	100		
63	74.1	54.7	94.7
95	32.7	13.2	53.2



#12
1,3-Dichlorobenzene
Concen: 39.84 ng
RT: 7.50 min Scan# 819
Delta R.T. -0.01 min
Lab File: BG017739.D
Acq: 22 Jun 2015 10:35

Tgt Ion	Ratio	Lower	Upper
146	100		
148	63.8	50.8	76.2
75	33.2	25.8	38.6









#13
 1,4-Dichlorobenzene
 Concen: 39.51 ng
 RT: 7.65 min Scan# 844
 Delta R.T. -0.01 min
 Lab File: BG017739.D
 Acq: 22 Jun 2015 10:35

Instrument :
 BNA_G
 ClientSampleId :
 DFTPP

Tgt Ion:146 Resp: 214240
 Ion Ratio Lower Upper
 146 100
 148 61.5 51.8 77.6
 111 39.3 31.0 46.4




Abundance Ion 146.00 (145.70 to 146.70): E
 Ion 148.00 (147.70 to 148.70): E
 Ion 111.00 (110.70 to 111.70): E






#14
 1,2-Dichlorobenzene
 Concen: 39.96 ng
 RT: 7.96 min Scan# 897
 Delta R.T. -0.01 min
 Lab File: BG017739.D
 Acq: 22 Jun 2015 10:35

Tgt Ion:146 Resp: 204522
 Ion Ratio Lower Upper
 146 100
 148 63.4 52.2 78.4
 111 43.7 32.3 48.5



Abundance Ion 146.00 (145.70 to 146.70): E
 Ion 148.00 (147.70 to 148.70): E
 Ion 111.00 (110.70 to 111.70): E





#15

Benzyl Alcohol

Concen: 44.11 ng

RT: 7.85 min Scan# 879

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35

Instrument :

BNA_G

ClientSampleId :

DFTPP





Tgt Ion: 79 Resp: 201332

Ion Ratio Lower Upper

79 100

108 76.1 58.4 87.6

77 67.7 49.9 74.9



#16

2,2'-oxybis(1-Chloropropane)

Concen: 45.47 ng

RT: 8.15 min Scan# 930

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35




Tgt Ion: 45 Resp: 304074


Ion Ratio Lower Upper

45 100

77 13.9 0.0 33.9

79 10.6 0.0 31.4





#17

2-Methylphenol

Concen: 41.42 ng

RT: 8.05 min Scan# 913

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35

Instrument :

BNA_G

ClientSampleId :

DFTPP

Tgt Ion:107 Resp: 178153


Ion Ratio Lower Upper

107 100

108 111.7 89.3 133.9

77 52.5 36.9 55.3

79 48.3 37.6 56.4






Abundance

Ion 107.00 (106.70 to 107.70): E

Ion 108.00 (107.70 to 108.70): E

Ion 77.00 (76.70 to 77.70): BG

Ion 79.00 (78.70 to 79.70): BG



#18

Hexachloroethane

Concen: 41.63 ng

RT: 8.68 min Scan# 1020

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35


Tgt Ion:117 Resp: 86569

Ion Ratio Lower Upper

117 100

119 99.8 80.1 120.1

201 82.2 71.9 107.9








Abundance

Ion 117.00 (116.70 to 117.70): E

Ion 119.00 (118.70 to 119.70): E

Ion 201.00 (200.70 to 201.70): E









#19
n-Nitroso-di-n-propylamine
Concen: 43.74 ng
RT: 8.42 min Scan# 975
Delta R.T. -0.02 min
Lab File: BG017739.D
Acq: 22 Jun 2015 10:35


Instrument :
BNA_G
ClientSampleId :
DFTPP


Tgt Ion:	70	Resp:	195099
Ion	Ratio	Lower	Upper
70	100		
42	66.3	50.8	76.2
101	11.4	8.7	13.1
130	23.9	22.3	33.5



#20
3+4-Methylphenols
Concen: 42.17 ng
RT: 8.38 min Scan# 969
Delta R.T. -0.01 min
Lab File: BG017739.D
Acq: 22 Jun 2015 10:35

Tgt Ion:	107	Resp:	244703
Ion	Ratio	Lower	Upper
107	100		
108	88.5	69.6	109.6
77	34.3	13.0	53.0
79	30.4	9.7	49.7









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.39 min Scan# 1311
Delta R.T. -0.01 min
Lab File: BG017739.D
Acq: 22 Jun 2015 10:35

Instrument :
BNA_G
ClientSampleId :
DFTPP

Tgt Ion:	136	Resp:	323975
Ion	Ratio	Lower	Upper
136	100		
137	10.8	8.8	13.2
54	8.5	6.6	9.8
68	6.4	5.1	7.7




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC






#22
Acetophenone
Concen: 39.75 ng
RT: 8.43 min Scan# 977
Delta R.T. -0.01 min
Lab File: BG017739.D
Acq: 22 Jun 2015 10:35

Tgt Ion:	105	Resp:	292029
Ion	Ratio	Lower	Upper
105	100		
71	7.7	7.7	11.5
51	32.8	24.9	37.3
120	33.4	26.2	39.4



Abundance Ion 105.00 (104.70 to 105.70): E
Ion 71.00 (70.70 to 71.70): BGC
Ion 51.00 (50.70 to 51.70): BGC
Ion 120.00 (119.70 to 120.70): E









#23
 Nitrobenzene-d5
 Concen: 85.17 ng
 RT: 8.76 min Scan# 1034
 Delta R.T. -0.01 min
 Lab File: BG017739.D
 Acq: 22 Jun 2015 10:35




Instrument :
 BNA_G
 ClientSampleId :
 DFTPP


Tgt Ion: 82 Resp: 479671
 Ion Ratio Lower Upper
 82 100
 128 43.9 37.8 56.6
 54 51.5 39.9 59.9



#24
 Nitrobenzene
 Concen: 42.45 ng
 RT: 8.80 min Scan# 1041
 Delta R.T. -0.01 min
 Lab File: BG017739.D
 Acq: 22 Jun 2015 10:35

Tgt Ion: 77 Resp: 256896
 Ion Ratio Lower Upper
 77 100
 123 44.9 36.2 54.2
 65 14.0 11.7 17.5





#25

Isophorone

Concen: 40.98 ng

RT: 9.33 min Scan# 1130

Delta R.T. -0.02 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tgt Ion: 82 Resp: 514019

Ion Ratio Lower Upper




82 100

95 7.1 5.8 8.8

138 18.7 17.0 25.6



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 95.00 (94.70 to 95.70): BGC
Ion 138.00 (137.70 to 138.70): BGC



#26

2-Nitrophenol

Concen: 41.52 ng

RT: 9.52 min Scan# 1162

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35


Tgt Ion: 139 Resp: 114653

Ion Ratio Lower Upper



139 100


109 32.1 23.0 34.4

65 55.7 42.0 63.0



Abundance Ion 139.00 (138.70 to 139.70): BGC
Ion 109.00 (108.70 to 109.70): BGC
Ion 65.00 (64.70 to 65.70): BGC









#27
 2,4-Dimethylphenol
 Concen: 39.18 ng
 RT: 9.58 min Scan# 1173
 Delta R.T. -0.01 min
 Lab File: BG017739.D
 Acq: 22 Jun 2015 10:35




Instrument :
 BNA_G
 ClientSampleId :
 DFTPP


Tgt Ion	Ratio	Lower	Upper
122	100		
107	118.1	92.2	138.2
121	55.7	46.5	69.7



#28
 bis(2-Chloroethoxy)methane
 Concen: 40.87 ng
 RT: 9.82 min Scan# 1214
 Delta R.T. -0.01 min
 Lab File: BG017739.D
 Acq: 22 Jun 2015 10:35

Tgt Ion	Ratio	Lower	Upper
93	100		
95	35.2	26.9	40.3
123	16.0	12.0	18.0









#29
2,4-Dichlorophenol
Concen: 38.90 ng
RT: 10.04 min Scan# 1252
Delta R.T. -0.01 min
Lab File: BG017739.D
Acq: 22 Jun 2015 10:35

Instrument :
BNA_G
ClientSampleId :
DFTPP

Tgt Ion	Ratio	Lower	Upper
162	100		
164	63.4	42.5	82.5
98	36.5	15.1	55.1




Abundance Ion 162.00 (161.70 to 162.70): E
Ion 164.00 (163.70 to 164.70): E
Ion 98.00 (97.70 to 98.70): B






#30
1,2,4-Trichlorobenzene
Concen: 36.67 ng
RT: 10.26 min Scan# 1288
Delta R.T. -0.01 min
Lab File: BG017739.D
Acq: 22 Jun 2015 10:35

Tgt Ion	Ratio	Lower	Upper
180	100		
182	95.3	75.2	112.8
145	30.9	24.1	36.1



Abundance Ion 180.00 (179.70 to 180.70): E
Ion 182.00 (181.70 to 182.70): E
Ion 145.00 (144.70 to 145.70): E









#31
Naphthalene
Concen: 39.54 ng
RT: 10.44 min Scan# 1320
Delta R.T. -0.01 min
Lab File: BG017739.D
Acq: 22 Jun 2015 10:35




Instrument :
BNA_G
ClientSampleId :
DFTPP


Tgt Ion:128 Resp: 692513
Ion Ratio Lower Upper
128 100
129 11.4 9.0 13.6
127 13.2 10.7 16.1



#32
Benzoic acid
Concen: 39.48 ng
RT: 9.71 min Scan# 1195
Delta R.T. -0.02 min
Lab File: BG017739.D
Acq: 22 Jun 2015 10:35

Tgt Ion:122 Resp: 108658
Ion Ratio Lower Upper
122 100
105 128.7 111.3 151.3
77 97.4 75.2 115.2









#33
4-Chloroaniline
Concen: 40.45 ng
RT: 10.56 min Scan# 1339
Delta R.T. -0.01 min
Lab File: BG017739.D
Acq: 22 Jun 2015 10:35




Instrument :
BNA_G
ClientSampled :
DFTPP


Tgt Ion:	127	Resp:	309965
Ion	Ratio	Lower	Upper
127	100		
129	33.0	26.7	40.1
65	31.3	24.6	37.0
92	16.5	14.2	21.4



#34
Hexachlorobutadiene
Concen: 36.98 ng
RT: 10.73 min Scan# 1369
Delta R.T. -0.01 min
Lab File: BG017739.D
Acq: 22 Jun 2015 10:35

Tgt Ion:	225	Resp:	109571
Ion	Ratio	Lower	Upper
225	100		
223	64.1	54.3	81.5
227	67.9	49.4	74.0





#35

Caprolactam

Concen: 38.63 ng

RT: 11.34 min Scan# 1472

Delta R.T. -0.02 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35

Instrument :

BNA_G

ClientSampleId :

DFTPP





Tgt Ion:113 Resp: 98903

Ion Ratio Lower Upper

113 100

55 128.0 100.8 140.8

56 104.5 75.5 115.5



#36

4-Chloro-3-methylphenol

Concen: 40.17 ng

RT: 11.69 min Scan# 1533

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35




Tgt Ion:107 Resp: 229098


Ion Ratio Lower Upper

107 100

144 26.8 22.2 33.4

142 82.6 67.1 100.7









#37
2-Methylnaphthalene
Concen: 39.90 ng
RT: 12.07 min Scan# 1596
Delta R.T. -0.01 min
Lab File: BG017739.D
Acq: 22 Jun 2015 10:35




Instrument :
BNA_G
ClientSampleId :
DFTPP


Tgt Ion:142 Resp: 502621
Ion Ratio Lower Upper
142 100
141 89.4 70.7 106.1
115 38.0 27.8 41.8



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.27 min Scan# 1971
Delta R.T. -0.01 min
Lab File: BG017739.D
Acq: 22 Jun 2015 10:35

Tgt Ion:164 Resp: 201060
Ion Ratio Lower Upper
164 100
162 97.9 76.3 114.5
160 43.5 33.7 50.5





#39

1,2,4,5-Tetrachlorobenzene

Concen: 37.85 ng

RT: 12.44 min Scan# 1660

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35

Instrument :

BNA_G

ClientSampleId :

DFTPP

Tgt Ion:216 Resp: 204121


Ion Ratio Lower Upper

216 100

214 78.8 64.5 96.7

179 21.7 16.7 25.1

108 26.2 18.6 27.8






Abundance Ion 216.00 (215.70 to 216.70): E

Ion 214.00 (213.70 to 214.70): E

Ion 179.00 (178.70 to 179.70): E

Ion 108.00 (107.70 to 108.70): E



#40

Hexachlorocyclopentadiene

Concen: 36.96 ng

RT: 12.42 min Scan# 1657

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35


Tgt Ion:237 Resp: 133841

Ion Ratio Lower Upper

237 100

235 63.0 42.2 82.2



272 13.6 0.0 33.9




Abundance Ion 236.80 (236.50 to 237.50): E

Ion 234.90 (234.60 to 235.60): E

Ion 271.75 (271.45 to 272.45): E









#41
 2,4,6-Tribromophenol
 Concen: 80.58 ng
 RT: 15.76 min Scan# 2225
 Delta R.T. -0.01 min
 Lab File: BG017739.D
 Acq: 22 Jun 2015 10:35




Instrument :
 BNA_G
 ClientSampleId :
 DFTPP


Tgt Ion	Ratio	Lower	Upper
330	100		
332	97.1	76.8	115.2
141	55.3	38.0	57.0



#42
 2,4,6-Trichlorophenol
 Concen: 40.56 ng
 RT: 12.69 min Scan# 1702
 Delta R.T. -0.01 min
 Lab File: BG017739.D
 Acq: 22 Jun 2015 10:35

Tgt Ion	Ratio	Lower	Upper
196	100		
198	90.5	76.2	114.4
200	29.7	24.6	36.8









#43
 2,4,5-Trichlorophenol
 Concen: 40.92 ng
 RT: 12.75 min Scan# 1713
 Delta R.T. -0.01 min
 Lab File: BG017739.D
 Acq: 22 Jun 2015 10:35




Instrument :
 BNA_G
 ClientSampleId :
 DFTPP


Tgt Ion:	196	Resp:	162910
Ion	Ratio	Lower	Upper
196	100		
198	96.2	78.1	117.1
97	62.7	42.6	64.0
132	31.8	22.6	33.8



#44
 2-Fluorobiphenyl
 Concen: 78.71 ng
 RT: 12.89 min Scan# 1736
 Delta R.T. -0.01 min
 Lab File: BG017739.D
 Acq: 22 Jun 2015 10:35

Tgt Ion:	172	Resp:	974460
Ion	Ratio	Lower	Upper
172	100		
171	36.6	30.7	46.1
170	24.7	19.7	29.5









#45
 1,1'-Biphenyl
 Concen: 40.27 ng
 RT: 13.10 min Scan# 1772
 Delta R.T. -0.01 min
 Lab File: BG017739.D
 Acq: 22 Jun 2015 10:35




Instrument :
 BNA_G
 ClientSampleId :
 DFTPP


Tgt Ion:	154	Resp:	598237
Ion	Ratio	Lower	Upper
154	100		
153	40.6	23.5	63.5
76	14.5	0.0	33.7



#46
 2-Chloronaphthalene
 Concen: 40.26 ng
 RT: 13.13 min Scan# 1778
 Delta R.T. -0.01 min
 Lab File: BG017739.D
 Acq: 22 Jun 2015 10:35

Tgt Ion:	162	Resp:	481503
Ion	Ratio	Lower	Upper
162	100		
127	41.1	33.2	49.8
164	33.4	27.7	41.5





#47

2-Nitroaniline

Concen: 49.28 ng

RT: 13.35 min Scan# 1814

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tgt Ion: 65 Resp: 176159

Ion Ratio Lower Upper




65 100

92 67.9 55.4 83.2

138 106.2 89.1 133.7



Abundance Ion 65.00 (64.70 to 65.70): BGC
Ion 92.00 (91.70 to 92.70): BGC
Ion 138.00 (137.70 to 138.70): BGC



#48

Acenaphthylene

Concen: 40.47 ng

RT: 13.99 min Scan# 1923

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35


Tgt Ion: 152 Resp: 864729

Ion Ratio Lower Upper



152 100


151 21.1 17.4 26.2

153 13.3 11.0 16.6



Abundance Ion 152.00 (151.70 to 152.70): BGC
Ion 151.00 (150.70 to 151.70): BGC
Ion 153.00 (152.70 to 153.70): BGC





#49

Dimethylphthalate

Concen: 40.00 ng

RT: 13.74 min Scan# 1881

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35

Instrument :

BNA_G

ClientSampleId :

DFTPP





Tgt Ion:163 Resp: 615116

Ion Ratio Lower Upper

163 100

194 7.0 5.8 8.6

164 10.3 8.3 12.5



#50

2,6-Dinitrotoluene

Concen: 44.89 ng

RT: 13.85 min Scan# 1900

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35




Tgt Ion:165 Resp: 142336


Ion Ratio Lower Upper

165 100

63 64.1 50.2 75.2

89 63.8 46.6 69.8





#51

Acenaphthene

Concen: 40.48 ng

RT: 14.33 min Scan# 1982

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tgt Ion:154 Resp: 521952

Ion Ratio Lower Upper

154 100

153 106.4 87.0 130.4




152 50.6 41.4 62.0



Abundance Ion 154.00 (153.70 to 154.70): E

Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E



#52

3-Nitroaniline

Concen: 45.25 ng

RT: 14.18 min Scan# 1956

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35


Tgt Ion:138 Resp: 167630

Ion Ratio Lower Upper

138 100

108 10.2 8.2 12.4



92 119.9 87.4 131.0




Abundance Ion 138.00 (137.70 to 138.70): E

Ion 108.00 (107.70 to 108.70): E

Ion 92.00 (91.70 to 92.70): BGO









#53
2,4-Dinitrophenol
Concen: 45.83 ng
RT: 14.38 min Scan# 1990
Delta R.T. -0.01 min
Lab File: BG017739.D
Acq: 22 Jun 2015 10:35

Instrument :
BNA_G
ClientSampleId :
DFTPP

Tgt Ion:184 Resp: 65118
Ion Ratio Lower Upper
184 100
63 72.8 47.8 71.6#
154 53.4 39.3 58.9




Abundance Ion 184.00 (183.70 to 184.70): E
Ion 63.00 (62.70 to 63.70): BG
Ion 154.00 (153.70 to 154.70): E






#54
Dibenzofuran
Concen: 40.26 ng
RT: 14.67 min Scan# 2039
Delta R.T. -0.01 min
Lab File: BG017739.D
Acq: 22 Jun 2015 10:35

Tgt Ion:168 Resp: 730957
Ion Ratio Lower Upper
168 100
139 42.2 32.2 48.2
169 13.6 11.3 16.9



Abundance Ion 168.00 (167.70 to 168.70): E
Ion 139.00 (138.70 to 139.70): E
Ion 169.00 (168.70 to 169.70): E









#55
4-Nitrophenol
Concen: 47.05 ng
RT: 14.49 min Scan# 2008
Delta R.T. -0.01 min
Lab File: BG017739.D
Acq: 22 Jun 2015 10:35




Instrument :
BNA_G
ClientSampleId :
DFTPP


Tgt Ion:139 Resp: 137718
Ion Ratio Lower Upper
139 100
109 71.3 50.3 90.3
65 105.0 78.8 118.8



#56
2,4-Dinitrotoluene
Concen: 43.61 ng
RT: 14.64 min Scan# 2034
Delta R.T. -0.01 min
Lab File: BG017739.D
Acq: 22 Jun 2015 10:35

Tgt Ion:165 Resp: 197553
Ion Ratio Lower Upper
165 100
63 52.6 36.2 54.4
89 79.5 57.9 86.9
182 4.9 4.7 7.1





#57

Fluorene

Concen: 40.89 ng

RT: 15.32 min Scan# 2150

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tgt Ion:166 Resp: 671126

Ion Ratio Lower Upper

166 100

165 92.9 73.4 110.0




167 13.9 11.0 16.6



Abundance Ion 166.00 (165.70 to 166.70): E

Ion 165.00 (164.70 to 165.70): E

Ion 167.00 (166.70 to 167.70): E



#58

2,3,4,6-Tetrachlorophenol

Concen: 42.85 ng

RT: 14.90 min Scan# 2078

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35

Tgt Ion:232 Resp: 141469


Ion Ratio Lower Upper

232 100

131 55.7 40.8 61.2

130 3.1 2.4 3.6

166 33.0 23.8 35.8






Abundance Ion 232.00 (231.70 to 232.70): E

Ion 131.00 (130.70 to 131.70): E

Ion 130.00 (129.70 to 130.70): E

Ion 166.00 (165.70 to 166.70): E









#59
Diethylphthalate
Concen: 40.44 ng
RT: 15.11 min Scan# 2115
Delta R.T. -0.01 min
Lab File: BG017739.D
Acq: 22 Jun 2015 10:35

Instrument :
BNA_G
ClientSampleId :
DFTPP

Tgt Ion:149 Resp: 674727
Ion Ratio Lower Upper
149 100
177 23.7 19.1 28.7
150 13.0 10.3 15.5




Abundance Ion 149.00 (148.70 to 149.70): E
Ion 177.00 (176.70 to 177.70): E
Ion 150.00 (149.70 to 150.70): E






#60
4-Chlorophenyl-phenylether
Concen: 39.95 ng
RT: 15.33 min Scan# 2151
Delta R.T. -0.01 min
Lab File: BG017739.D
Acq: 22 Jun 2015 10:35

Tgt Ion:204 Resp: 300929
Ion Ratio Lower Upper
204 100
206 35.4 28.6 42.8
141 67.1 49.0 73.4



Abundance Ion 204.00 (203.70 to 204.70): E
Ion 206.00 (205.70 to 206.70): E
Ion 141.00 (140.70 to 141.70): E





#61

4-Nitroaniline

Concen: 46.09 ng

RT: 15.35 min Scan# 2155

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tgt Ion:138 Resp: 189540

Ion Ratio Lower Upper

138 100

92 49.9 27.7 67.7




108 81.2 57.8 97.8



Abundance Ion 138.00 (137.70 to 138.70): E

Ion 92.00 (91.70 to 92.70): BGC

Ion 108.00 (107.70 to 108.70): E



#62

Azobenzene

Concen: 44.14 ng

RT: 15.61 min Scan# 2200

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35

Tgt Ion: 77 Resp: 771608


Ion Ratio Lower Upper

77 100

182 24.9 8.2 48.2

105 15.7 0.0 36.6

51 33.0 11.7 51.7






Abundance Ion 77.00 (76.70 to 77.70): BGC

Ion 182.00 (181.70 to 182.70): E

Ion 105.00 (104.70 to 105.70): E

Ion 51.00 (50.70 to 51.70): BGC









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.02 min Scan# 2439
Delta R.T. -0.01 min
Lab File: BG017739.D
Acq: 22 Jun 2015 10:35




Instrument :
BNA_G
ClientSampleId :
DFTPP


Tgt Ion:188 Resp: 452110
Ion Ratio Lower Upper
188 100
94 10.8 8.2 12.2
80 13.0 8.2 12.4#



#64
4,6-Dinitro-2-methylphenol
Concen: 44.48 ng
RT: 15.40 min Scan# 2164
Delta R.T. -0.01 min
Lab File: BG017739.D
Acq: 22 Jun 2015 10:35

Tgt Ion:198 Resp: 107918
Ion Ratio Lower Upper
198 100
51 55.2 27.0 67.0
105 44.9 23.3 63.3





#65

n-Nitrosodiphenylamine

Concen: 39.17 ng

RT: 15.54 min Scan# 2187

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tgt Ion:169 Resp: 565825

Ion Ratio Lower Upper

169 100

168 68.7 54.1 81.1




167 37.5 29.4 44.2



Abundance Ion 169.00 (168.70 to 169.70): E

Ion 168.00 (167.70 to 168.70): E

Ion 167.00 (166.70 to 167.70): E



#66

4-Bromophenyl-phenylether

Concen: 38.26 ng

RT: 16.22 min Scan# 2303

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35


Tgt Ion:248 Resp: 178673

Ion Ratio Lower Upper

248 100

250 98.0 78.0 117.0



141 87.0 65.7 98.5




Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E









#67
Hexachlorobenzene
Concen: 37.11 ng
RT: 16.32 min Scan# 2321
Delta R.T. -0.01 min
Lab File: BG017739.D
Acq: 22 Jun 2015 10:35




Instrument :
BNA_G
ClientSampleId :
DFTPP


Tgt Ion: 284 Resp: 187731
Ion Ratio Lower Upper
284 100
142 50.8 35.2 52.8
249 32.2 25.4 38.0



#68
Atrazine
Concen: 36.84 ng
RT: 16.50 min Scan# 2351
Delta R.T. -0.01 min
Lab File: BG017739.D
Acq: 22 Jun 2015 10:35

Tgt Ion: 200 Resp: 194211
Ion Ratio Lower Upper
200 100
173 25.3 5.6 45.6
215 54.9 34.1 74.1









#69
 Pentachlorophenol
 Concen: 43.89 ng
 RT: 16.67 min Scan# 2380
 Delta R.T. -0.01 min
 Lab File: BG017739.D
 Acq: 22 Jun 2015 10:35

Instrument :
 BNA_G
 ClientSampleId :
 DFTPP

Tgt Ion:266 Resp: 111381
 Ion Ratio Lower Upper
 266 100
 268 59.2 51.0 76.6
 264 63.3 50.7 76.1




Abundance Ion 265.70 (265.40 to 266.40): E
 Ion 268.00 (267.70 to 268.70): E
 Ion 264.00 (263.70 to 264.70): E






#70
 Phenanthrene
 Concen: 39.64 ng
 RT: 17.07 min Scan# 2447
 Delta R.T. -0.01 min
 Lab File: BG017739.D
 Acq: 22 Jun 2015 10:35

Tgt Ion:178 Resp: 1010908
 Ion Ratio Lower Upper
 178 100
 176 20.6 16.5 24.7
 179 16.3 13.5 20.3



Abundance Ion 178.00 (177.70 to 178.70): E
 Ion 176.00 (175.70 to 176.70): E
 Ion 179.00 (178.70 to 179.70): E









#71
 Anthracene
 Concen: 39.46 ng
 RT: 17.15 min Scan# 2462
 Delta R.T. -0.01 min
 Lab File: BG017739.D
 Acq: 22 Jun 2015 10:35




Instrument :
 BNA_G
 ClientSampleId :
 DFTPP


Tgt Ion:178 Resp: 1004842
 Ion Ratio Lower Upper
 178 100
 176 21.6 15.2 22.8
 179 16.8 13.6 20.4



#72
 Carbazole
 Concen: 39.68 ng
 RT: 17.43 min Scan# 2509
 Delta R.T. -0.01 min
 Lab File: BG017739.D
 Acq: 22 Jun 2015 10:35

Tgt Ion:167 Resp: 990446
 Ion Ratio Lower Upper
 167 100
 166 22.7 18.3 27.5
 139 15.1 11.9 17.9





#73

Di-n-butylphthalate

Concen: 39.20 ng

RT: 18.01 min Scan# 2608

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tgt Ion:149 Resp: 1221118

Ion Ratio Lower Upper

149 100

150 10.0 8.6 12.8




104 6.8 5.0 7.6



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 104.00 (103.70 to 104.70): E



#74

Fluoranthene

Concen: 37.94 ng

RT: 19.09 min Scan# 2792

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35


Tgt Ion:202 Resp: 1104482

Ion Ratio Lower Upper

202 100

101 14.0 0.0 33.3



203 19.3 0.0 39.5




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.22 min Scan# 3155

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tgt Ion:240 Resp: 435555

Ion Ratio Lower Upper

240 100

120 12.8 10.8 16.2




236 26.0 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#76

Benzidine

Concen: 32.68 ng

RT: 19.28 min Scan# 2824

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35


Tgt Ion:184 Resp: 474700

Ion Ratio Lower Upper

184 100

185 15.1 11.5 17.3



183 12.4 10.0 15.0




Abundance Ion 184.00 (183.70 to 184.70): E

Ion 185.00 (184.70 to 185.70): E

Ion 183.00 (182.70 to 183.70): E





#77

Pyrene

Concen: 41.22 ng

RT: 19.45 min Scan# 2853

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tgt Ion:202 Resp: 1142665

Ion Ratio Lower Upper

202 100

200 22.4 18.8 28.2




203 19.1 15.9 23.9



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 200.00 (199.70 to 200.70): E

Ion 203.00 (202.70 to 203.70): E



#78

Terphenyl-d14

Concen: 80.66 ng

RT: 19.67 min Scan# 2890

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35


Tgt Ion:244 Resp: 1546077

Ion Ratio Lower Upper

244 100

212 8.8 7.2 10.8



122 16.2 12.8 19.2




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E









#79
Butylbenzylphthalate
Concen: 40.48 ng
RT: 20.37 min Scan# 3010
Delta R.T. -0.01 min
Lab File: BG017739.D
Acq: 22 Jun 2015 10:35




Instrument :
BNA_G
ClientSampleId :
DFTPP


Tgt Ion:149 Resp: 530666
Ion Ratio Lower Upper
149 100
91 78.6 59.5 89.3
206 21.3 18.5 27.7



#80
Benzo(a)anthracene
Concen: 39.07 ng
RT: 21.21 min Scan# 3152
Delta R.T. -0.01 min
Lab File: BG017739.D
Acq: 22 Jun 2015 10:35

Tgt Ion:228 Resp: 979606
Ion Ratio Lower Upper
228 100
226 29.2 23.1 34.7
229 21.3 17.4 26.0









#81
 3,3'-Dichlorobenzidine
 Concen: 37.20 ng
 RT: 21.15 min Scan# 3142
 Delta R.T. -0.01 min
 Lab File: BG017739.D
 Acq: 22 Jun 2015 10:35

Instrument :
 BNA_G
 ClientSampleId :
 DFTPP

Tgt Ion: 252 Resp: 347939
 Ion Ratio Lower Upper
 252 100
 254 65.0 51.2 76.8
 126 14.6 11.4 17.0




Abundance Ion 252.00 (251.70 to 252.70): E
 Ion 254.00 (253.70 to 254.70): E
 Ion 126.00 (125.70 to 126.70): E






#82
 Chrysene
 Concen: 39.57 ng
 RT: 21.26 min Scan# 3161
 Delta R.T. -0.01 min
 Lab File: BG017739.D
 Acq: 22 Jun 2015 10:35

Tgt Ion: 228 Resp: 910625
 Ion Ratio Lower Upper
 228 100
 226 32.1 26.1 39.1
 229 21.6 17.7 26.5



Abundance Ion 228.00 (227.70 to 228.70): E
 Ion 226.00 (225.70 to 226.70): E
 Ion 229.00 (228.70 to 229.70): E









#83
 Bis(2-ethylhexyl)phthalate
 Concen: 40.26 ng
 RT: 21.16 min Scan# 3144
 Delta R.T. -0.01 min
 Lab File: BG017739.D
 Acq: 22 Jun 2015 10:35




Instrument :
 BNA_G
 ClientSampleId :
 DFTPP


Tgt Ion	Ratio	Lower	Upper
149	100		
167	32.4	26.6	39.8
279	8.1	6.9	10.3



#84
 Di-n-octyl phthalate
 Concen: 40.73 ng
 RT: 22.04 min Scan# 3293
 Delta R.T. -0.02 min
 Lab File: BG017739.D
 Acq: 22 Jun 2015 10:35

Tgt Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.4	2.0
43	13.2	9.7	14.5









#85
 Indeno(1,2,3-cd)pyrene
 Concen: 38.96 ng
 RT: 25.73 min Scan# 3921
 Delta R.T. -0.02 min
 Lab File: BG017739.D
 Acq: 22 Jun 2015 10:35




Instrument :
 BNA_G
 ClientSampleId :
 DFTPP


Tgt Ion:276 Resp: 1075457
 Ion Ratio Lower Upper
 276 100
 138 34.1 25.4 38.0
 277 26.4 21.0 31.4



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 23.45 min Scan# 3534
 Delta R.T. -0.01 min
 Lab File: BG017739.D
 Acq: 22 Jun 2015 10:35

Tgt Ion:264 Resp: 409996
 Ion Ratio Lower Upper
 264 100
 260 22.8 18.6 27.8
 265 21.2 18.2 27.2









#87
Benzo(b)fluoranthene
Concen: 39.69 ng
RT: 22.78 min Scan# 3420
Delta R.T. -0.01 min
Lab File: BG017739.D
Acq: 22 Jun 2015 10:35

Instrument :
BNA_G
ClientSampleId :
DFTPP

Tgt Ion:252 Resp: 979630
Ion Ratio Lower Upper
252 100
253 21.8 19.7 29.5
125 13.3 10.6 15.8




Abundance Ion 252.00 (251.70 to 252.70): E
Ion 253.00 (252.70 to 253.70): E
Ion 125.00 (124.70 to 125.70): E






#88
Benzo(k)fluoranthene
Concen: 40.41 ng
RT: 22.83 min Scan# 3428
Delta R.T. -0.01 min
Lab File: BG017739.D
Acq: 22 Jun 2015 10:35

Tgt Ion:252 Resp: 953537
Ion Ratio Lower Upper
252 100
253 23.5 19.0 28.6
125 13.8 10.3 15.5



Abundance Ion 252.00 (251.70 to 252.70): E
Ion 253.00 (252.70 to 253.70): E
Ion 125.00 (124.70 to 125.70): E





#89

Benzo(a)pyrene

Concen: 39.96 ng

RT: 23.36 min Scan# 3518

Delta R.T. -0.01 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tgt Ion: 252 Resp: 906200

Ion Ratio Lower Upper

252 100

253 23.7 19.0 28.6




125 14.8 11.1 16.7



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#90

Dibenzo(a,h)anthracene

Concen: 38.95 ng

RT: 25.74 min Scan# 3924

Delta R.T. -0.02 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35


Tgt Ion: 278 Resp: 894101

Ion Ratio Lower Upper

278 100

139 20.3 16.2 24.2



279 23.3 19.9 29.9




Abundance Ion 278.00 (277.70 to 278.70): E

Ion 139.00 (138.70 to 139.70): E

Ion 279.00 (278.70 to 279.70): E





#91

Benzo(g,h,i)perylene

Concen: 38.66 ng

RT: 26.42 min Scan# 4040

Delta R.T. -0.02 min

Lab File: BG017739.D

Acq: 22 Jun 2015 10:35

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tgt Ion: 276 Resp: 860002

Ion Ratio Lower Upper

276 100

277 22.8 18.9 28.3

138 25.8 20.8 31.2



Abundance Ion 276.00 (275.70 to 276.70): E

Ion 277.00 (276.70 to 277.70): E

Ion 138.00 (137.70 to 138.70): E

