

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG062217\
 Data File : BG027609.D
 Acq On : 22 Jun 2017 23:31
 Operator : SJ/JU
 Sample : I3657-02
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 MW-106S

Quant Time: Jun 23 02:12:04 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG062117.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 21 18:52:15 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.51	152	22378	20.00	ng	0.00
21) Naphthalene-d8	11.32	136	104908	20.00	ng	0.00
38) Acenaphthene-d10	15.09	164	66596	20.00	ng	0.00
63) Phenanthrene-d10	17.84	188	174203	20.00	ng	0.00
75) Chrysene-d12	22.20	240	183363	20.00	ng	-0.01
86) Perylene-d12	25.84	264	178877	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	6.09	112	77546	49.32	ng	0.00
7) Phenol-d6	7.64	99	67275	28.90	ng	0.00
23) Nitrobenzene-d5	9.67	82	171516	77.36	ng	0.00
41) 2,4,6-Tribromophenol	16.57	330	137219	138.21	ng	0.00
44) 2-Fluorobiphenyl	13.71	172	385524	79.08	ng	0.00
78) Terphenyl-d14	20.42	244	673714	86.57	ng	0.00
Target Compounds						Qvalue
49) Dimethylphthalate	14.52	163	110225	18.90	ng	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG062217\
Data File : BG027609.D
Acq On : 22 Jun 2017 23:31
Operator : SJ/JU
Sample : I3657-02
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
MW-106S

Quant Time: Jun 23 02:12:04 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG062117.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 21 18:52:15 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.51 min Scan# 786
Delta R.T. -0.00 min
Lab File: BG027609.D
Acq: 22 Jun 2017 23:31

Instrument :
BNA_G
ClientSampled :
MW-106S

Tot Ion:152 Resp: 22378
Ion Ratio Lower Upper
152 100
150 162.3 114.0 171.0
115 77.5 48.1 72.1#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 49.32 ng
RT: 6.09 min Scan# 374
Delta R.T. -0.00 min
Lab File: BG027609.D
Acq: 22 Jun 2017 23:31

Tgt Ion:112 Resp: 77546
Ion Ratio Lower Upper
112 100
64 73.1 61.8 92.6
63 41.6 37.2 55.8



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 28.90 ng

RT: 7.64 min Scan# 638

Delta R.T. -0.01 min

Lab File: BG027609.D

Acq: 22 Jun 2017 23:31

Instrument :

BNA_G

ClientSampleId :

MW-106S


Tot Ion: 99 Resp: 67275

Ion Ratio Lower Upper




99 100

42 23.1 20.5 30.7

71 44.3 37.6 56.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 11.32 min Scan# 1265

Delta R.T. -0.01 min

Lab File: BG027609.D

Acq: 22 Jun 2017 23:31

Tgt Ion: 136 Resp: 104908


Ion Ratio Lower Upper

136 100



137 11.2 8.9 13.3


54 10.9 9.3 13.9

68 5.0 5.1 7.7#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 77.36 ng
 RT: 9.67 min Scan# 984
 Delta R.T. -0.00 min
 Lab File: BG027609.D
 Acq: 22 Jun 2017 23:31

Instrument :
 BNA_G
 ClientSampleID :
 MW-106S

Tot Ion	82	Resp	171516
Ion Ratio	Lower	Upper	
82	100		
128	38.5	26.4	39.6
54	56.7	49.4	74.2




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC





#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 15.09 min Scan# 1906
 Delta R.T. -0.01 min
 Lab File: BG027609.D
 Acq: 22 Jun 2017 23:31

Tgt Ion	164	Resp	66596
Ion Ratio	Lower	Upper	
164	100		
162	98.4	85.1	127.7
160	45.7	34.7	52.1



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC





#41

2,4,6-Tribromophenol

Concen: 138.21 ng

RT: 16.57 min Scan# 2159

Delta R.T. -0.01 min

Lab File: BG027609.D

Acq: 22 Jun 2017 23:31

Instrument :

BNA_G

ClientSampleId :

MW-106S


Tot Ion:330 Resp: 137219

Ion Ratio Lower Upper

330 100

332 98.0 77.3 115.9




141 39.1 32.1 48.1



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44

2-Fluorobiphenyl

Concen: 79.08 ng

RT: 13.71 min Scan# 1672

Delta R.T. -0.01 min

Lab File: BG027609.D

Acq: 22 Jun 2017 23:31


Tgt Ion:172 Resp: 385524

Ion Ratio Lower Upper

172 100

171 37.7 32.2 48.2



170 24.1 21.8 32.6




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 18.90 ng

RT: 14.52 min Scan# 1809

Delta R.T. -0.01 min

Lab File: BG027609.D

Acq: 22 Jun 2017 23:31

Instrument :

BNA_G

ClientSampleId :

MW-106S


Tot Ion:163 Resp: 110225

Ion Ratio Lower Upper

163 100

194 4.3 3.8 5.6




164 9.6 9.3 13.9



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.84 min Scan# 2374

Delta R.T. -0.01 min

Lab File: BG027609.D

Acq: 22 Jun 2017 23:31


Tgt Ion:188 Resp: 174203

Ion Ratio Lower Upper

188 100

94 8.0 5.8 8.8



80 9.9 7.5 11.3




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.00 ng

RT: 22.20 min Scan# 3117

Delta R.T. -0.01 min

Lab File: BG027609.D

Acq: 22 Jun 2017 23:31

Instrument :

BNA_G

ClientSampleId :

MW-106S


Tot Ion:240 Resp: 183363

Ion Ratio Lower Upper

240 100

120 8.5 5.7 8.5




236 25.6 22.2 33.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 86.57 ng

RT: 20.42 min Scan# 2813

Delta R.T. -0.00 min

Lab File: BG027609.D

Acq: 22 Jun 2017 23:31


Tgt Ion:244 Resp: 673714

Ion Ratio Lower Upper

244 100

212 8.0 10.0 15.0#



122 9.5 8.6 12.8



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.00 ng
RT: 25.84 min Scan# 3736
Delta R.T. -0.01 min
Lab File: BG027609.D
Acq: 22 Jun 2017 23:31

Instrument :
BNA_G
ClientSampleId :
MW-106S

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.1	21.8	32.8
265	20.8	18.2	27.4

